2600 Magazine – Volume 13, Number 1



STAFF

Emmanuel Goldstein Editor-In-Chief

Scott Skinner Layout

Cover Design Phriend2, Shawn West, GTE

Office Manager

Tampruf

"It's not a computer crime to break into someone's system and just look around."
- Susan Lloyd, a spokesperson for the FBI's Washington DC field office
as quoted in the March 10, 1998 Boston Herald.

Writers: Billsf, Blue Whale, Commander Crash, Eric Corley, Count Zero, Kevin Crow, Dr. Delam, John Drake, Paul Estev, Mr. French, Bob Hardy, Kingpin, Knight Lightning, NC-23, Peter Rabbit, David Ruderman, Silent Switchman, Thee Joker, Mr. Upsetter, Voyager, Dr. Williams.

Network Operations: Max-q, Phiber Optik.

Voice Mail: Neon Samurai

Webmasters: Bloot, Corp.

Inspirational Music: Raekwon and the Wu Tang Clan, Trancemode Express 1.01, Negativland (Sex Dirt).

Shout Outs: Veggie, Freqout, Sciri, Marko, Zeed, Refugium.

SEE HERE

hackers '95 review	2600 marketplace	motorola cellular guide	letters	avoiding suspicion	the alaskan phone system	hacking caller id boxes	hacking doors	sharp cash trix	macs at ease	confessions of a beige boxer	unshredding the evidence	a page of revenge	tap alert	caught in the web
53	48	38	28	26	24	22	20	18	17	12	10	9	о	4

2600 (ISSN 0749-3851) is published quarterly by 2600 Enterprises Inc., 7 Strong's Lane, Setauket, NY 11733.

ş

Second class postage permit paid at Setauket, New York.

POSTMASTER: Send address changes to
2600, PO. Box 752, Middle Island, NY 11953-0752.

Copyright (c) 1996 2600 Enterprises, Inc. Yearly subscription: U.S. and Canada --\$21 individual, \$50 corporate (U.S. funds).

Overseas -- \$30 individual, \$65 corporate.

Back issues available for 1984-1995 at \$25 per year, \$30 per year overseas.

Individual issues available from 1988 on at \$6.25 each, \$7.50 each overseas.

ADDRESS ALL SUBSCRIPTION CORRESPONDENCE TO: 2600 Subscription Dept., PO. Box 752, Middle Island, NY 11953-0752 (subs@2600.com). FOR LETTERS AND ARTICLE SUBMISSIONS, WRITE TO: 2600 Editorial Dept., P.O. Box 99, Middle Island, NY 11953-0099

(letters@2600.com, articles@2600.com). 2600 Office Line: 516-751-2600, 2600 FAX Line: 516-474-2677

Spring 1996

2600 Magazine

Caught in the Web

How do mere individuals stand up to modem
day injustices? What can we do to get the word
day injustices? What can we do to get the word
out when the system has failed us and the most
important thing is to find others in a similar sit
uation who may be able to help out?
Throughout history, this kind of a challenge
has been insurmountable to most. But the times
has been insurmountable to most. But the times
been supported. However, by posting our account

corporations is the ability to adapt-quickly.

We've learned over the past few years that the Internet is probably the most effective means of worldwide communication in the history of humanity. When word of something needs to be gotten out, all that is required is access and the world can know within seconds. Now, with the growing popularity of the World Wide Web, anyone with the necessary access has the ability to become their own information disseminator, where people from around the world actually come to you for information of any sort. And with the growing number and abilities of search dwith the growing number and abilities of search the information you provide.

This kind of power is unprecedented in the hands of solitary citizens. It's precisely because of the hacker mentality responsible for creating this medium that the authorities are in such a panie. This explains the rush to control everything from content to accessibility. But the powermangers are far too late this time. The box is open and the rules forever changed. It no longer matters what those who don't realize this choose to do. They are doomed to failure. What is important, though, is for the rest of us to maximize the potential of this technology while it is still in relative infancy.

As consumers, we no longer have to wait for someone to speak on our behalf. With the net, we can speak for ourselves and be guaranteed an audience and ultimately, a reaction of some sort. In our last issue, we mentioned a problem we were having with an Internet Service Provider

an inordinate amount of time. All we had to do them give in. We didn't have to sue them or waste was speak up. sure from so many people that ultimately made their reaction that made them look bad and presthreats by large corporations. Now newspapers reacted, at first by threatening to sue us. That there was no way the issue could be avoided. PSI the contracts had already been signed. Since it What happened was an honest mistake. It was and we have no hard feelings towards them refund. We believe they learned a valuable lesson wards and without fanfare, they sent us a full case. PSI really had no choice. Shortly after were actually starting to take an interest in the viduals on the net are particularly averse to legal proved to be an even bigger mistake since indi conversations where PSI reps were clearly heard tacts to pool our resources. When we went one able to make contact with scores of other people newsgroups and other Internet forums), we were have happened. However, by posting our account finally realized that they didn't offer this service saying they supported the service we wanted step further and posted sound files of telephone who had had similar run-ins. We used these conof the story on our web site (as well as Usenet Several years ago, that's probably what would believed that we would be held to the contract and more than a few people (including PSI) was a verbal agreement, there was little recourse

The same kind of power in a different kind of way was felt with the Bernie S. case, which we have been involved in for over a year now. In January of this year, the United States Secret Service managed to have Bernie S. locked up yet again for last year's charge of possessing technology which could be used to commit fraud.

audience and ultimately, a reaction of some sort.

In our last issue, we mentioned a problem we ly violated probation for an offense committed were having with an Internet Service Provider several years ago in a small Pennsylvania town.

2600 Magazine


ever have been expected to go to prison for it. imprisoned on the spot. After several weeks, the ously not a flight risk, having shown up for \$250,000. This, despite the fact that he was obvibecause the judge had set such a high bailinmates. He was considered especially dangerous prison with murderers, rapists, and death row town. Based on this image, he was put back in by having the Secret Service come to their small was of little significance, were heavily influenced and prosecutor who had previously said the case ety. The judge, along with the probation officer ness to portray Bernie S. as a major threat to soci-However, the Secret Service made it their busiseriousness to "insulting the flag"-nobody could ing on him by seeking to have that extended should be released on May 30, but the Secret it lowered-to \$100,000. In early March, the judge judge conceded that the bail was too high and had numerous hearings where he could have been Service may attempt to impose even more suffermurder in the same district. Under the law, he sentence of someone convicted of attempted sentenced Bernie S. to 6-24 months, double the

Throughout this entire escapade, the Secret Service has said in every court appearance that some of the most disturbing evidence they found in Bernie's possession was information on the Secret Service themselves-frequencies, addresses, codenames, and pictures that had been on a television show. Special Agent Thomas Varney has said under oath that any reasonable person would view this evidence as proof that Bernie S. was a threat to society. And this assumption was accepted-by law enforcement, the legal system, the media, and, ultimately, the public.

We decided to check into this. We found that all of this information was completely legal and available to the public. And, to emphasize the point, we made all of it (and more) available on our web page. The reaction was phenomenal-an average of around 1,000 visitors a day. And the irony was delightful-because the Secret Service overreacted at one person's possession of this material, millions of people around the world now had easy access to it. It may not have been

enough to get Bernie S. freed, but it was enough to get his story into newspapers around the world and have the real issues of the case discussed at long last. We hope this new publicity will cause some heads to roll at the Secret Service and prevent this kind of thing from happening again to more of us. Regardless, Bernie S. has gained

Because it was such a minor incident-equal in



Spring 1996

Spring 1996

2600 Magazine

and Crash Test Idiot by No comment

conference voice says. "I am," booms Joe Hacker with confidence. Suddenly, Joe destine operation of the night minal box and is off safely to his next clanton on his phone, announces, "Gotta go," pulls the phone cord swiftly from the ternotices his phone goes dead and the tapmomentarily, pushes the red override butalert light has gone off! Joe, startled only "Who's the operator?", an anonymous

again... with the help of a tap-alert device described in this article. Fiction scenario? Yes. Probable? Yes

asitic or the electronic taps at the switch). will detect lower grade taps (not the non-parcan you tell for sure? The tap-alert device wary that your phone line is tapped, but how moment they dropped in? Or perhaps you are Wouldn't it have been nice to have known the conversation not meant for their ears. tened while you were having some salatious or roommate dropped onto the line and lisways. How about those times when a parent The tap-alert device is useful in many

be small enough to fit on the average lowing assembly and the final product will No project board is required for the fol-

mately the same length as the lead you just cut on the LED. Now, solder the LED to the LED unit will be soldered to. Solder the rectifier, this is the side that your zener/ locate the plus and minus side of the bridge zener to the cut lead on the LED. Next, zener diode by soldering the cut lead on the the black band) on the zener diode approxiing to. Next, cut the cathode (the side with the LED as short as you can handle solder-First, cut the cathode (the short lead) on

> or, if you're real manly, a bottle of Cisco. go drink some Hacker Pschorr Oktoberfest ing device... we recommend that you now now completed assembly of the tap-blockthe other remaining rectifier pin. You have er pins, then solder the other switch lead to solder it to one of the two remaining rectifibutton switch to. Pick one switch lead and the two pins that you must solder the pushbridge rectifier that you just soldered to are to the plus pin. On the opposite side of the zener lead to the minus pin on the bridge rectifier, and the remaining lead of the LED

Installing the Device into a Phone

es, boxes, devices, etc. and there is plenty of space to add switchkeeps stored numbers active in memory nice beige box). Internally a lithium battery (with two alligator clips, it makes a very contains all of its electronics in the handset many phones on the market, the 2-9220 in many colors (we prefer black). Unlike from K-Mart. It goes for \$18.99 and comes purchase the Model 2-9220 GE telephone work with, it is strongly suggested that you If you don't already have a phone to

on the push-button side. If you have a alert and the other ring wire to the other pin the pins on the push-button side of the tapwire in two. Solder one ring wire to one of jack on the mouthpiece end.) Cut the ring The ring and tip wires will be going into the this yet, you are extremely pissed off at. Japanese screw, which, if you haven't read up. Underneath this plate is the well hidden was underneath the two buttons by prying it Then remove the small plastic plate which switches first... they'll pull straight out. the Hi-Low-Off and Pulse-Tone slide opening the 2-9220, the trick is to pull out (ring) and green (tip) wires. (If you are Open your phone and locate the red

모. 보

276-041A 276-1161A 276-564 CAT.# 275-1571

Bridge Rectifier

Light Emitting Diode 5v Zener Diode DESCRIPTION

SPST Momentary Pushbutton Switch

Model 2-9920 GE Telephone from K-Mart @ \$18.99

Total cost: \$24.35 + tax

8

PRICE 0.99 2.39

SYMBOL

Parts List: (Radio Shack of course)

pened: special location in mind inside the phone, jumper wires may be necessary. Plug the phone in and see if the LED lights. If it doesn't light, one of two things has hap-

You fucked up! 1. Your phone line is already tapped

beer, start over. Case 2: GOTO liquor store, get more

laugh (EXTREMELY_HARD). should do the trick. If (NO_DIALTONE) thing) and plug it into the 120v outlet... this power cord (from an old blender or someand connect your phone line to an electric Case 1: Disconnect all of your phones

phone, make sure the LED is lit, then pick as a normal phone allowing you to once up a second phone on the same line. If the again hear and speak on the line the push-button; your phone will now work phone. Override the tap-alert by pressing you will hear nothing on your special LED goes out, it is working properly, and To test the circuit, pick up your new

tap-alert device inside the phone. Our per point, you should find a way to mount th only simple, but looks good, and the place ing nut from the switch. This method is no then screwed down in place with the loci switch and LED to be pushed through ar ple have found that drilling two small hole the bottom of the 2-9220 allows the If everything is working OK at the


ment of the LED works out great for an (writing is often important in weird places). illumination source in those dark alleys

Final Notes

or more devices are in series, you will not they will not detect when another phone be able to use your phone at all. with the device is present on the line. If two will not work on each other. In other words, If tap-alert devices are in parallel they

a nice price. Your friends will appreciate it special phones to your friends at school for and so will you, because any calls to your You may find that you can sell these

friends will be safe from prying ears! with yellow spots for their help with the hertz without them. tuning forks. We wouldn't have hit 2600 Many thanks to the little purple guys



ŕ	ğ	ř	nd	ъ.	S	Ŷ	<u>ਜ</u>	nis.	- 1
				D27		RING O		D1 ≯	
	_				_	_			
	D6			 				77	
				D4		KING	2	D3	

Spring 1996

2600 Magazine

Page 7

Spring 1996

2600 Magazine



July 12, 1995

MCI Telecommunications Corporation 1801 Pennsylvania Ave., NW Washington, DC 20006

Based on a relater of publicly synthesis records at the Federal Communications Communication and Communication and Communication and Communication and System and Communication and System and Communication and System and Communication and Communic

When a customer uses a calling card or requires operator senistance from a pay pione, if it resembles to expect the cult tog whrough your own into gletance company. But the fact is that much calls can be routed through a company that you've source even hard of - and is a fullment rate into you expected to pay. The reason is that when you that of you was no operator-senisted call, you get an operator services company these most by you, but by the owner of the place from which you are calling (for example, a hold or airport).

You may have seen the attached article in a recent edition of USA TODAY.
Communer reporters at your local newspaper, TV or radio station might be interested to learn that you too have had such an experience. That's one step you can take to limes is a reachy for this problem, and the FVO has the authority to require the nation's telephone companies to use it. The remody is called Talled party preference. This simply means that if you're the one pyring for the call, then you should not company that carries it. No extra digits are required. The simplone system cooperates you things information and routes the call automatically to the arrier you normally use.

Another is to write to The Honorable Reed Hundt, Chairman, PCC, 1919 M Street NW, Washington, DC 20564. Tell him you have beard about billed party preference and that it could eliminate the kind of problem that you experienced. sern that you too have had such an experience. To ten the end of this widespread consumer problem.

Your support for billed party preference puts you in good company. For example, one of the best regarded commune protection organization — The Mational Association of State Onlive Commune Africation — as well as several state public utilities commissions have filed community with the FCC expressing support for billed tuilities commissions have filed community with the FCC expressing support for billed

Whether or not you are an MCI oustomer, you can be sure that my company supports your power to choose a long distance company in all circumstances. We intend to continue fighting for American consumers on this issue, and we invite you to join us.

angry when we find their lists. up on a list that phone companies have access to! And they get so again! Every time you complain about a phone company, you wind FCC would protect you from those pesky MCI telemarketers. Guess MCI GETS US AGAIN! You would think filing a complaint with the

REVENGE

by Big Lou

up their phones for three or four days? Ex-wife it happen 45 seconds later "ring... ring... Hello, ever annoying sound of "ring... ring... Hello, yes he/she is blasted for hours or even days by the compare to the chill down your victim's spine as results. However, nothing, I mean nothing can because you molested your laptop? still on your back? The local cops don't like you me?". So, Walmart pissed you off? Wanna lock yes this is ACE Gravel and Dirt, did you page this is Dr. Smith, did you page me?" only to have You've seen the titles and heard of the

population being paged with your favorite pagers. Imagine only 10 percent of that pager and how many people there are in it with digital masse can also prove equally devastating. This the most serious of paybacks and should be used retribution method should be reserved for only fications, a program to page at will and en Just like a handgun has potentially deadly ramiworks very well. Now, first, a word of caution. imagine no more. The concept is real and it enemy's home or business number. Well folks, lmagine a metropolitan area like New York

a modem (laptop preferred), and a small list of Assembly (if you're that good), a computer with ple method of payback requires a working Radio Shack or Skin Head Society in a few other numbers at random like your local not develop a pattern. It doesn't hurt to sprinkle domize the last four digits of the pager so as to and hang up. Second it is very important to ranenter the victim's (123-4567), and the # sign, dial the resulting number, wait for X seconds, (345-XXXX) and randomize the last four digits, ple dialer that will take a list of pager exchanges pager numbers. First, the program is just a simknowledge of Basic, Quick Basic, or even The method for this high tech but very sim-

should look like this: A typical menu for the paging program

Spring 1996

Use Lookup Table(Y/N): Enter Number of Pages: Enter Victim's Number: Enter Start Time: **End Time:** 23:50 250

enter an exchange) Leave blank if using lookup table, otherwise Enter Randomize Seed:

Enter Exchange:

XXX

tures like tone detection to speed up the process dialed, total dials, victim's number, elapsed time, and remaining pages. You may also want to use some of your modem's more sophisticated fea-A progress screen should show the pager

anyone we know carries them. Determining smart enough to figure out the program. figure out how to do this, you are probably not hear a "beep". Chances are that if you cannot "Please enter your numeric message..." or you starting number until you hear the classical Determining the range is as simple as dialing a blocks of numbers like 345-1000 thru 345-3000. range. Typically a pager company will buy a starting point to search for the exchange's instance, pager number 345-1234 can be used as what numbers to call is equally easy. For Pager numbers are easy to come by. Almost

a lookup list for the program to avoid repeatedcase the victim points the finger at you. so hours. This could be built into the program small doses - say 50 or so pages every three or on a daily basis, and your victim will have been cious considering the thousands of pages cycled the paging company would not become suspinies and paged the victim 100 times with each, ly abusing the same one. If you use five compaannoyed 500 times. The best method is to use feature, compile your program and password in since Quick Basic is very flexible. As a safety It is best to use several paging companies

Happy Revenge.

2600 Magazine

by Datum Fluvius

tematically in order to avoid re-comparisons, and to identify patterns in the reconstructed portions. and every shred against as many others as seem to fit. This has to be done sysstruct. The key to paste-up, in turn, is proper and systematic comparison of each spaghetti") A three page group only takes an hour or two to completely reconare not dealing with cross-cut, chipped documents, or ashes, but with "paper dred shreds exist in a three page group of average size. (This article assumes you classified, only a few pages exist in each little group of sorted shreds. These will submit easily to careful paste-up and reconstruction, since only one or two huncourse, tedious. It also takes practice. But once the shreds have been properly identification of individual documents by their shreds is fairly simple. It is, of each document contained, which color its paper was, and which weight, that the paste-up. There are so many differences in the angle of each shred what text The key to reconstructing shredded documents is to sort the shreds prior to

The Procedure

strips, grab a fresh paste-up board and keep it handy or prepare to recycle the you compare the shreds in this manner, you are limiting the number of comparto the first. Repeat, repeat, repeat. Uncrook your back every little while. When and time, to your task. "no-match" pile which will develop opposite the "raw" pile. But that adds steps, isons to a fixed, predictable number. If you run out of room to paste down new does not, tape it down a little farther away, perhaps an inch or so away, parallel Compare it against one side, then the other. If it matches, tape it down, and if it the second shred, and place it alongside the first in the same orientation. tom. Masking tape pulls back off the board easier than clear tape.) Next, pick up on the paste-up board, anywhere. (Tape it down with masking tape, top and bot-Place the sorted shreds into a "raw" area to one side, and place the first shred

coexist on a paste-up board but remain unjoined, they retard your further comas if they were shreds, and joined whenever possible. If two matching strips to guess which shreds match the open edges. The widening strips are compared parisons since two of the available edges will not match any free shreds. That Inspect the reconstructed document strips as they grow. Read what develops

charges unless you ground them. Fully taped documents are much easier to store contact paper, but both media will pull shreds up with their static electric be used to fuse them, or care can be taken to tape only the tops and bottoms of contact paper has been used, but it can ruin documents whose shreds will not lay their tape, they are just a bunch of loose shreds again, ready for disposal. Clear each document with masking tape. That way, when the shreds are cut free of flat anymore due to dampness or lengthy storage. Tape is easier to control than When a few documents have been completed, transparent packing tape can

> copier's glass clean and to align the shreds tic (overhead projector) sheets to keep the Press completed documents between plasyou want the data, invest in photocopies. preserve, if you need the original. If

One thing to remember is that business-

outline just the form boxes. When laid over es and governments use forms whenever the partial document, these give a clue to tic can be traced over a completed form to beginning a project. If need be, clear plasments, and are invaluable to have prior to maps to incomplete reconstructed docupossible to save cost. These can be roadshred patterns to look for to complete it. what information is missing, and what

terfuge and decoy, is even more effective it isn't foolproof. You may see coffee a simple technique, even in this "informadumpster. Their other main defense, subnique, and will expect your forays into their bly well aware of this reconstruction techter, and even lunch waste mixed with the grounds mixed in with the bag, used cat littion age" of the brave new world order. But derogatory documents, to elicit a revealing tion with errors and omissions, even fake ist. Or they salt the real shredded informathe sorting capacity of the reconstructioninclude everything available, and overflow They simply increase the shred volume to shreds. The targets who do that are proba-Obviously there are many uses for such

urban areas. Even when it's legal, expensive; it requires safety equipment and admission from the snoop. Burning is best, but is not legal in many it's

> choice, too absolutely, positively has to disappear and flushing to any alternative. When it personnel supervising every moment of the overnight, fire and water should be your burn. The military, however, prefers fire

Extra Assignment

for the Artful Programmer Who needs this headache and tedium?

puter do it? time for reconstruction! Why not let a comgive up their job or their social life to have Anyone who needs the data would have to

their relative positions and printing the of each shred. Reconstruction would be length, starting one inch down from the top matches. Only a small portion of each edge results would indicate which images are sorted with the other "words" and the its pixel pattern. This "word" would then be of a shred image into a "word" according to memory. The basic idea is to turn the edge text pages. Have fun, but publish your tine for translation into completed ASCII result, or passing the image to an OCR rouaccomplished by drawing in the images in A sample size might be three inches in one area is a good indicator for the whole. would be compared, since a close match in the edges of the images in the computer's A programmer would then want to compare plastic to sandwich/mash the shreds down ier if you have thin sheets of clear, stiff easy with a flatbed scanner, and can be eas-Of course, feeding the data in is now



Spring 1996

Page 10

2600 Magazine

Spring 1996

2600 Magazine

confessions of a beige boxer

by RedBoxChiliPepper

yellow and black wires. box and hooked the wire into my box, to the a basement window and into the ground boxing just a little too far while living in about 3 inches deep from their box to my From there I dug a trench in the ground the siding to make it invisible, down next to beige box on my next door neighbor's line. awhile. So I set up sort of a permanent operators. But that got really old after house, plugging in my phone and dialing box or a neighbor's box on the side of their out like most people, just finding a telco Celina, Ohio (population 8000). I started I hooked a line into their box, ran it under Here's what happened when I took beige

not to annoy the operators too badly from their line and tried as best as I could extra line going into the ground. So I only make any direct long distance calls so they around the world for free! I decided not to third-number billed and used calling cards wouldn't start investigating and find the Now I could use their line to call BBSes

of the lines and started conferencing total so I hooked up my two-line phone to both deep voice, "Please deposit 25 cents!" make things worse, I'd pop in and say in a quite a bit of confusion, especially when I the middle of a conversation, which caused strangers onto their line while they were in awhile the conversations got sort of boring lot of my neighbors' conversations. After cently, but then I began to eavesdrop on a hooked them up to overseas people. Then to So you see, it started out sort of inno-

pranks on their line the exact same way boring for me. I mean, they reacted to my Prefty soon, my neighbors got to be too

> ing to. So I went to my other next door neighbor's house one night to check out the other two lines were hooked up. ning the line in my basement window and doing the same thing to their line only runupstairs to the spare bedroom where the possibilities on their line and ended up

to use a line, I flipped it on and hit the indicate In-Use. Normally, the switches a Bell symbol on it, okay?) you buy from Radio Shack but hey, I drew used my official Bell operator headset. (Actually, one of those cheap headsets that speakerphone button on my desk phone or Also, each switch had a light above it to switch 3 was the other neighbor's line switch 2 was the first neighbor's line, and on it. Switch I was my own phone line sheet metal with five two-position switches top of my desk. It ended up being a piece of decided to build a simple switchboard on that didn't work very well to begin with, I would be in the "off" position. If I wanted Since I only had one conference phone

kids to quit playing around on the phone. effects, movie clips, and rude noises to their either of the parents, they would yell at their blame it on the other and when I did it to tion to this was fantasic. Each kid would conversation. Lemme tell you, their reacinto my switchboard so I could add sound patching my Sound Blaster card directly did get a little boring, I helped them out by phone a lot. And when their conversations aged daughter who liked to talk on the ing that the others. They had a son and teenbor's calls proved to be much more interestphone lines to play with. The new neighthree-way calling line, I had a total of four So now with their two lines and my own

me were totally boring, hardly worth listen- | a lot of. I'd been using various calling cards things to do with my spare time which I had Now I was happy and had plenty of

2600 Magazine

over and disconnect their lines. To help I'd have advance warning to sneak back out for more fraud. In any case, I decided to while I was at work. so I could keep up with their phone calls Shack deals that automatically record all keep close tabs on their phone calls in case build a case against them and were holding incoming and outgoing calls on your lines with this I bought a few of those cool Radio AT&T called them questioning anything so and still Telco Security hadn't called them

Most of my favorite phone companies it's a pain in the ass to get it right tried to do that for a BBS call you know that number bill everything but if you've ever extensive international calling. I could thirddead pretty quick lately because of my about twenty cards left and my cards went were making things hard for me. I only had every time I wanted a new calling card. They it sure was a pain in the ass to have to do that security number wasn't a super hard task but social security number. Getting their social wanted to do this you needed the victim's cards and now they had set it up so if you security flaw was my major source of calling ized pin numbers for other people. This ple who order calling cards with personalthey were being ripped off big time by peoaround the United States figured out that Then something horrible happened

shop with a pay phone next to it and a guy in a suit talking on the pay phone. Since car plan started to form in my head. Of course preferred credit cards to pocket change. A important phone calls. And of course they ally stopped by this phone to make their town, the few yuppies that there were usuphones weren't a big thing yet in this little and looked across the street. I saw a little That's when I went over to the window

> street because the police probably wouldn' be too happy if I used a jack hammer. So.

bulletin boards for about a month and a half from both of their lines late at night to call

ed area and there wasn't such time pressure to the pay phone. I had done this a million boatyard by my house and break into the lular phone and dialed the direct line to the times before but usually it was in a secludwhen I heard that and I ran across the street boatyard. (All two of them, eh?) I was ready dispatcher sent all available units to the office. I listened in on my scanner as the just seen a few kids jump the fence to the Celina police. I explained to them that I had I pulled out my specially cut alan

kids. They never found them, though. all the boats for these hardened criminal the phone to protect it from water damage phone.) I wrapped a garbage bag around (Most phones have these in the bottom the wires into the pay phone line. Then pay phone. I set the base unit of my cordwrench and opened the bottom panel of the yard with flashlights, looking underneath police force was crawling around the boat four minutes. Meanwhile, the brutal Celina back on. The whole thing took less than and the evil GTE linemen and put the panel panel to power the light on top of the plugged the AC cord into the receptacle less phone there in the bottom and clipped

the local Wal Mart. A recording came on, telling me to deposit twenty-five cents. So I put the call through for me. ended up going through a live operator who called Mann's Chinese Theater in Hollycalled a number a little further away. cordless handset. I turned it on and dialed think the reception was screwing it up. \$2.25. I tried red boxing the coins in but wood, California and was asked to deposit I went back home and picked up my

couldn't run a phone wire underneath the | apart and hard-wired it into my switch base unit in there. So I took the handset didn't need GTE dropping a trouble card on my pay phone and discovering my cordless I decided I'd better get this fixed. I

2600 Magazine

Page 13

7

getting to be pretty fun! TV antenna on top of my house. This was boosted the antenna by hooking it to the old the cordless phone's microphone. Then I switchboard that was hooked directly into with an AC line and built a red box on the

hung up, looked nervously around and a real fifty cents immediately I would come he was in big trouble and if he didn't put in and impersonated the operator, telling him call his parents for this. Anyway, I came on quickly disappeared into the alley hat right off his head and hit him with it. He over there and rip that St. Louis Cardinals who used a copper slug. Damn him, I should first customer came at 10:18, a little kid wait for yuppies to use my pay phone. My 10:00 a.m. so I could sit at my window and

that I didn't even harass him during his call. as I wrote it down. I was so grateful to him and asked for his card number. He read it off operator assistance." An operator came on heard the AT&T recording, "Please hold for by hitting some extra numbers. He tried it enter his calling card number, I interfered him punch a "zero" first. I was so happy, my Frosted Flakes breakfast, the neighboragain and I messed him up again. Then I milk came out of my nose. When he tried to hood mailman stopped by to use the phone. looked through my binoculars and saw

a phone company number that just sat there, blank. When a guy picked up the annoying nasal voice. and I came on and talked to him in a really now" He began to enter his calling card dialing I played the recording, into the phone. When he began dialing I phone, I played a recording of a dial tone ative. I got on the pay phone line and dialed day. The next day I got a little more crestopped the recording and when he finished enter your calling card number "AT&T!

board. I replaced the rechargable batteries

The next morning I had the alarm set for

At 10:57, while I was in the middle of

I got three calling card numbers that

Me: "AT&T, what seems to be the prob

number?" Me: "Okay, what's your calling card Him: "I'm just using my calling card."

Me: "That card's not going through here. Do you have another card?" Him: [gives me his number]

ing card." Him: "Uh... yeah, I have my AT&T call

your call and fuck you for using AT&T! Me: "Okay... yep, that one's okay. Here's Him: [gives me his number] Me: "Okay, let's try that one."

few blocks away down the street and use the phone booth a to her and finally realized that it was a in the first place so I got an old recording of recording and hung up. I watched him walk for a hot time?" The poor guy tried to talk the line. "Hi, this is Tina Are you ready Tina, the phone sex operator and put it on I had no idea what number he had dialed

the neighbors and who they called. Oh, did bors were calling. I started keeping files on only was it easier for me to get calling hooked this into my switchboard and not figured that out already. cards, I could see exactly who my neighbeing dialed on any line I hooked it up to. I that showed me exactly what digits were touch tone decoders. It had an LCD display I mention that I have no life? You may have A few days later I bought one of those

ing each other than one line at a time without them hearanother phone so I could listen in on more to the cellular roaming network and I added into my setup so I could connect neighbors also hooked an old bulky cellular phone wandering around my neighbors' yards late at night, looking for new possibilities. I working on expanding it. I added ten more switches to it for extra lines and started changed. I still had the same setup and was l wo months later not much had

> inside of it, enough to hook 25 phones to. nifty little cable had 50 separate wires hardware store and bought a cable. This That being accomplished, I went to the hit it just right, but I finally turned it off. took an hour's worth of patience to finally the street light with my pump pellet rifle. It bright street light. I eventually took care of was that it was sitting right underneath a

hooked to my house cause it'd suck to waste up one of my neighbor's that I already had box back together. I hoped I hadn't hooked side, so telco wouldn't notice) and put the up to the first 50 terminals (on the backed that that would take forever so I hooked pick my least favorite neighbors but decidwas what. I was going to go for choice and terminals in there and taking notes of what dialing 1-800-MY-ANI-IS on every set of opened it and started hooking my phone. back pack and hiked over to the telco box. I When dark finally came, I grabbed my

strange was going on. I had to cut a hole in a whole line like that switches and a larger piece of sheet metal. ed to go to Radio Shack and buy some more couldn't really do much more cause I needproperty. So I got that far and went to bed. I my landlord wouldn't drop by anytime soon. switchboard and found myself hoping that the floor to get the cable upstairs to my finished there wasn't a trace that anything hours to complete all of this but when I was my basement window. It took me over three the yard and into that little hole underneath alley, into my own back yard, then through inches deep from the telco box, down the He got testy when I drilled holes in his Now the hard part. I dug a trench a few

more electricity.

I had access to the phones in random houses as far away as two blocks and another pay phone. I'd hooked about every sound device Another month passed. I discovered that

I owned into the switchboard, including my most I'd ever had all at once confused people and my calling card list gle phone, creating a monster party line of had the ability to hook 28 lines up to a sinplayer, voice changer, and echo machine. I computer's Sound Blaster, tape deck, CD had reached almost 100 numbers. That's the

three houses over. The only problem with it

bushes in the alley behind my house, about was very well secluded. It sat near some

The little green telco box on our block

play operator. My neighbors had a receptawork as often so I could sit at home and I'd take advantage of that. ured if they weren't using it all that much the bug lamp and sometimes a radio. I figcle on their deck that they used to plug in them, especially since I stopped going to fair that I should have to pay so much to my computer on all day, etc. It didn't seem while opening windows, leaving lights and because I had a habit of turning on heaters was an Then on Friday the power bill arrived. It outrageous amount, probably

of the plastic pipe to expose their wires ble and noticed the disk was spinning quite electric oven. So I walked over to their start plugging my large appliances in. The managed to splice my orange 100 foot Carefully using rubber gloves and pliers, where the plug was and cut open a section deck. Obviously they could afford a little rapidly. Oh well. They owned a pool and power meter and peered in to the glass bubrefrigerator, space heater, microwave, and underground to my basement window and extension cord into their line. I ran that That night I dug down about a foo-

to them. Then I built this little switchboard could line was coming to my house before it got enough for me. I wanted to be able to conthe day after that I got free cable. A few noticed that their cable line was convehooked up sort of a loop so that their cable trol what my neighbors watched. So weeks later, free cable alone just wasn't niently located next to their phone box. So I figured that if they were rich, they probably afford cable TV and I

Spring 1996

2600 Magazine

Spring 1996

2600 Magazine

camera, and some video mixing devices. ed of a few TV monitors, a VCR, a video next to my phone switchboard that consist-

at the wrong time. nothing. They just lived at the wrong house want to be so mean-spirited to them. Well what these neighbors did to me to make me house. By now you're probably wondering me exactly what they were seeing in their niques! I also had a monitor set up showing with a variety of 37 different wiping techlection, or wipe their TV show off the air nels, make them watch my home video colup, I had the power to change their chan-By the time I was through hooking it all I tuned in to their phone and TV. The old

box CD set and I want to know what a vacuum cleaner is.. am alien visitor Q359-Kriegsmitzelpapannounce, "Greetings, Earthling Mildred. I your house. Oh, and I also want a Metallica leader, Bob Barker, or I will disintegrate shmeer. I come in peace. Take me to your Barker. Using my voice changer, muted the sound so I could talk over Bob zapper light. I left her TV picture on but lems they've been having with their bug out in back, trying to figure out the probing The Price Is Right and her husband was lady was talking to Gertrude while watch-

engrossed in his show that he didn't even into their living room TV set. Herb was so water lines. Then I popped in the porno washing machine Blue (dye) into their TV. I walked over to my "Department of Water" switchboard and turned a valve. sat down to watch Tammy Faye Bakker on home, Mildred got in the shower and Herb could leech and control that. When they got their water line through my house so I video "Edward Penishands" and sent that This valve released the five gallon tank of box, giving me complete control. I also ran wire and tapped into their circuit breaker they were gone, I bought some heavy duty Mildred got back from the hospital. While left them alone completely until

hear Mildred screaming something about alien invasions.

COME IN PEACE"). It was 2:30 in the building to my basement window. morning and I grabbed my backpack and mowing my neighbor's lawn while they building. I began to dig a trench from their sprinted over to the Celina Power and Light were gone (I mowed the words "WE A few months passed. I spent the day

kids in the boatyard after they read this the Celina Police will stop looking for those Celina, Ohio alone and bored for a few article is an inspiration to all and hope that It was my own bill, though. I really hope this months and ran up quite a hefty phone bill bly full of holes although I really did live in their head checked out. The story is probaup. I was bored, okay? Anyone who believed something. Actually, I made this whole thing using a few too many illegal substances or any of it even for a second needs to have Ahem, wait a second. I think I've been

ANNOUNCING

The goal is simple find the oldest computer system hooked into the Internet. It could be a UNIVAC. Or a DEC 10 Maybe a times Sindair. Who knows? The only way to find out is to start searching. If you're the first one to find throughout 1996. you'll win a lifetime sub-scription to 2600! You can even set up your to be the first one reporting it. ed to us, and, in the event of a tie, you have the net, it has to be the oldest system report an ancient own archaic system but you have to keep it on THE 1996 2600 INTERNET SEARCH! system and it stays on the net

attacking the machine you find, it could affect your chances of winning. If you come under federal indictment for Send entries to: Middle Island, NY 11953 PO Box 99 2600 Ancient Computers

or email contest@2600.com

2600 Magazine

er age and many of us know much more about comand love help with their machines from people like ers don't mind admitting their computer illiteracy puters than the teachers/faculty. Some of the teachthey are easy to use and schools can get them at impenetrable. However, I find it rather fun. little security systems that they thought were so they are in a jam, or how to do something easier, etc. when a kid tells them how to do something when they know what the hell they are doing and hate it me, but then there are the teachers who think that puters. Our generation has grown up in the computwere young so they have no clue how to use comfarts and the ENIAC wasn't even around when they great discounts. Well, most of the teachers are old They also just hate it when you hack their crappy Most schools use Macintosh computers because

to overcome. Here are some ways to overcome it. it has such a retarded interface.) This is the easiest despise. (Not because it is hard to hack, but because called AtEase. It is a shell program that I really The first and most common security system is

can trash or change anything you want! Finder. Then you have full access to everything and you hit return, the screen will disappear and AtEase right one and you will see an empty dialogue box are in the regular AtEase selection screen, hit the one (with the circle) loads the debugger. When you this, however. There are two buttons. The left one (with the triangle) restarts the computer. The right ger built into the ROM. Not all computers have computer used for programmers that loads a debugmer's switch. This is a switch on the front of the will quit and load the regular operating system, the with a ">" at this prompt. Type "G FINDER". After The first requires a computer with a program-

screen.) the button "Force Quit". Sometimes this will work to force quit AtEase. Obviously you do, so click (The command button is the one with the Apple debugger, then try this. Hit command-option-esc it will quit AtEase and then load it again. (Again quitting AtEase and loading the Finder, sometimes You will then get a dialogue box asking if you want icon on it and the little close-ended pound sign.) If the computer you are on does not have a

> puter and hold down the shift, disabling all extensions. When you are about to get to AtEase, it will ers, but you may get lucky. the thing out of memory. Sometimes AtEase will opening up program after program until you run ask you for a password. Just hit cancel. Then keep experiments) and it won't work on certain computwork on version 2.0 or higher of AtEase (in my times this works and sometimes not. It will not tem and it will start up the Finder! However, somecomputer will realize that it has no operating sysprograms and quit them. After the last one, the operating system open! Then go to all the different then quit, leaving all the applications open with no

AtEase! Nifty, huh? AtEase to make it able to handle running out of disabled by hitting shift at startup, but there is also installs a patch in the system itself so that it will memory. This patch is disabled and you can crash an extension. The extension contains a patch for aunch AtEase at startup even if the extensions are The reason this happens is because AtEase

you can even change the password! Hahahaha! are running a little presentation program, it can bundled with lots of software, including AtEase. ply stores and department stores like Sears. Most AtEase. This is not for school but rather office supplace I've visited it worked.) If you use this, then method mentioned above. Then you will be at AtEase is left running on the demo Macs. If they commercially sold Macs (dubbed "Performas") are which most places don't bother to change. (Every word, "familymacintosh" (no caps, no spaces) AtEase. The software comes with a default passeasily be quit by using the command-option-esc This last thing is my personal favorite for

gram. goes off. You can force quit it like any other prothey made the screensaver a separate program that used above! This is because with AfterDark 3.0 they are using the password function, then all you screensaver run. It is most often AfterDark 3.0. If loads itself when it goes on and quits itself when it have to do is use the same command-option-esc as Also, many department stores just let the

well as hundreds of other programs There are many other ways to hack AtEase as

Spring 1996

2600 Magazine

Page 17

9

SEAR PRES TREE











boss doesn't have much control over that, except to a transaction being issued. "No Sale" is mostly used them, which allows the drawer to be opened without Cash registers generally have a "No Sale" button on er is open the clerk can swipe out a handful of money individual transactions, but whenever the cash draw while it's open anything at all could go on, and the button is dangerous because it opens the drawer, and quarters for a dollar, or other change. The "No Sale" when someone comes into the store and asks for four

permission is very different from logging onto a compossibly your life. Opening a cash register without charge. Doing otherwise could risk your future and Do not attempt to take advantage of this security

weakness unless you have the approval of those in ject matter of this article deserves a special advisory. cise caution in the application of knowledge, the sub-Editor's Note: Although readers should always exer-

puter without permission, despite what some author-

ities want us to believe

is somewhat under the watchful eyes of their boss. ter is open and the employee will realize that he or she of all, when "No Sale" is pressed, the cash register other side of the room, they will know that the regisrings its bell. If the supervisor or manager is on the vent employee theft when a "No Sale" is rung. First

bagel stores, pizza places (including the Sbarros

inexpensive model that can be fully programmed by

There is an interesting security problem with the by Dennis Fiery

cash drawer opened unnecessarily for just this reason the "No Sale" button because they don't want the culprit. Many bosses forbid their employees to use press it at all. If some money is missing, the four "No Sale" four times that night while cashier D did not ty log, he or she will see that cashier B pressed "No is recorded. Later when the boss prints out an activi-Sales" would lead the boss to suspect cashier B is the Also, every time "No Sale" is rung up, that fact

green, and it has the word "Sharp" printed on it in

moveable lighted display that shows the cash total in register (the side that faces the customer) there is a ly they are bolted together as one. On the back of the the box appear to be two separate pieces, but actualsits on top of a silver-grey cash box. The register and can recognize the register because it is beige, and it is a pretty popular choice as far as registers go. You chain). libraries, video stores, and elsewhere, so this as you can get. I've seen this model being used in the user, but the security problem is about as low-tech Sharp ER-3100 cash register. The ER-3100 is an

have someone working the register in your store you store-owners take to prevent employee theft. If you

We are all familiar with the great precautions that

How to Get Around This Security

opened. will have no records that the register was ever also bypass the computerized activity log. The boss importantly, by opening the drawer in this way you that the bell does not ring. Completely silent! More There is a way to open the ER-3100 in such a way Now we get to the security laxity in the register

complete breakdown of what money is in the register. | than half an inch. This is just enough space to slide which raise the register off the countertop a little less The cash register rests on four black rubber pads

series of buttons to print out an activity log, giving a key into the register, turn it, and press a button or receipt: A, B, D, and E). The store owner can insert a offers four different letters that can be printed on a places a code letter or number is used (the ER-3100 receipts are imprinted with the clerk's name. In other registers and how they are being used. In some stores, lowed so he can keep track of who is using the cash boss usually has a bunch of rules that must be folknow if you've ever had a job behind a counter, the have to trust them to a certain degree. But as you

> what was purchased, and what money was refunded cautions bosses take to spy. Big Brother is definitely smiling about all these pre All of the above is a good way to keep track of

trust the cashier's honesty. There are some precautions taken to try to pre-

> from you, towards the cashier, and the cash drawer pendicular to the floor. Push this metal strip away

there are no secret levers to get you outta there. Otherwise you could find yourself in a jail cell where ably that you're good friends with the cashier. security cameras and no security guards, and preferadvise you to first make sure the store does not have it in the hole, and push on it. I strongly, strongly Whenever I see one of these registers in a store or

for me to slide my fingers underneath and give the express disbelief until I demonstrate how easy it is rant who knew about the hidden lever! Usually they have never met anyone working at a store or restauthe secret way to open the register. They never do. I restaurant, I always ask the clerk if they know about

this hole you will feel a vertical strip of metal pertom of the register, close to the nearest edge. Inside ter until you find a rectangular hole in the metal botup). Insert your fingers under the center of the regiscasually slide your fingers under the register (palm or her body. In many pizza parlors and other places that use this register, you can stand by the counter and customer has the lever literally inches away from his the customer to open the drawer than the cashier! The the customer has an advantage - it's actually easier for ister to reach the lever on the other side. That's where ister and slide his hand and arm underneath the regis on the far side away from the cashier, if the cashier machine on the side facing the customer. Because it lever under the register. It's towards the front of the is the method to opening the register. There is a secret wants to access this secret lever, he must lift the regone's fingertips underneath the register. Indeed, this Protecting the Lever

lever from casual observation and discovery. short, the Sharp people are trying to disguise this lever doesn't look like anything special either. In It doesn't feel like a "user interface object" that you pretty small. Also, the lever does not feel like a lever. bottom of the register is pretty big, and the lever is will roll open register and peek underneath you would see that the are supposed to manipulate, and if you were to lift the The lever is hard to find at first. The hole in the

But we know it's there! Feel around until you find

the lever as a way to open the cash drawer "when The instruction manual for the register explains

power failure is encountered or the machine becomes (and possibly other goodies) underneath coins. Lift out the till slightly to reveal the manual sections for different money denominations and you will see the compartmentalized till which has underneath the till. After opening the cash drawer, isters you can find the instruction manual hidden Drawer By Hand". If you ever open one of these regto the back of the manual, almost on the last page, paragraph describing the lever is pushed all the way out of order". The brief and grammatically incorrect and is given under the unassuming title "Opening the

freely accessible to anyone who knew about the lever can be foiled: if the supervisor locks the cash drawer day when people are coming into the store to buy to find a locked cash drawer, especially during the with the key, then it will not open. It is rare, however, countertop as a protective measure against finger-In one library I saw pieces of metal bolted to the stuff! The vast majority of the registers I've seen were insertions. There is another way in which the lever may be protected by a raised portion of the counter neath to access the lever. For instance, the register such a way that you cannot slide your fingers under-Sometimes a store will install its cash register in

Conclusion

er to fling open the lever, which got rattled back and caused the drawhad happened: the shock of his arm had conducted to ter, and the drawer flung open of its own accord. The friend happened to bang his elbow on the cash registhese registers, and the cashier was talking to his two were surprised (as was I), but I also knew what friend who was leaning against the counter. The One time I was in a music store that used one of

tape over the hole in the bottom of the register. wall. Another alternative is to put a big piece of duct up a piece of wood or metal in front of the register, or lower the register into a niche or put it up against a customers cannot slide fingers underneath. Either put store, you should make sure the back is closed off so have this one problem. If you use this model in your highly programmable, and expandable. But it does The ER-3100 is a good cash register, easy to use

Spring 1996

2600 Magazine

2600 Magazine

I thought it would be fun to share some by Clark W. Griswold

you see where I'm going already?). their apartment phone number (dial tones, can dial tone, and the button you push speed-dials and you have to hurry and put the phone back lock on the front door opens for a few seconds, Then they push a magic button, and the electric decide whether to let you in the building or not. friend/relative to pick up the phone, and then receiver and push a button and wait for your those damn phones - you have to pick up the buildings. You know what I'm talking about, security systems in the front of apartment cursed at. I'm talking about those telephone we've all seen, dealt with, and sometimes interesting things I've learned about something intercom types, but the ones where you hear a buzzing stops. I'm not talking about the simple and run to the door and open it before the

the lobby on his phone. When whoever it is few seconds and letting go holding down the "6" key on his phone for a energizes the electronic lock from my friend rity phone downstairs senses this signal and then pushes a button on his phone and holds it says "I'm downstairs, let me in" the resident friend lets people in when he gets a call from for two or three seconds and lets go. The secu-I started to get curious when I saw how my

this do for my curious mind? Well to begin to either put in the speed-dial number or push a ual apartments. When you pick up the receiver digit code you put in to speed-dial the individpush the buttons, except for the two or three built in, but you cannot get any tones when you the building have a standard telephone keypad with, most of the security phones in the front of mouthpiece and send DTMF with) and see if | the buildings that I mess around with Shack or equivalent type that you put up to the name, try using your pocket tone dialer (Radio single button next to the particular person's All fine and well, you say, but what does

you can make a local or even long distance call! Wow!! A free phone to call anyone you that number. Keep in mind that you are at the the phone bill of the party who gets the bill for calls should not arouse any suspicion, or raise calling cards, PBX's, extenders, or just local would be billed direct to that number, but using on making a number of long distance calls that want. Of course you would want to be careful little obvious, so use discretion. there for an extended period of time might be a front door of people's residences, so just being

illegai. and see what happens! Sometimes it will ring sky high with 900 numbers, but that would be something, I suppose you could run his bill back at the manager cuz he kicked you out or manager's apartments. If you really want to get zextension of one of the phone numbers in the on its own, and sometimes it may be an actual someone try to call you at that security phone what happens. If you get a valid number, have Also, try dialing an ANI number and see

a million bucks. He still can't figure it out. he's late to meet me at his apartment, and I'm the door!! If you don't believe me, try it for piece, and push the same tones for the same trusty pocket dialer, hold it up to the mouthtry to get in and he is not there, whip out your his phone to open the door. The next time you someone in, notice what button(s) he pushes on next time you are in his apartment and he lets and no one answers. Now what??? Well, the er, push the button for your friend's apartment, door without calling first to be let in, is worth ing waiting, or just all of a sudden knock on his sitting at his apartment door, inside the buildyourself. The look on my friend's face when length of time, and I bet the lock will open on Just one more thing. You pick up the receiv-

phone calls and/or get into about 30 percent of Since I figured this out, I can either get free

GRAMMIN The Mobils 100, 105 Strint handportable CMT uses an EEPROM NAM that can be programmed directly from the standar user Edynal. In order to access the NAM, you must enter the special access code corrently programmed also the phose. Once the programming mode is accessed, NAM parameter as backly carring from also the dailyst and "secring" than to selected memory locations. So were to obtain all parameters before proceeding. ACCESS NAM PROGRAMMING MODE:

NOKIA 100 SERIES CELLULAR HANDPORTABLE TELEPHONE NAM PROGRAMMING INSTRUCTIONS

ENTER SPECIAL NAM PARAMETERS (Memory Lection 01):

5. Peas and side for (CLU) by such the display clean.

6. Ince the last for the possible following to the format of Example 1 below. Eater each concept group cert for expectal (AU) presentions according to the format of Example Code followed by the seasont (*) buy, and the desired for each pick of the Code (*) the possible (*) buy, and the desired for each pick of the Code (*) suggestion (*) on the sead while all metricious are active and when NOTE. Examples (*) consistent of the most while all metricious are active and when the phone is located.

NOTE 2 The first number entered in the list of emergency numbers is used for the speed dial (9) key. Exite: (STO) 0.0

Verify that "STORE NOT DONE" appears in the display, If "NOT ALLOWED" appears, check to see if you have entered the access code correctly. EXAMPLE 1: the NAM access code. Factory default is: *3001#12345 If "NOT ALLOWED" appears after a few programming attempts the access code has been changed or an error has occurred and the phone will have to be returned to Nobia for repair. Pount Karr 911#*911#0*1234

VERIETY AMA INFORMATION:

15. Them and blad to CLUI by mell to display dam.

16. Use up - v to smill the location of through 05.

17. Variety has the information for each manup cluster in cornet.

17. You'de programming made, proved the photos of them hack on. 15" YAMA ESBOOK" opposes on the display, preparating was done executively and one for the replaced. 14. (For Primary NAM) Enter [STO] 03 [STO].
(For Optional NAM) Enter [STO] 05 [STO] PATER SYSTEM PARAMETERS (Memory Location 63 or 65):

12. Press and hold the (2A) lay and be disply clean.

13. In one that prints, mits for system presents recording to the format of Example 2 below. Be seen to reporte each parameter with an admit of 3. Due of place an admit all follows: (For Primary NAM) Enter (STO) 02 (STO).
 (For Optional NAM) Enter (STO) 04 (STO). ENTER MOBILE PHONE NUMBER (Memory Location 02 or 04):

8. Press and hold the (CLR) key smill the display clean.

9. Enter the connect 10 digst phone number. Enter (STO) 01 (STO). EXAMPLE 2: 34 1 1 1 1 3 3 4 1 1 5 1 1 5 NOBILE PHONES

Service finds it in your possession. It's probably not a good idea to THIS KIND OF INFO can really get you in hot water if the Secret keep looking at it. No kidding. Really,

2600 Magazine

Spring 1996

hacking caller id boxes

by Dave Mathews

sion! Here's how you do it: times its capacity if you have the right revisits in your house up to more than eight PBX. You can, however, hack the box that tor assisted call, or dial through a company calling number unless you make an operaswitch, there is no way to "fake" your outof band signaling that is set up in the 5ESS Most Caller ID boxes you see in stores Because the Caller ID system uses out

only hold between 10 and 30 numbers. you obtain over the cheaper boxes which numbers (between 60 and 99 for example) the box, the greater storage capacity of bers they can store. The more you pay for are sold according to the capacity of num-CIDCO, or Caller ID Company, is one

GTE, Radio Shack, and others. sold in stores under names such as AT&T, on the stock market. CIDCO's boxes are Caller ID hardware, and is publicly traded of the most popular manufacturers of

perfect) and upgrade it to handle 85 numthat you can find (10 number memory is numbers that it can store. The good news is jumper pins) selectable for the capacity of that is "jumper" (solder points instead of sive to manufacture one CID circuit board production and OEM sales, it is less expenyou can buy the cheapest CIDCO Caller ID Because CIDCO concentrates on mass

How to buy it:

is "booting up". When you insert the nine CIDCO engineers tell us this when the unit revision you have. Fortunately for us, the the outside of the case) and which ROM ber, lots of companies show their names on first that you have a CIDCO unit (remem-Before you buy, it's important to know

> increase the storage. call", it is maxed out and you cannot hold 25 additional numbers. If it says "85 is a 60 number unit, you can now make it buy it as it should be very inexpensive. If it unit. If it is a "10-call" or "30-call" unit,

How to hack it:

pads depending on the ROM version you Beside it you will see one of two jumper GM76C28AFW-10 or somthing similiar GoldStar chip with the number GSN15 the middle side of the board you will see a can see the circuit board. In the off-set in peel the feet off and save them). Now we four) that will let you open the box (just you will find two additional screws (total of side of the two screws you just removed and unit. Peel off the rubber feet on the opposite the two visible screws on the bottom of the out your Phillips screwdriver and take out by purchasing the 10 number version. Get power it up, and you saved tons of money

One pad unlabeled with four solder

Blue trace wire from GS Chip to: number number number

correct side of the pad)

Version 1.4

2600 Magazine

Spring 1996

After this, you will see the capacity of the "C-NAM ver 1.2A" or "C-NAM ver 1.4"

So your unit says 1.2A or 1.4 when you

The two versions are as follows:

Version 1.2A

points:

рСВ 10 number Eng/Spanish Eng/Spanish Eng/Spanish Eng/Spanish

(Make sure you solder the wire to the

volt battery, watch the display. You will see | Two sections labeled:

(None) A 00 0 0 **%** 30 8 Call Call Call ž

C

0 0

5

Call

(Remove solder b/t pads)

R17 D oo French/English F 00 English Only 0 0 Spanish/English

85 numbers. that is labeled "B" to obtain full capacity of trace wire from the GoldStar chip to the "separated" gold pad on the circuit board With version 1.2A you must solder the

remove the solder that is "bridged" between the circuit board pads (labeled as "o" above) to increase the capacity. With version 1.4 you will need to

"bridged" between the A, B, or C pads. You will most likely have solder

> between D or F with solder bridge from pad E and span the pads allow French and English, just remove the bootup. If you want to force English, or lets you select English or Spanish after jumpered between the pads labled E which Your language will most likely

you might be able to hack it in the same ROM revision or another CID box, look for manner that we can with these! a jumper pad, or solder points! Chances are ing those. If you have a different CIDCO increasing capacity, so it's no use explainfeatures when you cut traces instead of like TT Systems will only change button boxes and CIDCO's are the best. Others hacked around with half a dozen different (most store 99 numbers initially). I've come out, I'll have a fix for those as well you while you're on call waiting) boxes ID/Call Waiting (displays who is calling That's all there is to it! As new Caller

WRITE FOR 2600!

Apart from helping to get the hacker perspective out to the populace and educating your fellow hackers, you stand to benefit in the following ways:

A year of 2600 for every article we print (this can be used toward back issues as well)
A 2600 1-shirt for every article we print
A voice-mail account for regular writers (two or more articles)
An account on 2600 com for regular writers
(2600 com uses encryption for login sessions and for files so that your privacy is greatly increased)

PLEASE NOTE THAT LETTERS TO THE EDITOR ARE NOT ARTICLES

Middle Island, NY 11953-0099 Send your articles to 2600 Editorial Dept. P.O. Box 99

Spring 1996

2600 Magazine

THE ALASKAN PHONE SYSTEM

of any state with roug and has the second by far (more than 500,000 square miles), Hawaii, currently has the largest and mass ferent from most others. Alaska was admitsystem is actually very interesting and dif-Who cares?!?!?!?" But the Alaskan phone You're probably looking at the title of "The Alaskan phone system? the last population y 500,000 people. interesting telco n per square

off of our lines, but that's just within about two years ago when they went to 25 month. The payphones were 15 cents until Anchorage. I've not had much success blue boxing

Alaska. General Communications There are two long distance carriers in

Pacific Telecom) was recently bought by AT&T and renamed "AT&T Alascom". As of yet proffing major has come out of the formed an alliance with MCI in the last (GCI - 10077) and Alascom (10866). No AT&T, no Sprint, no MCI. However, GCI year, and Alascom (who was owned by

Ó

DMS "remotes" for residential areas. The DMS-100's. Two of these are owned by the pest city, with around runs on nine plans and honoring of calling saids. The the rest of the US: seeds as Alone OCI deal except some reciprocal call between 10 and 15 cents night rates to call

half of the state's population

Anchorage, the lan

military bases, and there are two addition

ethernet links are a minimum of \$600/ under Centrex (yes, we do have Centrex ...), omit - if someone calls you from within costs \$600/month! These are only available Message Desk Interface - read your philes) there's a \$7,500 startup! SMDI (Simplified with your lines) is only \$4/month, but get an account on the switch and get to play up. It's fun... Customer Data Change (you your Meridian phone and they can't hang your wire center, you press the button on "Malicious Call Hold" which they forgot to \$2/month, and there's a feature named The telco has no clue when it comes to their taniffs. 30-way Meet-Me's are only

least as lame as other telcos. A residential local government in the nation (we aren't in munications"), is the only one owned by the Utility, recently named "ATU Telecomlocal telco, ATU (Anchorage Telephone

tures to speak of. We don't yet have ISDN months ago, but no other other CLASS fea-Return, and Continuous Redial as of a few one is \$30 a month. We have CID, Last Call line is about \$16 a month, and a business an RBOC - no USWest, etc.), but it's at

\$200 a month (plus \$137 a milel). Fiber available, in-town T1's cost from \$160 to

> came up with their pricing (including their er than a normal business line! I don't the government - what can you say? inflated leased line prices above), but it's know what they were smoking when they Centrex line is two dollars a month cheapbut the even funnier part is that a normal

old Crossbar stuff with a transmitter/consuch, which, from what I can tell, are some GCI gets access to it (as with all of above us. They're owned by Alascom, but play with. Alaska has two of our own exchange, and they actually have paytroller. There's a 14 foot dish or so aimed at they ship off to all the Eskimo villages and these crappy "CO-in-a-trailer" things that Alascom's equipment). Alascom makes "Aurora II", stationed in geostationary orbit communications satellite, "Aurora" and miles on the way. cities, which covers quite a few hundred Stations and toll complexes, etc. There's 500 miles away in Anchorage. All of the chucked in a coin (what the hell, I'm just wanted to bill me something for it, so I it! I received an incoming call, the operator once, without using any illicit means to get phones on some of them. I got a trunk tone handling 100-200 numbers in a single the satellite. These trailers are capable of Anchorage to Juneau, the three major also fiber optics from Fairbanks to The rest of the state is littered with Earth enough to have the suitcase-transciever kit from just about anywhere if you're 'leet lite is also nice because you can make calls ple) usually have a microwave tower or a "major" towns (with more than 2,500 peoabout killed myself because my BB was lame), heard a few clicks, and bam... I just arger satellite setup and switch. The satel-The rural telcos are a lot more fun to

long distance calls, but it has been cut didn't use Washington) named the "Trans-Pacific Cable" that's used for 99 percent of Japan and Portland (don't ask me why they We also have a fiber line in between

before by boats and other "unknown causbucks a month! Seattle costs in the ballpark of \$15,000 money through leased lines, as a T1 to long distance companies must make their the satellite is still used for backup. The es" (four times in the just the last year!), so

ing that we never had AT&T and Alaska ly - I still remember the "You do not need until fairly recently. Times change so quickwas a "special case". As is, we didn't even tem, and it got all kinds of concessions distance without a 1. was the last person in the state to dial long To my [probably inaccurate] knowledge, I to dial a 1..." recording when you did use it have the "1-907-" or even the "1-" dialing from the FCC during deregulation by arguthat built most of the statewide phone sys-Alascom is the long distance company

carrier FCC limit (and other cell sites so munications, which can be tricky with the 2 other carriers that handle farther-out comfrom other places. We have Cellular One towers to evade the long distance company. They actually route the calls through tance boundaries, so you can place calls to lar systems extend through in-state long disnearby). A really cool thing is that the cellu-Anchorage-and-vincinity area. There are and MacTel (wireline) within some areas for just the normal airtime fees The cellphone setup isn't that different the the

| Alaskan-Canadian Highway equipment rigged up to new equipment and Alaska's phone system is a mixture of old but funny watching all of you driving the who knows - maybe we could have some least in places other than Anchorage, and pid to realize that they could sell some of the features that they could provide.... It es, but the marketing department is too stuwork. Anchorage has relatively new switchsomehow interfaced with the rest of the netcon up here sometime. It would be scary makes a great playground for phreakers, at With the exception of Anchorage,

Spring 1996

2600 Magazine

Spring 1996

2600 Magazine

Molblide enspielor

trouble; this is a "how not to" analysis. or collection of individuals who have gotten into a flame or personal attack on any individual, group, fessional societies. Please understand that this is not defense funds, and ask for help from different proble? They seem to get caught, need to mount legal of our segment of society who seem to attract trou-I define trouble as having special attention paid

of law enforcement are proper. I want to help the to one's self by members of law enforcement at any reader (that's you) avoid their attention. l also don't care if the actions, suspicions, or tactics certain laws are just, proper, constitutional, or right; level. For purposes of this article I don't care whether

electronically or verbally. writing for paper or e-zines, or being very "vocal" name to viruses or malicious attacks to systems. can come from formal news media, attaching ones (cops or feds; I also use the term for departments or agencies). The other thing to avoid is publicity that the attention of Law Enforcement Officers "LEO" doing something illegal, you must avoid, at all costs, The bottom line is that if you are going to be

ting in the parking lot. maybe a van full of racially disadvantaged males sitaccounts I've read, there was some "hanging out" or viewed by an LEO driving by? I don't know, but from cop. Was he doing something that was illegal when he attracted the attention of a Haverford Township pay special attention to you, watch out! Remember in Haverford Township who did federal time because what happened to our friend at the convenience store you are! They may be petty and they may be unconstitutional, but if they give an LEO some reason to Learn the local laws and conditions - wherever

to local curfew laws. Pay special attention to vehicle satety, parking, and driving laws devices. If you are under 18 (or look it), pay attention speaking in a weird language or carrying weird Especially if they (in the perception of the LEO) are watch "gangs" of youths hanging around in malls. LEO's look for that kind of thing. They also

Many people casually violate the speed limit,

2600 Magazine

Spring 1996

racial minority. person, someone with long hair, or a member of be able to afford a lawyer) if he has a broken tail or they are in the mood to pick on someone. They drive after drinking too much, drive after drinking a light; but they are more likely to pull over a younger in a clean suit (who may know the local politician or usually do not bother the WASP male businessman ignore these actions unless they become too obvious plastic cover over the license plate). LEO's usually minor defects (cracked windshield, broken tail ligh all (if under age), or drive a fast looking car with

in your trunk, then the real problems begin! they find anything - in plain sight, on your person, or illegal on your person, they can search your trunk. If search your person and trunk; if they find anything they see anything illegal in plain sight, they can public safety, or if they just feel like it (illegally). If permission (of free will or under pressure), if they legally. They can also look in your trunk if you give have reason to believe there is imminent danger to get a search warrant (properly or improperly), if they search your person - for the LEO's safety - all very ing for a weapon, or are verbally abusive), they can (make furtive movements, move like you are reachcan legally look at it. If you give them problems glovebox when you reach for insurance card), they is fair game - if they can see it (back seat, floor, in the Once they pull you over, anything in plain sight

you, not think you are slime. as someone to social engineer - you want them to like or wheel where they can be seen. Think of the LEO your inside light on and place your hands on the dash with respect - especially during a traffic stop. Turn Although it can be tough at times, treat all LEO's

to where they find you. Then the same parameters apply as an automobile search diate premises - any point from where they can enter place like home, they can visually search the immesessions like book bags. If you are arrested some are wide open for search of person and personal pos-If you do anything to get yourself arrested, you

Never, ever, ever carry a concealed firearm

subject to the Brady Bill background check! The esting tidbit: concealed carry permit holders are not thing like a work schedule requiring you to work odd check. Basically, you must have a clean record, be of ing). It is fairly easy to get a permit in many states eral charges if you crossed state lines while carrysupposition is that they already passed it to get the hours and travel through dangerous areas. An interspouse beater. You have to provide a reason, someage (18 or 21 - I forget), and be of "good character" Pennsylvania will provide one after a background that means you cannot be a habitual drunkard or

easily claim that it is a "tool" not a "weapon"). cian's" knife (scrape some wires with it so you can ter off carrying an X-acto blade or a good "electri-Also, avoid the fancy knives! You are much bet-

cracked or pirated software? How about TBBOM? laying around? Do you have any codes or an Elite to investigate further. Do you have a copy of Phrack evidence on the disk, they could use the information would search the disks, even if they could not use the ing a laptop in your trunk and it was confiscated, they ered to look into your life further. If you were carryevidence gathered illegally (pulling you over without criminals", the courts are much less likely to disallow BBS in your terminal emulator dialer directory? Any improperly, they can still use the information gathcourts throw out everything from that LEO acting reason or searching your trunk illegally). Even if the In this day of cyber-phobia and "get tough on

the issuance of search warrants, arrest warrants, subhave given them reason to believe that an illegal the American Heritage Dictionary. It means that you belief that an accused person is guilty as charged" by and gather evidence. You have given the LEO what poenas of financial and telephone records, and for activity has or is occurring. It is the requirement for legal term defined as: "Reasonable grounds for they need most: probable cause. Probable cause is a Yes? Then they have more reason to watch you

loading something that violates some law - then you When they catch you saying, e-mailing, or down-

> thrown away to protect society before you decide to launch nuclear warheads at Washington DC or steal credit card numbers and charge \$1,000,000 to some

LEO's and can cause all kinds of problems (even fed-

unless you have a permit for it. This really upsets

their probable cause. lent calls (do you call phones that have that kind of activity - people or Elite boards?). The security home, dorm, work, or friend's), and into people who forces can gather information and then give the LEO call telephone numbers that make or receive fraudufraudulent telephone calls (you never card from codes or cracked PBX's?), into people who make phone calls (do you get many calls from people using terns, look into people who receive fraudulent telephone company security officials? They monitor pat Do you do things that gain the attention of tele

Who hasn't bragged about cracking some software or up name - one that cannot be traced back to you a system or figuring out codes - but remember, the bringing attention to themselves. This is publicity, occurs when a creation is signed with a false or made book, flyer, picture, etc.) is not signed. Pseudonymity when a creation (document, note, message, poem anonymity or safe pseudonymity. Anonymity occurs want to spread information, you must ensure only way to keep a secret is not to tell anyone. If you Anyone who brags about illegal activities

gal calls); the two can be matched up. BBS or netnews. This is the same as that person readofficial, as a private citizen, to read messages on a stamps; telco records have timestamps (traces or ille-SYSOP's knowledge. Posted messages have timehave LEO's of telco as members - usually without the without the expectation of privacy. Many boards some stores - it is publicly available information ing the business cards or for-sale notes on boards in It is not illegal for an LEO or a telco security

because it makes the LEO look more effective. articles, and publicly displaying illegal activities is especially when that person has had media exposure publicity. LEO's go after those that are most visible -Think about it! I am not an LEO nor related to Speaking to the media, baiting LEO's, writing

are one of those "dangerous hackers" and should be | years ago by insulating my public and private persona avoided arrest for some fairly serious activities a few a number of times for minor traffic violations. I one and I don't play one on TV. I've been pulled over

2600 Magazine



::**!**!

Opening More Doors

Concerning garage door openers: ours has an 8-bit DIP switch inside, giving a whopping 256 different codes. We replaced the switch in ours with a CMOS 8-bit counter and 555 timer to drive it. Now it counts through all the codes in under a minute. We drive around to see who has the same brand of opener. The local fire department does. You'd be amazed who else does...

RB San Francisco, CA

Eastern Europ**eans**

I received two issues of your magazine that liked very much. I believe that I am the first Coatian connecting you. In Volume 12, number 1, in "The Better Letters", I read that you were still offering free subscriptions to Esserti European As I would be very much interested in getting your magazine regularly I am here. with applying for this subscription

Hroje Vakovie
All you have to do to get a free one year subscription from Eastern Europe. The
former Soviet Union, and Cuba is write to us and ask for one. No entail, no faxes just a letter from the causity you live in. You'd he amazed how few people put in
that little effort.

ANAC Change

A quick update on the letter (in the Winter 1995-1996 issue) from Percipal regarding AT&T's universal ANAC number. The universal ANAC has been hit by the recent area code returninging that will likely soon confuse a great number of hapless telephone users. The number has moved from 404 to 770, so the complete tone, 0000000001 phone number? The sea discovered this by now, but I figured I'd dash off a quick note anyways. By the way, does anyone know the meaning of the numbers reported by the ANAC after my hapless telephone users. **The number has** moved from **494** to **779**, so the complete ANAC number is now **10732-1-770-98**8-9664. **Undoubtedly countless** others have uence I receive is: tone (my phone number here) 8 pause,

payphones. The numbers following the readout remain a mystery Thanks for the update. Unless we've somehow missed it, we've never seen a bill come in with that number on it, so this could be a toll-free call, though not from

Points on Interrogation

Interrogation" - by Darlo Okasi. While there are some good points, much of the information presented is flat out wrong and dangerous. Darlo makes a point that the reader should try to be in control of the interrogation. You are not in control. That is what an interrogation is all about. If you challenge the control of a natural con-trol freak (the cops), you put yourself in jeopardy. If your readers were to put thesu I read your mag regularly and find the information timely, useful, and fun. I do, exception to the Autumn 1995 article "Hacking a Police

2600 Magazine

no charges. (Against the law, you say? The cops will say "Sue us!", and even if you do, it will take years and thousands to sattle). Darlo is fond of expressing false bravado or attitude, telling the cops they "are thry" and cusning. This is dead wrong. If your readers put on such a belligerent attitude with the cops, they risk being hit and beaten, or, depending on their social status, even killed Again the cops will say "Don't like it? Sue us." This plappers all the time.

What should someone do in case of inthrogation? Keep cool. Be friendly, help. principles into practice, they risk being locked up for extended periods of time on

ful, courteous... just like a boy scoul. Dank say incriminating work and like it you at it. but be nice and smile at their steep he at humor as much as you can muster. If they try to "be your friend", you should be their friend". Tell them you was to help them, but you just don't know what they are talking about. Do demand a lawyer. Do make a story with your friend(s) if planning some "gray" activity. Do rell the same story over and over an

The Prophet

Dear

interrogation? (Aunum 1995). The advice the author gave ("don't tell them anytic thing.") was printy good for starters. You have to remember that the process of intertive regation is considered an art in the field of criminal justice. That means when you

so decide not to tell the police anything - they can still tell that you are lying.

How, you may add Well, simple - your body language tells it all. There is a new
interview (interrogation) technique being tuple to criminal justice personnel called
the Kinesic Interview Technique. I have also been trained in using this new method,
and would like to say anonymous for the host part, since giving out this information could eventually hurt me in the future.

"The Kinesic Interview Technique is multi-phase behavioral analysis system
of the interview Technique is multi-phase behavioral analysis system." 2600: would like to make a few comments about the article "Hacking a Police would like to make a few comments about the article "Hacking a Police"

that is used to improve the communication process in order to conduct more effective and efficient interviews and interrogations. The foundation of the technique

The Kinesic Interview Technique consists of three parts: 1. Body language; 2. Verbal behaviors; 3. Statement analysis. and eyewitnesses are interviewed by the police while suspects are interrogated. The only difference between the two methods is that one can get rough with suspects. rests on the common everyday behavior of human beings and their diverse communication skills." The preceding text was quoted directly from the handy police training manual I got to keep after completing the course. Please notice that victims

Part 1. Body language is exactly that. The person interrogating the suspect may look for various clues that the body gives dif without one knowing it. When asking the suspect a critical question, the person night rub their nose, shift their body from

one side to another, cross their arms, give pff a fake cough, etc.
Part 2. Verbal behaviors include speech disturbances (so
words) such as "ah, er, uh, um." The suspect will often omit ar tences (a, the, and, for), clip words in half drop suffixes off words (ing), drop word endings (es, ed), and will often self-correct themselves in the middle of sentences.

Part 3. Statement analysis is done after the suspect writes down exactly what curved lines, frequently misspelled words, etc ine the document very closely and look for signs such as handwriting pressure. happened or what they were doing at a certain time (alibi). Experts will then examech disturbances (sounds that are not oct will often omit article words in sen-

Interview Technique is very complex and too claborate for me to explain in detail above three mentioned parts together to come to a conclusion. The Kinesic What makes the Kinesic Interview Technique so successful is that it uses the

about infiltrating a police training seminar? to you without having to write a book on the matter. The police manual I had to train subject in order to get all of the necessary information about this technique. How with goes over several hundred pages, and I highly suggest taking a class on this

also be held by the police for up to 48 hours without any charges ever being brought the police officer up. Also, one does not have the right to make a phone call. It is a privilege in most to stakes So, the care nake to the police officer when being arreaded, since you define the police officer when being arreaded since you defined the police without a lawyer. That brings me to another 20 point. Don't be stupid and talk to the police without a lawyer! Keep your mouth real that The less thour know, the lander hely have to work on cracking the case. Plus, you don't want to say something stupid that can be used against you at a later date. A nice thing about most interrugation without giving you notice or adding for your permission.

Well, to finish thangs off, the best advice! can give you is don't do anything the police with the police of the principle. tell you that if you cooperate you will get a lesser sentence? The truth of the matter is that the police do not have the power to grant you immunity from prosecution or lessen your sentence in any way - only the district attorney can do this. One can Did you know that the police can even lie to you during an interrogation and

System Default

Dear 2600:

anything they want in an attempt to get you to confess. Your confession is, of course, the whole point of the questioning. It's important to note that in the area of mylighteeds' enfines, without the help of the person who committed the act, the police probably will never be able to figure our dan't was done, let alone prove that we are particular persons is responsible. Remember, anything you say can and will be used against you. Durit target it. Also, the police will lie to you. (There may be a few idealists out there who don't believe this, but it's true.) They can say they have may manner of evidence to payvathresses, surveillance video, fingerprints, bloody a gone, etc. in an attempt to get you to "give it up". All of the "evidence" they say the ploves, etc. in an attempt to get you to "give it up". All of the "evidence" they say the ploves, etc. in an attempt to get you to "give it up", and the evidence is allowed based on this togic our innecent person will not confess. no nature what the evidence is allowed based on this togic our necent person will not confess. no nature what the evidence is allowed based on this logic. They really have the evidence, the supplication is the myore their case in court. The best piece up of advice, as any defence attorney will teil you, is that you have the right to remain what police do during an interrogation greatly impa tooking innocent. In the article Okasi correctly point I would like to comment on Darlo Otasi's article "Hacking a Police Interrogation" in the Autumn 1995 issue. Otasi is dead right that understanding silent - use it! your ability to come our that the police can say

importantly is they way in which you profess your innocence. (Almost all guilty people start out denying that they did it.) A guilty person will start out vigorously but also how you act, you can gain a real advantage. Are you sitting back in your chair with your arms folded and not making eye contact? (Guilty) Or, are you sitat their lap. An innocent person, however, begins much the same way denying their denying the allegations. Then, slowly, that vigor begins to decline, until they are just sitting there quietly, looking at the floor, listening to the interrogator outline the tinues, while a guilty person gets quieter, an innocent person continues to deny the involvement, maybe even laughing at the suggestion. Then, as the interview concharges and (maybe bogus) evidence, until finally they confess while looking down ting forward, hands down, looking at them when they speak? (Innocent) But, most Further, if you understand that the police aren't just interested in what you say

allegations, or they become even more adamant in pro-fessing their innocence. They start by saying "no", then after an hour they pound the table, and after two or three hours throw a chair against the wall. (Never anywhere If they know that you know about these "patterns of denial", then all bets are off as far as convincing them ber, never: never let on that you know this information saying "Gee, maybe he really is innocent!" But rememcome out of the interview room scratching their heads anteed!) If you follow this pattern, the investigators will near a police officer - this will get you in trouble, guar-

Robin Scurr

White Lake, MI

Bernie S. Fallout

Being in business selling into of this matter I see that the Marketplace is still full of this type of info. What does this mean? Is this kind of info now Illegal to sell, buy, or even for you to allow such ads? From Popular scared about placing an ad in your Marketplace after reading the article "No More Secrets" (Bernie S.). I have been a proud reader off and on for a long time. (I buy at the stands.) But I am totally confused and 18 U.S.C. section 1029)? It sure sounds that way to me. Did this law go into effect in October '94 or '95? I don't Mechanics to Soldier of Fortune there are many people and companies with ads selling this type of info. How about companies like Loompanin, Delta Press, and many others are their books now illegal? Is some of the info. 2600 prints now illegal, under the current law (title know if I am breaking the law or not

tions that took me a few years to work up to! How can you keep your magazine going with a law like this? Does "For Informational Purposes Only" mean any-What should we (underground info sellers) do? Should I quit my business? I have about 170 publicathing anymore? I am one worried man Name Withheld

to hecome involved in. This means there could be many more Bernie S. cases before something is done. Weigh all of this before making your decision and then do liberties group thinks this is an important enough case lenged on all fronts. Unfortunately, no so-called civil wrong and is blatantly unconstitutional. It must be chal-Bernie S. was imprisoned for: But we believe the law is he way the law (passed in October 1994) now we could indeed be guilty of the same crimes

This thing going on with Bernie S. has really gotten me pissed off. What right does the government have to prosecute a man who just had the software? It's not like he was using it at the time. Tell me what i can do to help.

2600 Magazine

Page 30

progress in the last couple of months in spite of media indifference. There are an awful lot of us and we know for the latest info, and distribute what you see in 2600 to as many people as you can. We've made a great deal of how to get the word out. People like you are vital to this website (www.2600.com), finger-bernies@2600.com The best way to help is to spread the word. Check ou

Dear 2600:

ulent manner? Is it actually true now that having a copy of BlueBeep zipped up on my hard drive makes me a felon? This is unbelievable. However, it seems like a law that will disgustingly stay on the books. Is there anything we can do about this? I don't think so! I have Congress could pass such an anti-citizen law. How in the world can they make it illegal to distribute informa-What's next? In a year, will carrying a pencil in your pocket be considered concealing a deadly weapon? It's This is Title 18. USC Section 1029: "possession of a technology which can be used in a fraudulent manner..." ality of this law being challenged by anyone yet? Please, give me a minute - I have to recover from shock, and then go and clean off my hard drive and hide my red box device that maybe, if someone feels like it, could possi-bly, if they wanted to break the law, be used in a fraudthat has been lying in a desk drawer for a year. already written to my congressman. Is the constitutiontion of any type? How can they make it illegal to own a amazing that the people supposedly representing us in sonally was not aware of, and frankly find appalling

I never thought I'd see the day where I'd have to fear

Denver, Colorado
We're getting letters like yours every day. People
are realizing the implications of this law and it's well
worth getting upset about. So fat one person is chaltenging the constitutionality of this law: Bernie S. The problem is that it's very difficult to do this when the Secret Service keeps throwing him into prison. It's a fair het they're aware of this fact.

Dear 2600:

in a free country? Phil Zimmerman, Ed Cummings, the Pentagon mall incident, and countless others.... Are you sure you live

should all come together to protest (and screw) the government for these unimaginable and cruel punishments I think that this whole Bernie S. saga is bullshit! We

they are subjecting him to.

But on the other hand, Bernie S. did commit more

Spring 1990

I was reading your article on Ed Cummings in the Autumn 1995 issue and I stumbled on a fact that I per-

seated arrest for talking or writing about something. I'm nau-

Dear 2600:

tion, the National Security Agency, so I am no stranger to the world of codes, cyphers, and cryptology. But now due to a difference in political beliefs, I have chosen to U.S. Navy nuclear submarine radioman, and for a short again in another less taxing field wash my hands of the whole mess, deciding to start while thereafter for the arch-enemy of your organiza-Over the past 10 years I have been employed as a

ily available by the powers that be as a sort of reference During my tenure with NSA, your magazine, along with several others of the same theme were made readconcern is for the security of the common man. deas. But I did not write this to stroke your egos; my material, both as what to watch for and to generate new

top computer and computer disks. crimes than possess and have custody and control of hardware and software such as an IBM "Think Pad" lap-

"FAX: A New Hobby", "Paging For Free", "Cellular Phone Fraud and Where It's Headed". I mean he wrote four articles for 2600 which would imply he is a "Real Hacker". Just look at the shit he knows: "How to Defeat *69", "AT&T Sub Maps".

has already suffered enough. that he deserves to be released from prison because he knowledge to commit a crime is! But I strongly think I know that knowledge is not a crime but using that

We don't know whether to slam you for being dense or congratulate you for being witty. It's probably best just not to say anything. Adam Schoenfeld

Military Miscellany

tronic combination locks on them. The combination on each door was 12345. Is this what is known as military itary base recently. There were loads of fences and dogs, etc. My escort lead me through four doors with elecchance of getting round this? this a Defender modem? If so, do I have a cat in hell's seems to lock on, but nothing comes on the screen. Is answers, and sends a carrier. My old 2400 baud modem USAF base. I have found a phone number that rings, intelligence? Also, I have been trying to hack my local As part of my job I had to go to a high-security mil-

Cockroach

It's impossible to say what you're connected to

challenge" idiots do that to try to drive us crazy some-times.) Our advice is to try all kinds of variations to get since you're not getting anything back. It could just be a modem connected to nothing. (Some of those "hacker that far: you're starting to make progress any kind of a response at all from it. Once you've gotten

still watching, and they are getting better everyday.

On an unrelated note I would like to mention D. be the same Ruduolph Goettel will be missed. Skinny Puppy won't

Disappointed in our Government

Spanish ANI

Bored one day at home I decided to start dialing a

I am referring to the PGP or Petry Good Privacy
program. While I am under contract with the governer. Is Lately when I diabel it up. it sent a steady tone over
ment to not speak on issues of national security for the the line, and then stopped when a key is pressed. After bunch of 800 numbers when I came across a computernumbers, you get your ANI in Spanish. I have been The number is 1-800-235-0900. If you dial the right numbers when I heard the lady say my phone number ized number that spoke in Spanish. I was hitting random

the United States. remainder of my lifetime, I can speak hypothetically a pseudo government with resources that rival that

this government is concerned. Publicly the government government they are like the Cap'n Crunch decoder rings of old. Toys. Public digital privacy does not exist where ers like them is a noble idea - they would probably keep your neighbor out of your email - but realistically to this everyone into a false sense of security, where they think all of their data is safe from prying eyes when in reality easier for them to operate, or by all the bad press they generate with their claims of its invincibility. They lull puts up a huge fight. We don't want the program available, it could be used by our enemies, they say. Anything existent. The use of the PGP program, RIPEM, and othand manpower at its disposal, public data security is non way they win, they convince the sheep that it's a bad thing used only by hackers, communists, and other eneheavily regulated and such, while privately they sit back and easily decode anything they have a desire to. Either Publicly they proclaim that it is unbreakable, it is to be ed, etc., what a better way to play to our enemies over 40 bit encryption is a weapon. It's not to be exportmies of the state. It is outlawed which makes it that much To this government, with the vast monies, machines

At the same time they try an end run with the Clipper Chip and the Capstone Project. The public it is easily read whenever it's their turn to be indicted.

know when or why such security would be applied to this number? Overuse perhaps? pressing a couple of keys I get the message "The authorization or ID code you have dialed is invalid." Do you The Mad Tapper

crippling environment. While we don't know particular:

Ringwood, IL

code was put onto that line, so many people had it (it was only three digits) that we would be amazed if the you have to do is hit I to hear your phone number read back. As for the demise of the I-800-MY-ANI-IS. overuse is probably an understatement. Even after a vice line. Like the English version (800-222-0300), all number still exists by the time you see this What you have is the Spanish AT&T customer ser-

Cellular Prisoner

scene for over nine years. I'm currently in federal custody in New Jersey waiting to go to trial for cellular phone fraud, mainly "trafficking in counterfeit access ern California. I was one of the key figures busted in the "Celco 51" incident. The U.S. Secret Service, Cellular devices" in violation of title 18, section 1029(a)(2) of the U.S. code. In September of 1995 I was indicted by regarding computers and hacking. One example is that on one of the computers they found a text file of FTP in the operation, they were mainly targeting cellular fraud. On September 3rd I was extradited from Los during September. Since Cellular One was a key partner One, and an informant operated an H/P BBS in New Jersey for about two years. To my knowledge there were arrested by Secret Service agents on a freeway in souththe U.S. government, and then shortly thereafter I was sites. They are trying to figure a loss value of \$500 per site, \$73,000 for the file. Excuse me, loss value of it is amazing how small the government's knowledge is ers including Agent Steal and Kevin Mitnick. Although a total of 15 other people arrested across the country how? In any case, hopefully I will be free sometime what? Did ftp.cso.uiuc.edu (exec-pc) lose money some cannot talk specifically about my case now, I can say two week journey, I was incarcerated with a few hack-Angeles to New Jersey in order to stand trial. During my My handle is Alphabits and I've been in the H/P

or forward it to someone who could. Any letters, printland. I would appreciate it if you could post my address

15 Elizabethtown

mail since prison can We wish you luck and encourage people to send it since prison can be a very lonely and mentally

I'm currently being held in a 100+ year old jail

around January of 1997.

would be greatly appreciated Jeremy G. Cushing #63366 Elizabeth, NJ 07207

and mentally

2600 Magazine

Spring 1990

is absolutely no way of knowing how someone will react to that kind of pressure until the time comes when they are confronted by it. Take heart in the fact that these get you to turn your knowledge and interests towards the world of crime, they are either trying to trap you or they are trying to con you. If you feel nice and secure they are trying to con you. tions are being raised about the Celco 51 sting operation of 1995. In particular, we have heard numerous days you can still wind up in prison and he considered a major threat to society without committing crimes. Odds are that if someone approaches you and tries to change a thing. But we can learn something important about this individual back in 1994. Tainted though this case may be, it's quite likely these questions won't know this is accurate since we'd been getting complaints reports of the informant you mentioned appearing a about your specific case, we do know that many ques friendship more quickly than a federal indictment. There trusted friend, be aware that nothing tears apart a because the person you want to commit crimes with is a 2600 meetings trying to get people to commit crimes. We ning some important battles When people recognize this, we have a chance of win

Highway Weirdness

Dear 2600:

rent me a car to get to Illinois so that I could be with my nother who is ill. First of all let me sart out by relling you that I am on two years probation for computer fraud and/or credit card fraud but that's a whole different story. Anyway, I must carry travel papers from my probation officer which I had (Thank God!) I was travelof me and slowed down to 55. I stayed in back of him for a few miles until 1 noticed 1 was only going 50 mp.h. I sped up and went around him. He sped up and sayed close behind me. About ten miles down the road sayed close behind me. About ten miles down the informative zine for the past two years, and I must say we have learned a lot! I had the opportunity recently to drive myself from Phoenix, Arizona to Springfield. Illinois and thought you and your readers may be interdown the road he hit his lights and pulled me over. He asked for my ID and registration. At this time I told him wasn't O.I.) The Bronco stayed close behind me and it wasn't long before he passed me. He got right in front ing north on I-17 to Flagstaff and yes, I was speeding a tad. They had just changed the speed limit according to sped up and was right behind me. A couple more miles was no longer there - in its place was the Highway Patrol. I let my foot off the gas pedal and noticed that he each state but it was still posted at 65. I was keeping up 4th of December. My brother-in-law was kind enough to patrol. I left Phoenix at 4:00 pm Monday evening, the ested in what I encountered with our fine highway I looked in my rear-view mirror and saw that the Bronco with the flow of traffic and passed a Bronco. (No. it My fiance and I have been avid readers of you

it was a rented vehicle and gave him my travel papers. He asked me to get out of the car. As I did I noticed that the Bronco I was playing "ag," with was parked behind the squad car! The officer showed my probation papers about 80, not bad." I had no idea what was going on here! Bronco Man, not Mr. Officer had "clocked" me, D.E.A. Imagine my surprise! When I was asked why I while and those were my clothes. When asked what else suitcases?" I told him I expected to be in Illinois quite a my mother, who has cancer. He asked, "What's with the him I was on my way to Springfield, Illinois to be with D.E.A. man spoke up. "Where are you headed?" I told thought I was pulled over I said, "Well, I guess it's obvihave had this dumb look on my face because Bronco and by his own speedometer, not by a radar gun. I must man, "How fast was she doing?" He replied, "Oh, only led. I was later "introduced" to the Bronco man. He was to this other "gentleman" and they both kind of chuck-.. I was speeding." The officer asked Bronco D.E.A.

into The Man and I was pulled over! To make a long story not so long, they let me go, but not before they issued me a "Warming" ticker for speeding, of course. They said they weren't going to "search" my car because they dink think! was running drugs. They also told me to expect to be pulled over again before the end crossed the center line (1 had to, 1 was changing lanes!)
and 1 didn't give the third officer a chance to tell me
why he pulled me over - 1 blured out, "This has third
time I've been pulled over. I'm not running drugs. I'm
just trying to get home to my mother who is ill. I'm on
probation, I've already been "checked out", and I'm
facking tired!" He said "Go lady, just go"! All three
facking tired!" He said "Go lady, just go"! All three M1200, slippers, housecoat). He then asked me a string of "how bouts", such as how much cash I had, meth, pot, alcohol, blah, blah, blah. I said, "Look, I can't afford any a little fast so that he gets the ticket, not you. Get a radar eling alone is: Don't latch onto the car who is traveling profile of, get this, a drug runner! I was a white female traveling alone in a rented car with suitcases that had trouble. As you can see I'm on probation, what's going on here?" He (Bronco D.E.A. man) told me that I fit the I had in the car, I told him my dog, and a few of my worldly belongings (you know, computer, scanner, Get a dummy (or the next best thing) to sit in the pasdetector (I had one), take airline tags off your suitcases behind the squad car. So my advice to any female travtimes there was a D.E.A. (white car) agent parked before I reached my final destination. One officer said I They were right. I was pulled over two more times of my journey, because I was considered high profile! was cruising the highway just looking for this kind of stuff! When he spotted me he stuck with me, radioed airline tags on them (I never take em off, reminds me of where I've been) and an out of state driver's license. (I and cover them with blankets or put them in the trunk Oh my God! My mouth dropped. No way! Bronco Man still had an Illinois driver's license - yet another story!)

Make yourself look older (I'm 34), maybe stick a pillow are on our highways! up your shirt, be pregnant! They are out there and they

Dear 2600: than it's worth. Your other ideas are sound, though

ting next to you in a car might prove to be more trouble

We suspect explaining what a dummy is doing sit-

Jus Jizzen

T-Y Transmitter System. Enter security number now." It and then some high pitched tone that lasted about 5-10 seconds. After that a computer voice said, "Hello, K-Lthen I got some digital sounding ring about three times. code. Anyway, I dialed one number, 291-9901, and something strange happened. It rang once normally, what this is? just repeated that until I entered a number. Do you know bers, trying to find an ANI number for the 214 area Lately, I've been experimenting with different num

bly another way into the system. ity to turn the station on and off. The high pitched tone remote control of room temperature as well as the abil tion. If they're really stupid, the station sounds like a low speed computer carrier that is proba control the transmitter for that particular broadcast sta-This is probably a system to monitor and possibly

Meeting Questions

Dear 2600:

I am an Orthodox Jew and therefore cannot attend any meetings on Friday nights (funny thing how all the 2600 meetings happen on Friday nights). I was wonderof great help to me. and although I do not intend to do any major H/P activity I am interested in the stuff. So any help in arranging could be arranged. I am generally new to the H/P scene area that happens on other nights or if such a meeting ing if you knew of any meeting in the New York City meeting of 2600 on a night other than Friday would be

you disagree with or can't meet our guidelines Friday of the month is 2600 meeting day. By branching out to other days, we could lose that recognition factor Friday night has always been the night for 2600 needings since their inception back in 1987. Before that TAP meetings were held on Friday nights as well. It's the whole tradition thing which seems to be clashing whatever you want under the name of other groups if remember that 2600 is only one forum - you're free to do everyone. We're open to suggestion. In the interim and also make things a whole lot more confusing for with your tradition thing. It's possible we may need to make some sort of a change to accommodate more peocarefully - right now everyone knows that the first years. But this is something that needs to be worked out ple since the meetings have grown so much over the

senger seat, preferably one that

looks like

grandma

ple? And how should I introduce myself? At the moment i write code in assembly. C. and Visual BASIC, but me listen to their conversations' Will the people there be willing to teach me or just let how should I know who to look for? What age of peo-Centre by the VR machines and I know the time. But meeting in London. I know that it is at the Trocadero would like to know some hacking and phreaking basics. Please give me some more information about the

that range. We're very informal so you don't have to worry about protocol. If you don't act like an idiot and ly connect with #2600 do I need to specify a port number #2600, the 26th of each month. Is this still in effect? My number two), at the bottom of page 17 is an announce-ment indicating 2600 is on line through IRC channel being accepted for who you are. Good luck aren't committing crimes, you should have no problem on. Ages vary from 10 to mid 70's. Avoid people outside service offers IRC access. In order for me to successful-In the summer 1994 issue of 2600 (volume eleven, There's usually somebody around with a 2600 shirt

nection (6667)? Thank you for an excellent publication. Frank M.

or will I connect through the system's default port con-

find 2600 people wandering in and out of the channel. developed a life of its own and is no longer controlled by us. Such is the nature of IRC. You will, on occasion, Any public IRC server should get you into the IRC world we all inhabit. The #2600 channel has sort of

Dear 2600:

Previously. I have never been able to reach a number in 710 from the POTS network. 710-NCS-GETS (710-627-4387) results in a new dialtone with a request to enter the desired number and passcode. Item of possible interest: 710 NPA belongs to feds

Interesting things from Bellcore and GTE notes: 710 routed calls have priority if other circuits are busy. ings, but only so many. A 710 GETS call will allow ious telco/carrier networks will try alternate circuit routetc. On a non-priority call (like yours or mine), the var-

messing with any federal installation... feds don't have Be as careful when messing with this as you would be located in Northern Virginia - probably the Pentagon. more than the usual alternate routings. NCS stands for National Communications System

This is in response to a letter written in the Autumn

2600 Magazine

Dear 2600:

1995 issue by FxPigMan. The "computer" you refer to 1 clearly see that 81F0h fits entirely within a 16-bit being written to port 81F0h. Most cards, however, only look at the lower 16 bits of the address...." Anyone can "Stealth Trojans" states that "...the processor will send

As soon as they come up missing, even if you do know the password, they get taken off the network. They can still perform some functions, but the point in having one would be so you could explore the vast possibilities. This would be hard to do with a "crippled" 655. There is one for every Baby Bell across the country.

And about the ANI number the lineman gave you, I would be willing to bet it's not good anymore. They change them every month. One other note about the friend this little mini-computer can do so much more. By just punching in a number such as, oh "2600", it will produce a 2600 tone for you. I like to refer to it as a Dynatel: since every unit is networked and you need a it does what you said - runs a test on the line - but "the place" the Dynatel connected to is the Dynatel host computer. Here's another number on the Dynatel netpanies for \$5000. Not your average laptop, eh? Well, is a Dynatel 655, which is a loop analyzer terminal, and password for them, it's useless to "acquire" one of them. work: 1-800-801-0139. This is the number for US West has a lithium battery. This laptop is sold to phone com waterproof laptop sitting on a 12 volt battery - it also

Colorado Springs

near my place has an old bill/coin changer, so I photocopied a \$10 bill and fed it in the slot. I made myself
about \$200. The guy who owns the place must be on
glue, cause he hasn't caught on yet. Whenever I'm
broke I just photocopy \$10 bills and take 'en down and
get the quarters, then take the change to the arcade and
get bills. Also for anyone travelling in 'Ancouver,
Canada, the phony bills also work in the Skytrain termibuy a 1 zone fare with a 10, you get \$8.50 change. Thanks guys, I love my 2600. Dear 2600:
I used a trick I found in an old issue. A laundromat nals, a great way to travel for almost free. Also if you

The Mighty Pantharen

saying that we were the inspiration for all this? It's all very interesting but most people probably want to know location, and going back to the same places wondering telling everyone in the world about it, announcing your why nobody's catching on? And on top of all that, you're when exactly you landed on our planet. Let's get this straight. You're photocopying money

Corrections

signals out on the bus telling all the cards that data is found an error in last quarter's issue. The author of

> address. I believe the intent was that the high bit would be stripped/ignored by the hard disk controller, resulting in a write to port 1F0h.

story was. Anybody know anything about the recall? ing greeting cards. The clerk said we usually carry them but Hallmark recalled them all. Nobody knew what the store near my house and asked for one of those record

One last thing: my friend owns a few Chevron sta-

Reality?

Well, first I want to say that your magazine is cool, I just got my first issue. But I have to say something about your movie review of Huckers. You said that the raids were like those in real life and I doubt that I ve never been raided, so I don't really know, but it seems wrong to me. He's a hacker... Why would like 20 guys with machine guns jump through the windows and run upstairs? He's a hacker... What's he going to do? Throw his computer at them? C'mon now.... They could've sent two guys through the door, with maybe a nightstick each and gotten the exact same results!

so here I go I'd like a blue box schematic shirt. box schematic shirts are still only available by request, Also, it says in the back of the magazine that blue

only applies to article writers. As for your questions about the reality of raids, we've seen it play out like that If you look back there again, you'll see that they cost \$15 each. We hope you don't think that all letter all too often. And, like you, we also ask why: writers get free subscriptions and t-shirts. That deal Meth

Radio Shack Fun

Dear 2600:

he looked at me (I'm 6'4" and weigh 285) and said, "Uhhh, you better talk to him." I told him "forget it". He asked about the crystal, and listened for a minute. Then the crystals - same story. He got someone on the line and picking it up." They had him tell me they "don't show anything". I went to another Rat Shack - same story. could order it. So he called someone and they had him ask me what it was for I said, "I don't know, I'm just buy an autodialer if they wanted one. I asked if they had any 6.5mhz crystals. They didn't stock them but he always disappear, the drug dealers use them for something." They didn't even have the floor model. I didn't had three tone dialers in the store. After looking around for about 20 minutes the guy told me, "These things year I thought I would give him the gift that "keeps on giving". I went to Rat Shack. The computer showed they I have a friend who's homeless. Last year I got him one of those \$20 phone cards. He was in a jam and had to use it. He said. "Man, that was a life saver" so this said thanks and looked relieved. Looks to me like Rat lose my smile, if you know what I mean. I asked about Three in the computer, none in the store. I'm starting to confuse him by telling him drug dealers could afford to

percent secure is to use someone else's accoun The only way to make anonymous remailers 100

so they don't use the phone lines. No music, no alarm of the booths. He said it was for credit card verification tions, so I asked about the satellite dishes on the roofs

Philadelphia

Unfriendly Payphones

Dear 2600:

you have any ideas for why Bell might do this? I certainly can't understand why. that said "The number you have reached... is not in service for incoming calls." How stupid can Bell get? Do money. But with Bell phones they make out either way. Well, I was curious, so I went to the phone and looked home I called the number and I got a recorded message first time a Bell Atlantic payphone that didn't accept number with my ANI (just in case) and went home. At there. A wonder since it's not too useful. I checked the where the number is displayed and the number was incoming calls for the reason that the owners make no incoming calls. I understand that cocots wouldn't accept went to a restaurant this morning and saw for

Michael H.

priced and each calling card call carries a whopping paying much less for the call than an outgoing call from the payphone would cost. Coin calls are grossly overpeople fight this, something just might get done. fight against drugs or some other nonsense. If enough chance to turn off incoming service in the name of the surcharge. Most phone companies are jumping at incoming calls because the person calling is probably can bet the bottom line is money. The local phone com-panies don't like it either when payphones are used for Whenever something stupid like this happens, you

Questions

Dear 2600:

Shack has a new policy. Then I went to a large stationery 1 the number you wish to connect to, it says "the access figure out how to access the codes... and what other codes might lead to. If you try to type in "10362" and ure out the next code. I am fairly new to phreaking, and have since made eight different boxes. I can still easily get a free phone call, don't get me wrong. But I want to it changed to "10649"... but since then, i have yet to figfigure out the "free-call" code to SouthWestern Bell telephones. About eight months ago, if you typed in you could avoid the annoying 25 cent deposit. And then "10362" and then dialed the number you wanted to call, For the past several months I have tried and tried to

Spring 1996

ing a damn thing. Any suggestions? know what i mean, and have had no such luck in findcodes? I have tried the core of SouthWestern Bell, if you

The .GIF is available on

the weh

site

Dereks under the

(IOXXX format is becoming obsolete so any list of such numbers won't be telling the whole story. The new format is 101XXXX. That's ten times more codes to find Good luck. to realize this. The codes are used to route long distance calls over different long distance companies. But the purpose, it's because some dimwit has misprogrammed your central office. It usually doesn't take them too long phone service. If you manage to use one of them for that First off, these "codes" are never intended for free

Dear 2600:

while he was swapping files with a guy, he was suddenly kicked off. He went to log back on, and found that in his mailbox was a message. It said something to the When my friend got this e-mail, he was freaked out of his address. It reads as follows: Hoover@crc.nsa.gov. he was only trading shareware and music, I will give you his mind. Most of the guys (friends of ours) convinced him that it was a joke. But in the back of my mind, I wonder. Is the NSA taking a part in the crackdown of guys e-mail address. Now because my friend swears that we'll arrest you." The cool thing is my friend got this point of, "We found you swapping files. Do it again and A friend of mine got the Internet finally. One day

not likely to send out messages announcing their presence. We also doubt they care much about software The NSA is a spy organization. That means they're 3

The Winter Cover

expense

was ROTEL I'd like to congratulate you on the cover photograph. I just received the Winter '95/96 issue of 2600 and

ual penetration, etc., but I'll simply say it was hilarious. stark contrast between the left and right parts of the picture. movement vs. stillness, etc., and the Freudians would be delighted to equate the depicted scene with sexanalysis and praise of the composition of this work, the No doubt critics of the arts could go into detailed I've been a subscriber for a few years and this is by

far the best 2600 cover I've seen yet. Again, congratula-

Germany

The cover of this month's mag is the best yet!! Is it | Television and radio stations are often the first targets in

2600 Magazine

Page 36

Spring 1996

code you have dialed is invalid". So, since you guys are the people to ask, how would I get access to these possible to get it as a .BMP or .GIF once the www site is back up? covers section

NeVeR \FluX dent depicted on the cover. I noticed that the old Bell van had a 2600 logo on it. Had you guys finally had enough of NYNEX and PSI? I absolutely love the cover of the Winter 95-96 issue. The look that the dog is giving the camera is the best part of the photo. Anyway, I was wondering if you could tell your loyal readers the story behind the inci-Dear 2600:

Miami, FL

The cover was a composite of photos and it also involved a fair amount of touching up. The van that created into the phone booths (yes, it really happened) wasn't a phone van art all and had nothing to do with 2600, and Walter (the dog) has never been in New York cal look at how it was done City: You can check out our web site for a more graphi-

Fun On Planes

so that one uses it to call a predetermined number, like a parent - but nobody else) with GTE's in Flight phone service, you can use the card to call numbers which have not been specifically configured for the card. What this means is that, using your ATE'T Call the card, you may call any number in the world without the hassle of For a few years I've used a rather enjoyable "bug" in Airphones. Because I often fly it has actually turned out to be a very convenient method of entertaining one-self on a flight, without causing any major disturbances where something unfortunate may occur (e.g. death). putting up with their rates which rival 900 numbers in When you use an AT&T Call Me card (a card designed

(let's face it, besides being able to start interesting conversations with people around you, there isn't a whole period) become even enjoyable. lot that you haven't read in a 2600 over a three hour time This little trick has made otherwise boring flights

actually could be on a comm frequency that they use trolling us I decided to check it out for myself I found computers on some flights was just another way of con-Oh yeah, thinking that their banning of portable hard drive emits a birdie at 145.150 MHz which

Ą

Particle Man (203)

Repression and Hackers

Dear 2600:

Repressive governments fear open com-

world since invading and occupying it in 1975. communication between East Timor and the rest of the munications out of the country were cut off for several role to play in supporting or opposing repressive rule. For example, after the coup in Poland in 1981, telecomdealing with communication technology have a special days. The Indonesian government has prevented radio military coups. Those who have exceptional skills in

resistance needs information on impending arrests, information on targets of surveillance, information on opposition activities in other parts of the country, and reliable information to counter government lies. resistance movement, using nonviolent methods such as petitions, rallies, sit-ins, strikes, etc. To be effective, the potential opposition groups is intensified. There is a your country. Emergency laws are passed limiting free speech. Leading dissidents are arrested. Surveillance of Hackers have skills that could be immensely valuable to

port the repressive government?

For some years I've been studying nonviolent resisto a nonviolent opposition to government repression? What could and should be done beforehand to make it tance rather than (perhaps due to bribes or threats) supmore difficult for a government to repress dissent?
What is likely to encourage hackers to support the resis-What could hackers do that would be most helpful

long time and have been pretty satisfied with their service. Recently I have been absolutely deluged with free disks from AOL in virtually everything I buy. So I AOL Hell have been subscribed to Netcom now for a pretty

This is when the real trouble started. I tried to cancel my account online and was presented with the message "to cancel your account please call or write to AOL". O.K. No problem, right? Wrong. I called the 800 number and interface was a lot more glitter than actual functionality. people have such hate for AOL and its users. Well I signed on and quickly realized that the AOL

thought I would give them a try to find out why so many

was sent into their voice mail system.

When you first call you are presented with two cel your account, press two. So I pressed two and was told by a recorded voice that the current wait to talk to choices: 1) To order free software, press one; 2) to canwould call back later. Well, I called back for two more hung up and assumed that they must be busy and I "customer service representative" was a half hour. I

The third day, just out of curiosity, I pressed 1 on

Spring 1996

their voice mail to access the operator who takes orders for their free software. *Bingol* I wasn't even put on hold my call was put right through. When I explained to the that's just the way it is. sign on by including their free software in just about operator what was happening she responded by saying The point is that AOL makes it incredibly easy to

Suppose there is a severe clampdown on dissent in problem - read some of the local netcom newsgroups to see the hell their former customers are going through ther charges. We happen to know Netcom has the same credit card company and telling them to refuse any furtime on the phone, you're better off contacting your at night and over the weekend (the number is 800-827-6364). If you're told to wait for a ridiculous amount of less and costly their service is. incredibly difficult to cancel once you realize how useeverything computer related you buy. And they make it We were able to get through without much delay late

YUKYUK

awful lot of providers In fairness, this kind of thing seems to happen to an Credentials on Credentials

tance to repression but have only just scratched the surface. Suggestions would be most welcome.

Brian Martin

informed of. But you have an even larger problem when contact them. Four. It kind of bothers me that your zine claims to be informative about things others need to be does work because you have pre-warned them not to one to deter them from continuing to contact you. It added to any mailing lists that the major three bureaus sell. Three: The letters you can send to telemarketers is TRW started but it was sold to an independent company back in October 1994. Two: You fail to explain the rest It seems to me that you don't do a lot of research on your zine. In the last issue of 2600, I read an article about Credentials Services. In this article you start flam-Dear 2600: keep your name, address, and phone number from being of the "pitch" and that is that Credentials will remove Services is not part of TRW. Granted it is a business down to basics about this article. One: Credentials ing TRW for their Privacy Watch service. Now let's get your name from mailing lists from all major bureaus and

any of our services please contact us Just for your knowledge I work for Credentials and used to work for TRW. If you have any questions about

fully edit the information to suit your needs

you a) don't research your periodicals and b) purpose

successfully launch a consumer group whose job it is to keep credit agencies in check. You'll forgive us if we remain skeptical about Credentials' objectivity: It seems hard to believe that a credit agency can

(continued on page 50)

Page 37

2600 Magazine

Motorola Cellular Guide

mation is very limited and somewhat brief. I would still like all information pertaing to all of Motorola's pagers mation about Motorola's pagers and their test mode commands. Since pagers aren't as much fun as cellular, sent to me so this article can be updated. along with the fact there isn't much to them, this inforby Mike Larsen
After much deliberation, I decided to include infor-

General Disclaimer

cellular experience who are familiar with programming not intended to be used except by people with previous This article is not intended for use by people with little electronics experience. This is not a tutorial and pertaining to boxes, which is not mentioned here. This article is not intended to be an aid in cellular fraud. That is both illegal and immoral. Would you like free calls, you want to check elsewhere for information someone to make charges on your phone? If you want

tional. However, the U.S. cellular system greatly differs from other countries and we are all ignorant here as to what others are doing (but isn't that always the way?). I hope to make make future articles more interna-

places to start.

over the net. For more info get into alt.cellular or alt.2600. If you have specific questions, those are the cellular phones. There are tons of introductory files all

Any info on hacking the GSM system (at least being able to use different SIM cards in different phones). The term is "SIM locked" and a firend needs to unlock his phone. Please Email any info about this.

caller ID - manuals, instructions, bugs, etc. If anyone has any type of cellular monitoring software that is P.C. email me immediately! based (using a scanner and/or Motorola Bag phone), Send all related info about the new phones with

General User Info

Before getting into the programming of the cellular phone, it is important for the user to know the normal things necessary for day to day operation. While the people who have problems programming their VCR, there are a few things that are very important and are najority of the stuff in the user's manual is intended for

ple, you will notice sequences with [Fcn], [1] or [Fcn], [0], [7]. This is totally unexplored teritory. Happy hacking! See entering test mode on the new 95xx phones. (nor anyone else) have never worked with the normal operation commands as listed in the sidebar. For examworked on finding additional test mode commands, I only mentioned in the users manual.

I would like to add that while I have extensively increment to the next step number.

Programming Info

800-331-6456.

Determine which access sequence to use:

If the phone has no FCN button use sequence 2.

If the phone has an FCN button use sequence 4.

Access Codes for Sequences 1 through 6

6 5 4 3 2 -1 FCN (SECURITY CODE TWICE) RCL 2 STO # (SECURITY CODE TWICE) RCL 3 CTL 0 (SECURITY CODE TWICE) * 4 FCN 0 (SECURITY CODE TWICE) RCL 5 FCN 0 (SECURITY CODE TWICE) MEM

The default security code is 000000. The CTL (control) button is the single black button on the side of the handset.

determined above.

step number, displayed on the left, to the data stored in that step, displayed on the right. When the data is displayed make any necessary changes and press * to the steps under "Test Mode Programming" below.
4. The * key is used to increment each step. Each time you press * the display will increment from the

Some units have dual NAM's. The ESN prefix is 130 decimal. 82 hex. Motorola can be reached at: 1-

If the phone has an FCN button and no MENU but

ton use sequence 4. If the phone has a MENU button and an FCN but

If the phone has no FCN button and no RCL button

If the phone has a MEM button use sequence 5.
If the phone has an RCL button and no FCN button

CTL 0 (SECURITY CODE TWICE) RCL

NAM Programming

Turn the power on.
 Within ten seconds enter the access sequence as

3. The phone should now show "01" in the left of the display. This is the first programming entry step number. If it does not work, the security code is incorrect, or the programing lock-out counter has been exceeded. In either case you can still program the unit by following the steps under "Test Mode Denoemories" below.

phones sold under various brand names, if you think it's a Motorola, it probably is. There are many different models of Motorola

Hand Held Portable Models

ton use sequence 1.

Installed Mobile Phones and Transportable Models

3 DIGIT BINARY

Take care with Motorola's use of "0" and "1". Some options use "0" to enable, some use "1".

NOTE 1: This is a 6 digit binary field used to select the

following options:

Internal handset speaker, 0 to enable. MIN Mark, 0 or 1. Local Use Mark, 0 or 1.

Digit 3: Digit 4: Second phone number (not all phones), I to Auto Recall, always set to 1 (enabled)

Diversity (two antennas, not all phones), 1 to

On newer models, they have added and changed some numbers. As of the 3/27/92 manual the 6 digit binary field is still the same.

following options: NOTE 2: This is a 3 digit binary field used to select the

Transportable Ringer/Speaker, 0=Transducer, 1=Handset. Continuous DTMF, 1 to enable

5. The SND key is used to complete and exit pro-

step 10 below then pressing SND will switch to NAM 2. Steps 01 thru 06, 09 and 10 will repeat for NAM 2, the step number will be followed by a "2" to indicate NAM graming when any STEP NUMBER is displayed.

If you have enabled the second phone number bit in

Turn On: [Pwr]
Place Call: Enter n

From the user's manual

Place Call: Enter number, [Snd]
Receive Call: [Snd] or open flip fone
End Call: [End] or close flip fone

ously stored data 6. The CLR key will revert the display to the previ-

7. The # key will abort programing at any time

Programming Data

Changing Entries: Press [Rcl] and the 2-digit Recall Number: [Rcl], 2-digit location number Super Speed Dialing: Directory location number, [Sud] Store Number: Phone number, [Sto], 2-digi

to back out each of the digits. Eater a new

ber Displayed: [Snd] me Muting: Press [Fcn], [6].

ation number so that the number to be anged is displayed. Press and release [Cir]

Step # 3 DIGITS 7 DIGITS # of digits/range 2 DIGITS 00000-32767 SYSTEM ID AREA CODE Description

6 DIGIT BINARY 6 DIGITS 3 DIGITS 0333 OR 0334 2 DIGITS 2 DIGITS SECURITY CODE LOCK CODE TEL NUMBER STATION CLASS MARK ACCESS OPTION PROGRAM-MING (SEE NOTE 1) OPTION PROGRAM CHANNEL INITIAL PAGING OVERLOAD CLASS (10 IN USA) GROUP ID

unmate, press [Fon], [6]
Lock that: [Fon], [5] or [LOCK]
Unlock Three digit unlock Cock If you make an
error, [Cel] and enter again
Antonnatic Lock: [FCN], [6] (not all phones)
'Enchl.F' will appear if compatible.
Display Unlock Code: Press [Fon], [0], your sixdigit security code, [Ref],
Changing Your Unlock Code: Press [Fon], [0],
your six-digit security code, your NEW 3digit milock code, [Sto]
Review Battery Meter: Press [Fon], [6] and
reviews. Adjust Volume: Earpioce - Press and hold [Vol] to increase. Release, press again to decrease. Ringer - [Fen], then Vol as above.

MING (SEE NOTE 2)

Rocall Last Number Used; [Rol], [0], [0]
Recall Own Phone Number; [Rol], [6]
Ludividual Call Timer; [Rol], [6], [6], [6]
Resettable Call Timer; [Rol], [6], [6], [6], [7],
Roset Resettable Call Timer; [Fon], [0], [7],

[Cic]
Cumissive Call Timer: [Rel], [#], [#], [#], [#]
Cures Fesiarres: Press [Froi], [1] To change features, press [Froi], [1] To change features, press [Froi], [1] To change features, press [Froi], press [END].
ReviewBordl Messus Festarres: Press [*] or [#]
Statius Review: [Froi], [0], [9], [Rel], [#] or [*]
Statius Review: [Froi], [0], [9], [Rel], [#] or [*]
Statius Review: [*] until the desired system
type: Press [*] until the desired system
type: speam. To select press [Sto].
Outgoing Call Restrictions: Press [Froi], [0], 6digit security code, [1], [Sto], Phone will
place calls out from resumery locations 1-10.
To change back to current-cod duling press
[Froi], [0], 6-digit security code, [4], [Sto].

Spring 1996

2600 Magazine

Spring 1996

2600 Magazine

Page 39

20

Digit 3: 8 hour time-out in transportable mode, 0 to On newer models, they have added and changed some

numbers. As of the 3/27/92 manual the 3 digit binary field has become a 5 digit binary field.

Digit 2: Digit 1: Failed Page Indicator (1=Disabled; Motorola Enhanced Scan (1=Enabled:

Digit 4: Digit 3: Transportable Internal Ringer Speaker Long Tone DTMF (1=Enabled; 0=Disabled)

Digit 5: Eight Hour Timeout (1=Disabled; (1=Handset; 0=Transdcr)

Test Mode Access

Newer 95xx Phones (Thank you Motorola!!!)
Many newer phones don't require grounding. If your software version number is 9526 (I think) or newer.

FCN + 0 + 0 + * + * + 8 3 7 8 6 6 3 3 + STO

combination of keys handset is a reality. It's a matter of finding the correct backs up my claim even further that ESN changing via have used this and it does work. This command just Motorola to make this easier and easier all the time. I In case you have trouble remembering the number sequence, it spells out "TESTMODE". Leave it to

Normal test mode commands work like usual from

all the 95xx phones. I believe they started it in Software 9526. This is only an estimate, so if you have a 95xx flip, let me know what software version you have and Mine is a 9562 that worked whether it works or not so this date can be isolated. For some odd reason, this hasn't been included in

To enter test mode on units with software version 85 and higher you must short pins 20 and 21 of the transceiver data connector. An RS232 break out box is

Installed Mobile Phones and Transportable Models

(smaller data connector) you can either short pins 9 and 14 or simply use a paper clip to short the hands-free standard Radio Shack parts. useful for this, or construct a test mode adaptor from For MINI TR or Silver Mini Tac transceivers

Hand Held Portable Models

There are two basic types of Motorola portable phones, the Micro-Tac series "Flip" phones, and the larger 8000 and Ultra Classic phones. Certain newer | Motorola and Pioneer badged Micro-Tac phones do not |

2600 Magazine

Spring 1990

Spring 1996

2600 Magazine

have a "flip", but follow the same procedure as the Micro-Tac.

changes to this unit. gram the unit through test mode, a Motorola RTL4154/RTL4153 programer is required to make any locate the F09... number. This is the series number. If the fourth digit of this number is a "D" you cannot prothe phone, or on the bottom in certain older models If you have an 8000 series phone determine the "type" before trying to enter test mode. On the back of

series phone, the following procedure is used to access test mode: Having determined that you do not have a "D"

Mode Pin. You must ground this pin while powering up the phone. Pin 7 (lower left) or the antenna connector dures to gain access to pin 6: should be used for ground. Follow one of these procethrough bottom right. Pin 6, top right, is the Manual Test contacts are numbered 1 through 12 from top left 12 contacts at the top near the antenna connector. These Remove the battery from the phone and locate the

tacts contains nothing but air. By careful measuring you can drill a small hole in the battery to gain access to pin 6. Alternately simply cut the top off the battery with a hack saw. Having gained access, use a paper clip to powering up the phone. short pin six to the antenna connector ground while 1. The top section of the battery that covers the con-

up the phone as above. apply an external 7.5 volts to the + and - connectors at the bottom of the phone, ground pin 6 while powering 2. If you do not want to "destroy" a battery you can

jumper between pins 6 and 7 (top right to lower left), or between pin 6 and the antenna connector housing ground. Carefully replace the battery and power up the any other pin. phone. Use caution with this method not to short out 3. You can also try soldering or jamming a small

makes a great test mode adapter as it can be disassem-bled to give you easier access to pin 6. Many are preand these kits require access to the phone's connectors. the manufacturer uses for making hands-free adapter kits because they are often stamped from the same mold that marked, or even have holes in the right location. This is A cigarette lighter adapter, if you have one, also

Ultra Classic II Series: Ground Pin 2 to pin 4.

Micro-Tac "Flip" Series:

Remove the battery and locate the three contacts at

the 8000 series above. This phone follows similar methods as outlined for

the bottom of the phone. The two outer contacts are raised and connect with the battery. The center contact is recessed. This is the Manual Test Mode connector.

test mode connector on the phone. The easiest way to do this is to put a small piece of solder wick, wire, altuminum foil, or any other conductive material into the recess on the phone. Having done this carefully, replace the battery and turn on the power. If you have been successful, the phone will wake up in test mode. ones supply power to the phone. The center contact is an "extra" ground. This ground needs to be shorted to the

the original handset did not have an RCL or STO but-ton, and the replacement does, you will have to use the control * or control # sequence to access memory and Most Motorola handsets are interchangeable, when a handset is used with a transceiver other than the one it was designed for the display will show "LOANER". Some features and buttons may not work, for instance if A/B system select procedures

Lock/Unlock Procedures

least half a second. Phones with an FCN button: Press FCN 5, note that Phones with LOCK buttons: Press LOCK for at

5 has the letters J,K, and L for lock

of the handset Phones with no FCN or LOCK button: Press Control 5, control is the black volume button on the side

System Select Procedures

select. STO to store. Phones with a RCL button: press RCL *, then * to

Phones with no RCL button: press Control * then *

Options are:

Std A/b, or Std b/A: Preferred/Non preferred. SCAn Ab, or SCAn bA: Non preferred/Preferred SCAn A: "A" ONLY CSCAn: Preferred/Non preferred with system lockout.

HOME: Home only SCAn b: "B" ONLY

These are typical options, some phone's vary. C-Scan is only available on newer models and does not appear unless programed, see below.

Test Mode

Some that say no function do have a function but it is unknown until it is figured out. the technical training manual.) I have included all of the other commands I have discovered one way or another. Motorola factory applications. (This is the disclaimer in numbers have been assigned. Not all numbers have been listed here. Some commands were intended only for mand is not valid the display will show "ErrOr." Not all Not all commands work on all telephones. If a com-

Three test commands are significant for program-

ming and registering the telephone for service: see full descriptions under TEST MODE COMMANDS.

Now look at the battery contacts. The two outer

32# Motorola to reset the counter. This is the comallowed either three or fifteen changes in the MIN. After that, the phone had to be sent to Clears the telephone. (Older Motorola

38# 55# Displays the ESN.

(as described below) This is the TEST MODE PROGRAMMING

Test Mode Commands

Enter Test Command Mode

00# no function

On TDMA telephones, this command has the Restart. (Re-enter DC power start-up routine.)

02# mation is shown. On a 7 character display only the information on the second line of a 14 character display is shown. On a 10 char-BBB = RSSI reading for channel. STATUS DISPLAY alternates between acter display, all the information on the sec-ond line of a 14 character display plus the last Display Current Telephone Status. (This is a AAA = Channel Number (decimal). three characters of the first line are shown.) PLAY. On a 14 character display, all the infornon-altering version of the STATUS DIS same effect as pressing the PWR button.

٥ CDEFGHI are as follows: C SAT frequency (0=59) Signalling tone (0=off, 1=on).

Power attenuation level (0 through 7).

Channel mode (0=voice channel. Carrier (0=off, 1=on). SAT frequency (0=5970, 1=6000 2=6030, 3=no channel lock).

I Transmit audio mute (0=unmuted. Receive audio mute (0=unmuted i=muted) =muted).

04# 03# results in the reset of the autonomous timer but does not provide any test function on Reset Autonomous Timer. This command these models. Press * to hold display and # to end

Kecevver Audio Muted, Transmit Audio
Muted, Signalling Tone Off, SAT Off,
Resetting of Watch-Dog Timer Enabled,
DTMF and Audio Tones Off, Audio Path Set Initializes Telephone to Standard Default Receiver Audio Muted. Conditions: Carrier Off. Power Level 0,

05# TX Carrier On (Key Transmitter)
TX Carrier Off.

zine Page 43	196 2600 Magazine	Spring 1996	agazine Spring 1996	Page 42 2600 Magazine
39# RCVSU. Receive one control channel word.	-	or		
Q.	Display RSSI ("D" Series Portable Only).	35# Dis	hen the	contents of the NAM one address at a time.
39# Compander ON. ("D" Series Portables)				
NAM (18#) command.	accuracy. I had weak equipment.)	acci	27# Transmit Data. (Transmits continuous control	18# SEND NAM Display shows AA BB where
through the address similar to the SEND-	(Someone please check out 24 thru 28 for	(So		command to SEND NAM
	9: Turn DTMF off	x=29:		(Phones without the C-Scan option used this
ner and the contents of that address will be		x=28:	25x# SAT On When (x=0. SAT=5970HZ: x=1.	Or Porrer.
will be displayed in the upper right-hand cor-		x=27		nower
played, one byte at a time. The byte address		X=26	24# Receive control channel data and display the	
display. All 32 bytes of the SNM will be dis-		X-22	sync sequences in the display.	When the last entry has been made, press
AA=Address; BB=Data, send the SNM to the			the command and display the number of word	locations.
	3428 Hz (not used in cellular)	x=24-	the display. Entering a # key will terminate	Use a setting of 40000 for any un-needed
D-SNN	Turn DTMF off	x=23:	displayed in the upper right-mand corner of	not advance - press CLK and re-enter.
or .	2: 2553 Hz (not used in cellular)	x=22:	disable of in the conner wight hand corner of	lange of occor-szyor) the display with
Compander OFF. ("D" Series Portables)	11: 2308 Hz	x=21:	starts the number of the command will be	of 00000 22767) the display will
ESN.)		X-20.	word sync sequences. When the command	5. If an incorrect entry is made (outside the
the 'G' to step through the entire hexadecimal		* 1.	23# Receive voice channel messages counting	tem ID's for NAM 2 as required.
uights of the ESN as the last two dights. Use		¥=	sync sequences in the display.	display "N2". Press * to continue and add sys-
digits of the ECM as the last two digits the		x=18:	the command and display the limitoer of word	required. After the 5th entry the phone will
00 through 03 as the first two digits and two	7: 1477 Hz	x=17:	the display. Entering a racy will terminate	Continue to enter additional system 10's ii
digit display. The decimal shows the address.	16: 1336 Hz	x=16:	the display Entering a # key will terminate	Continue to outproductional custom ID's if
two hexadecimal digits at a time in a four		x=15:	displayed in the upper right-hand corner of	
38# Display ESN. (Displays ESN in four steps,		X=14:	starts, the number of the command will be	4. Enter the first inhibited system ID and
		7	word sync sequence. When the command	
when the phone is powered on. If set to 255, it			22# Receive control channel messages counting	Press 18#, the phone will display
i, the now patienty illurcator will come up		v=12:	is the uncorrectable errors.	Press # to access test mode.
		x=11:	number of correctable errors and the second	above).
where v is a		x=10:	three-digit numbers in display. The first is the	evant test mode contact grounded (see
37# Sets Low Battery Threshold Heage: #37#v#		:# =x	terminates the command and win display two	test mode - power phone up with the rel-
ognized		x= 0:	mand control of the angular and will display two	1. C-Scan can only be programmed non-
this command only the * and # keys are rec-		x= *	hand corner of the display Entering a # key	1 C San can only be programmed from
	.9	×=	mand will be displayed in the upper right-	face
Entering # aborts the scan and leaves the		x= 8:	the command starts the number of the com-	and therefore reduce "accidental" roaming
ing a pause causes the scan to resume.		×		roaming onto specified non-home systems
displayed only during pause. Entering * dur-	j	*	21# Received voice channel messages counting	This is designed to prevent the phone from
when less than 300 milliseconds the status is		1 1	second is the uncorrectable errors.	up to five inhibited system ID's per NAM.
current status is displayed during the scan;		Υ	is the number of correctable errors and the	Scan allows the phone to be programmed with
scan speed is 500 miniseconds of greater, the	4	x= 4:	digit numbers in the display. The first number	with the standard A/B system selections. C-
soon mand is 200 millionands on another the	بب	X=	Illilate the command and display two thece-	feature called C-Scan. This is an option along
Number and BBB=RSSI Reading) When	?	x=	net of the assessed and display two three	Newer Motoroia phones are equipped with a
	x= 1: 697 Hz + 1209 Hz	X=	mand will be displayed in the upper-upin con-	negative SID's for each NAM.
the scan and displays current Channel	gle tones)	gle	mond will be displayed in the upper right cor-	10# C-3can. (Anows for carry or as many as a
channel 1 to 666 in order. Entering a * pauses	Turn on DTMF for x (1-9, *, 0, #, plus the sin-	33x# Tu	the command starts, the number of the com-	
(nnn=Scan speed in milliseconds) Tunes from	play resumes!)			the end of the message.)
could be accessed.)	pray: rran unit me normal service level als-	Pid	20# Receive control channel messages counting	"FF00AA55CC33." Transmitter de-keys at
was accessed, and FAIL II no control channel	plan Wait until the mount of the dist	7	sions are ignored.	sage; each of the two words will be
was accessed rA332 if the second strongest	one while this is showing '37' on the dia	ph.	# key must be depressed; all other key depres-	17# Voice. (Transmits a two word REVC mes-
anow 17531 if the anongest control channel	takes a minute or so Do not turn off the tale	124	commands to enter another test command, the	the end of the message.)
show DA SSI if the strongest control through	ESN. NAM. phasing data or lock code This	ES	described below. In order to exit from the	"FF00AA55CC33." Transmitter de-keys at
nher the forward data stream. The displacement	System Registration. It does not affect the	Sy	sequence of continous transmission as	sage; each of the five words will be
		212	2/# causes the transceiver to orgin a counting	16# Setup. (Transmits a rive word KECC mes-
36nnn# Scan (TDMA telephones only Scans the pri-	_	las	27# course the transceiver to begin a counting	
	counters, all repertory memory including the	co	Motor Entering commands 20# through 23# or	14# 10 kHz Signalling Jolie On.
x=6 External Handset (applies to newer	factory default. This command will affect all	fac		
bles only)	Clear. (Sets non-volatile memory to zeroes or	32# CI	oftware Version Number (4)	
x=5 External Telephone (applies to porta-	De-activate the low tone.)LC	
x=4 Mute	Activate the low tone (/ /0 Hz +/- 40 Hz).		IPCH NDED	12x# Set Power Step to x: (0, 1-7) 0=Maximum
x=3 Handset	De-activate the night one.		SCM FCHNB	its)
x=2 Alert	recovere the high follo (1150 Hz +/- 55 Hz).		MINI, MIN2 FCHNA	transmit in decimal; accepts 1, 2, 3, or 4 dig-
	Actions the bight and all the state of the s		OPT. (1,2,&3) MIN	11# Set Transceiver to Channel xxxx (receive and
	finished)	r e	SIDH Sec. Code	
x=0 v.s.r Microphone (applies to mobiles	the command. The transmitted do lesso when	.	by depressing the # key.	09# TX Audio Off.
JOX# Set Audio Patri to X.		of :	data is contained in NAM. The test is exited	08# RX Audio On (Unmute Receiver Audio).
25th Cathardia Battar	-	25	advanced by pressing the * key. The following	07# RX Audio Off (Mute Receiver Audio).

we will one word is studied as a billion of section of the studied and section of the studied as a billion of the studied and section of the studied as a billion of the st	4.5 degree increments Compensation added	that some entries contain more dig: that some entries contain more dig: that some entries contain more dig: the Programming Data for AMPS for Calular Telephones: SEPS Calular Telephones: FPS CALULAR TELEPHONE FPS CALULAR TELEP	10 DIGIT 2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 3 DIGITI 3 DIGITI 8 DIGITI 8 NARY 8 DIGITI 8 NARY 8 DIGITI 9 0333 OR 0334 3 DIGITI 8 DIGITI 8 DIGITI 8 NARY 8 DIGITI 9 0334 3 DIGITI 8 DIGITI 8 DIGITI 9 034		to hear that they we corrected steps follow e completed one of the phone will wake the phone will water you turn the power to stest mode, the phone between various sits muches the received sits number. The phone is this mode. You can it has not a 'will appear, and a 'will appear.	access Service Mode the display will clear	compensation in 1		
the following procedure to program the phone: achieve studies of the program of the phone: below: 1. Emer 559 to access programing mode: 1. Do not enter any value except those shown 2. Do not extend the program and the except plane 2. Do not extend the program and the except plane 2. Do not extend the program and the except plane 2. Do not extend the program and the except plane 2. Do not extend the program and except plane	4.5 degree increments. Compensation added planes: the following Procedure to program the achieva at said of degrees planes drift. December 2015 12.0 = 9	an can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the last part of the data can be displayed by the last part of the data can be displayed by the last part of the data can be displayed by the last part of the data can be displayed by the last part of the data can be displayed by the last part of the data can be displayed by the last part of the l	10 DIGIT 2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 3 DIGITI 8 DIGITI 18 D		to hear that they we corrected steps follow completed one of the phone will wake you turn the power os test mode, the phone between various sit under the received sit number. The phone this mode you can not by pressing the #1	access Service Mode		rresponds to phase shift	cc
the following procedure to program the achieve increments. Compensation added phone procedure to program the achieve study of the department of inherent phase shift in transceiver to achieve a tool of the present phase shift in transceiver. The control of the present phase shift in transceiver to achieve study of the present phase shift in transceiver. The phone shift in transceiver to achieve study of the phone shift in transceiver to the part of the phone shift in the phone shift i	the following procedure to program the achieve at add of O objectes phase shift. Do not enter any values except those shown	that some entries contain more dig: that some entries contain more dig: that some entries contain more dig: the Programming Data for AMPS tel. Polygramming Data for AMPS tel. PROGRAMMING. SEE NOTE BELOW SEE NOTE BELOW SEE NOTE LASS MARK, SEE NOTE 2 STATION CLASS MARK, SEE NOTE 2 STATION CLASS MARK, SEE NOTE 2 SECURITY CODE SECURITY CODE SECURITY CODE SEE NOTE BELOW OPTION PROGRAMMING. SEE NOTE 3 BELOW OPTION PROGRAMMING. SEE NOTE 4 BELOW OPTION PROGRAMMING. SEE NOTE 4 BELOW OPTION OPTION NUTIAL SEE NOTE 5 BELOW OPTION PROGRAMMING. SEE NOTE 5 BELOW OPTION OPTION NUTIAL SEE NOTE 5 BELOW OPTION OPTION NUTIAL COLI IN USA.) OPTION PROGRAMMING. SEE NOTE 6 HANNEL 'A'' SYSTEM IPCH 'B'' SYSTEM IPCH	10 DIGIT 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 3 DIGITI 3 DIGITI 8 DIGITI 8 DIGITI 8 NDIGIT 8 NDIGIT 8 NDIGIT 8 NDIGIT 8 NDIGIT 9 NOARY 0333 OR 0333 0334 3 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 NOARY		to hear that they we to hear that they we corrected steps follow completed one of the phone will wake you turn the power you turn the power to steat mode, the phon between various studies the received signature this mode. You can the phone they were this mode. You can the phone they were the phone to the phone they were the power to the powe		ecimal value that	AT Phase Adjustment. A de	52x# S/
the following procedure to program the achieve increments. Compensation added phone achieve increments. Compensation added phone achieves program the achieve studied of the degree shown of the following procedure to program the achieve studied of the degree shown of the following procedure to program the achieve studied of the degree shown of the following procedure to program the below. 1	the following procedure to program the achieve a time of the oblowing procedure to program the achieve at and of the dependent of the inherent phase shift. Donor enter any values except those shown	an can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the last	10 DIGIT 2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 1 D		g steps any cur, was to hear that they we corrected steps follower completed one of the phone will wake you turn the power you turn the power you turn the power to set set mode, the photo between various the photo between various that tudes the received signature.	operate normally in	is incorrect.	VIL 2 =looped-back data i	Ţ
the following procedure to program the following procedure to program the achieve and of oldegree share with termascener to achieve and of 0 oldegree share with the state of the following procedure to program the achieve state of oldegree share with the state of the state of the state with the state of	the following procedure to program the achieve study of the growing procedure to program the achieve study of Ordgress phase shift in transcriver to achieve a tool of Ordgress phase shift in transcriver to be shown to inherent phase shift in transcriver to be shown to be shown the control of Ordgress phase shift in transcriver to be shown to inherent phase shift in transcriver to the study of the phase shift in transcriver to the series of the study of the phase shift in transcriver to the next step below. 223 - 1260 - 20	an tank some entires contain more dig: that some entires contain more dig: ten by displayed by the phone. In sase only the last part of the data can ten by displayed by the phone. In sase only the last part of the data can ten by displayed by the phone in sase only the last part of the data can ten by displayed by the phone in sase only the last part of the data can ten by displayed	10 DIGIT 2 DIGITS 2 DIGITS 2 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 1 BINARY 8 DIGITS 8 DIGITS 1 BINARY 8 DIGITS 8 DIGITS 10333 OR 0333 OR 0334 0334		s orey, so it can we to hear that they we corrected steps follow compered on the phone will wake the phone will wake you turn the power so test mode, the phone; between various step under the process that we have a step that w	strength and channel		ita.	data
the following procedure to program the achieve increments. Compensation added phone achieve to inherent phase shift in transceiver to achieve and of 0 degrees phase shift of the phone will deplete the below. 0	the following procedure to program the achieve state increments. Compensation added phone: achieve a find of oldgeines planes shift. Do not center any values except those shown 1	that some entries contain more dig: that some entries contain more dig: en. **The de Programming Data for AMPS** **Let North Bellow** **PROGRAMMING.** **SEENOTE BELOW** **MIN (AREA CODE & 11 & 8 DIGITS* **DETION CLASS** **MARK, SEENOTE 11 & 8 DIGITS* **STATION CLASS** **MARK, SEENOTE 2 12 0333 OR 0334* **STATION CLASS** **MARK, SEENOTE 2 12 0333 OR 0334* **STATION CLASS** **MARK, SEENOTE 2 12 0333 OR 0334* **SECURTLY CODE 13 0333 **OVERLOAD CLASS** **ACCESS** **ACCESS* **ACCESS	2 DIGIT 2 DIGIT 2 DIGIT 2 DIGIT 6 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 NARY 8 DIGIT 9 NARY 9 N		to hear that they we corrected steps followed completed one of the phone will wake the phone will wake the mode, the phone is test mode, the phone between various sta	information that incl	no looped-back	FAIL 1 =2 second timeout,	77
### degree increments. Compensation added achieve to inherent phase shift in transceiver to achieve a todal of degrees phases shift. Compensation added Degrees phase shift Degree Degr	the following procedure to program the achieve studies shift in transceiver to achieve a tode of old oldgrees places which the tode of the control place shift in transceiver to achieve a tode of oldgrees places which the places with the places on the next step the places to the next step that the places with through a district place and through a district places with the places to the next step the places to the next step that through a district place and through a district places are the places to the next step that through a district place and through a d	that some entries contain more dig: and can be displayed by the phone. In the sax only the last part of the data can be displayed by the phone. In the sax only the last part of the data can be displayed by the phone. In the sax only the last part of the data can be displayed by the phone in the sax of the	2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 3 DIGITI 1 BINARY 8 DIGITI 1 BINARY 9 DIGITI 1 B		to hear that they we to hear that they we corrected steps follow completed one of the phone will wake you turn the power you turn the power stest mode, the phoi	display will alternate	is correct.	PASS =looped-back data i	72
A degree increments Compensation added phone:	A 5 degree increments Compensation added phonoming procedure to program the athere acoule of O degrees phase shift in transcrievr to achieve acoule of O degrees phase shift in transcrievr to achieve acoule of O degrees phase shift in transcrievr to achieve acoule of O degrees phase shift in transcrievr the degree phecies. Compensation 1.	and that some entires contain more dig: that some entires contain more dig: te Programming Data for AMPS te PROGRAMMING. SEE NOTE I BELOW SEE NOTE I BELOW BELOW BELOW BELOW GROUP ID GOOR CODE SECURITY SEE NOTE 3 BELOW OPTION PROGRAMMING. SEE NOTE 3 BELOW OPTION PROGRAMMING. SEE NOTE 4 BELOW OPTION PROGRAMMING. SEE NOTE 5 BELOW OPTION OPTI	10 DIGIT 2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 3 DIGITI 3 DIGITI 3 DIGITI 1 BINARY 8 DIGIT 8 BINARY 8 DIGIT 8 BINARY 8 DIGIT 9 BINARY 8 DIGIT 9 BINARY 8 DIGIT 9 BINARY 8 DIGIT 9 BINARY 9 0333 OR		to hear that they we corrected steps followed completed one of the phone will wake you turn the power you turn the power.	When you first acces		Display is as follows:	D
A degree increments. Compensation added achieve to inherent phase shift in transcreiver to achieve and of old garges phases shift.	### A5 degree incurrents Compressation added phone: Combrent phase shift in transectiver to achieve to and of 0 degrees phase shift.	an can be displayed by the phone. In size only the last part of the data can be displayed by the phone in size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the last	10 DIGIT 2 DIGIT 2 DIGIT 2 DIGIT 2 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 8 DIGIT 8 DIGIT 8 NARY 8 DIGIT 8 NARY 8 DIGIT 8 NARY 9 0333 OR 0333		to hear that they we corrected steps follows completed one of the phone will wake	in test mode when		transmitted and looped back.	a
1.5 1.5	A 5 degree increments Compensation added phone pho	an tank some entries contain more dig: that some entries contain more dig: ten of the day and of the day can see only the last part of the day can ten of ten of the day can ten of the day can ten of ten of the day can ten of ten of the day can ten of te	10 DIGIT 2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 3 DIGITI 18		to hear that they we corrected steps folk	above steps correctly.		st of mobile where mair	51# Te
4.5 degree increments. Compensation added phone: to inhetent phase shift in transcriver to achieve achieve achieve achieve achieve achieve achieve achieve to achieve	### A5 degree increments Compressation added before the following procedure to program the achieve a total of 0 degree phase shift. Do not enter a total of 0 degree phase shift. Enter 58 to access programing mode below	an can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone. In size only the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the las	2 DIGIT 2 DIGIT 2 DIGIT 2 DIGIT 2 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 9 DIGIT 10 DIGIT		to hear that they we corrected steps folk	Assuming you have		FAIL 2 = received data is iii	
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. achieve and of 0 degrees phase shift. below. 1. Enter 559 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not enter any values except those shown 1. Enter 550 to access programing mode. Do not exter any values except those shown 1. Enter 550 to access programing mode. Do not exter any values except those shown 1. Enter 550 to access programing mode. Do not have step pumbers. Each time you have step pumbers. Each will not step programming mode. 1. Enter 550 to access programing you move the step pumbers. Each will not step programming the step pumbers. Each will not step pumbers	the following procedure to program the lot inherent phase shift in transcriver to although above 10 degrees phase shown below. 1. Emer 538 to access programing mode. 2. The * key advances to the next step below. 3. The CLR key will reward that step were the daplay to the place in the step below. 3. The CLR key will reward that step were the daplay to the place in the provise programing you may seem of the data can step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 4. The * key advances to the next step below. 5. The * key	that some entries contain more dig: and can be displayed by the phone. In the sax only the last part of the data can be displayed by the phone. In the sax only the last part of the data can be displayed by the phone. In the sax only the last part of the data can be displayed by the phone in the sax of the	2 DIGIT: 2 DIGIT: 2 DIGIT: 2 DIGIT: 3 DIGIT: 5 DIGIT: 5 DIGIT: 6 DIGIT: 7 DINARY		to hear that they we corrected steps follow	A common vom have	IO uata icc.		1 7
4.5 degree increments. Compensation added phone: to inherent phase shift in transcriver to achieve a total of 0 degrees phase shift. below. 1. Emer 554 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing mode. Do not enter any values except those shown 1. Emer 556 to access programing to acces	## display in transcriver to although above a ball. Liner 559 to access programing mode.	that some entries contain more dig: that some entries contain more dig: te Programming Data for AMPS te Programming Data fo	2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 4 DINARY 8 DIGITI 8 DIGITI 8 DIGITI 9 DINARY	· · · · · · · · · · · · · · · · · · ·	to hear that they w	ing!!!	no data sao	EALL 1 = Concent times to	2 5
## documents Compensation added phone: A degree increments Compensation added phone: Compensation added phone: Compensation added	the following procedure to program the achieve atotal of degrees phase shift. Do not enter any values except those shown Do not enter any values except	that some entries contain more dig: act and be displayed by the phone. In sace only the last part of the data can be displayed by the phone in sace only the last part of the data can be displayed by the phone. If the programming Data for AMPS of 2 DIGITS of	2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 2 DIGITI 3 DIGITI 4 RINARPY 8 DIGITI		to hear that they w	wrong unless there an			2 3
4.3 degree increments. Compensation added the phone: achieve aroul of 0 degrees phase shift in transceiver to achieve aroul of 0 degrees phase shift in transceiver to achieve aroul of 0 degrees phase shift in transceiver to achieve aroul of 0 degrees phase shift in transceiver to achieve aroul of 0 degrees phase shift in transceiver to achieve aroul of 0 degrees phase shift in transceiver to achieve a continuous phase steep those shown below. 1. Ether 55th to access programing mode achieve aroul of 0 degrees phase shift in transceiver to the next steep. The * key advances to the next steep the box. 1. The * key advances to the next steep the box. 1. The * key advances to the next steep. 1. The * key advances to the next steep. 1. The * key advances to the next steep. 1. The * key advances to the next steep. 1. The * key advances to the next steep. 1. The * key advances to the next steep. 1. The key advances to the heat steep. 1. The key advances to the heat steep. 1. The key advances to the next steep. 1. The key advances to the heat steep. 2. The key adva	## display in transcriver to although although although and the following procedure to program the although the management on inherent phase shift in transcriver to although although although the although altho	an tank some entires contain more dig: that some entires contain more dig: exac only the last part of the data can exac only the last part of the data can for AMPS tel Programming Data for AMPS tel Programming Data for AMPS strange Description SYTEM ID OPTION MIN (AREA/CODE & III STATION CLASS MARK, SEE NOTE BELOW STATION CLASS MARK SEE NOTE 12 OYACCESS OVERLOAD CLASS GOVERLOAD CLASS GOVERLOAD CLASS GOVERLOAD CLASS SECURITY CODE SEE NOTE 1 BELOW SEE NOTE 2 BELOW OPTION OPTION PROGRAMMING. SEE NOTE 3 BELOW OPTION PROGRAMMING. SEE NOTE 1 BELOW OPTION PROGRAMMING. SEE NOTE 2 BELOW OPTION PROGRAMMING. SEE NOTE 3 BELOW OPTION PROGRAMMING. SEE NOTE 4 BELOW OPTION PROGRAMMING. SEE NOTE 4 BELOW OPTION PROGRAMMING.	2 DIGIT 2 DIGIT 2 DIGIT 2 DIGIT 3 DIGIT 6 DIGIT 3 DIGIT 3 DIGIT 3 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 8 DIGIT 9 DIGIT 10 DIGIT 1		C SIEDS SO I CHIL MAN	these''' I don't want		mite displayed:	1
4.3 degree increments. Compensation added the phone: achieve a road of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve a control of degrees phase shift in transceiver to achieve a control of degrees phase shift in transceiver to below. 1	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of degrees phase shift. Do not enter any values except those shown below. 1. Enter 55th to access programing mode. Do not enter any values except those shown below. 1. The *key advances to the next step to access programing mode. 1. The *key advances to the next step to access programing does not have step are markets. Each time you have step to press the *key the phone will display to press the *key the phone will display to press the *key the phone will display to press the *key will revert the display to the pressure that the previously stored data. 1. The flex young and the previously stored data. 1. The flex young and the previously stored data. 1. The flex young and the previously stored data. 1. The fle	an can be displayed by the phone. In size only the last part of the data can be displayed by the phone in size only the last part of the data can be displayed by the phone. In size only the last part of the data can be displayed by the phone in size only the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the data can be considered by the last part of the l	2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 8 DIGITS 8 DIGITS		a stance on Lean und	the new programmin	mitted and test	Maintenance data is transi	Ξ 9
4.3 degree increments. Compensation added the phone: achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve a degree phase shift in transceiver to achieve a degree phase shift in transceiver to be next step. Do not enter any values except those shown to be soon to have seep numbers. Each time you are the display to 1 degree phase shift in the seep numbers. Each time you are the display to 1 degree phone will display the 11.5 degree phone will display to 1 degree phone will display the 11.5 degree phone display the 11.5 degree phone display display the 11.5 degree pho	4.5 degree increments. Compensation added to inherent place shift in transceiver to achieve a rotal of degrees phase shift. Do nut enter any values except those shown below. 1. Emer 55% to access programing mode achieve a rotal of degrees phase shift. Do nut enter any values except those shown below. 1. Emer 55% to access programing mode achieve a rotal of degrees phase shift. Do nut enter any values except those shown below. 1. Emer 55% to access programing mode achieve a rotal of degrees phase shift. Do nut enter any values except those shown below. 1. Emer 55% to access programing mode achieve a rotal shift and test mode programining does not have sep numbers. Each time you press the 'key advances to the next step. 1. The *key advances to the n	that some entries contain more dig: and can be displayed by the phone. In taxe only the last part of the data can be displayed by the phone. In taxe only the last part of the data can be displayed by the phone. In the programming Data for AMPS 6 2 DIGITS 1PS Cellular Telephones: 1	2 DIGITE 2 DIGITE 2 DIGITE 2 DIGITE 3 DIGITE 3 DIGITE 3 DIGITE 3 DIGITE 3 DIGITE 8 DIGITE 8 DIGITE 8 DIGITE		Dare for sure Send	phones with Caller II		to Tone Off	2
4.3 degree increments. Compensation added the phone: achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to achieve aroad of 0 degrees phase shift in transceiver to below. 1	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of degrees phase shift. Do not enter any values except those shown below. 12.5 = 2	that some entries comain more dig: asse only the last part of the data can can be displayed by the phone. In case only the last part of the data can can be displayed by the phone in case only the last part of the data can case only the last part of the case only the last part of the last part of the last part of the case only the last part of the last par	2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS 3 DIGITS		be different. The ner	they will most likely	-	nds-free applications	<u> </u>
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift in transceiver to achieve a total of 0 degrees phase shift in transceiver to achieve a total of 0 degrees phase shift in transceiver to achieve a total of 0 degrees phase shift in transceiver to achieve a total of 0 degrees phase shift in transceiver to achieve a total of 0 degrees phase shift in transceiver to achieve a could of 0 degrees phase achieve on the degree phase achieve a could of 0 degrees phase achieve a could of 0 degr	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do nut enter any values except those shown below. 1. Enter \$50 to access programing mode. The * key advances to the next step. Note that test mode programming does. Note that set mode programming does. Note that set mode programming as any time. 25.5 = 144.0 = 40.25.5 = 11.3 18.0 = 4. 139.5 = 6. 26.0 = 11.4 22.5 = 5. 144.0 = 40. 265.5 = 11.5 18.0 = 4. 139.5 = 6. 26.0 = 11.6 22.5 = 5. 144.0 = 40. 265.5 = 11.7 23.0 = 16.2 = 41.2 = 274.5 = 11.7 24.0 = 18.0 = 64.2 = 274.5 = 11.7 25.0 = 18.0 = 64.2 = 274.5 = 11.9 26.0 = 18.0 = 64.2 = 274.5 = 12.9 27.0 = 18.0 = 64.2 = 27.9 = 11.8 28.0 = 12.1 = 17.1 = 34.0 = 12.3 28.0 = 12.1 = 17.1 = 34.0 = 12.3 28.0 = 12.1 = 17.1 = 34.0 = 12.3 28.0 = 12.1 = 17.1 = 34.0 = 10.6 28.5 = 21.1 = 17.1 = 34.0 = 10.6 28.5 = 31.5 = 11.5 = 10.5 28.6 = 31.0 = 10.5 = 12.7 29.0 = 34.2 = 20.0 = 8.3 = 31.5 = 11.0 29.0 = 34.2 = 20.0 = 8.3 = 31.5 = 11.0 29.0 = 34.2 = 20.0 = 8.3 = 31.5 = 11.0 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0 = 8.3 = 31.0 = 110 29.0 = 34.2 = 20.0	that some entries contain more dig- nt can be displayed by the phone. In ncan be displayed by the phone. In see only the last part of the data can n. For Programming Data for AMPS For Ciliatar Telephones: FOR Ciliatar Telephones: FOR CILIATE SET ON FOR SYSTEM ID OPTION SEE NOTE 1 BELOW MIN CAREA CODE & 11 BELOW MIN CAREA CODE & 11 BELOW MARK. SIE NOTE 2 BELOW ACCESS OVERLOAD CLASS OV	2 DIGITE 2 DIGITE 2 DIGITE 2 DIGITE 2 DIGITE 3 DIGITE 3 DIGITE 3 DIGITE		ou have a newer pho	9308 and older. If yo	ire audio path in	n with 350# to test the ent	=
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift in transactiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do <i>uni</i> enter any values except those shown below. 1.2.5 = 9	that some entries contain more dig- that some entries contain more dig- that see only the last part of the data can see only the last part of the data can n. 5 2 DIGITS F. Programming Data for AMPS 6 2 DIGITS FS Cellular Telephones: 7 6 DIGITS FY Cellular Telephones: 7 6 DIGITS FY Cellular Telephones: 8 3 DIGITS FY CHAPTER ID 9 3 DIGITS FOR SYSTEM ID 9 3 DIGITS PROGRAMMING BINARY SEE NOTE I BELOW BINARY SEE NOTE I BELOW BINARY TEL#) 8 DIGIT TEL#) 8 DIGIT TEL#) 9 BINARY STATION CLASS BELOW BINARY ACCESS OVERLOAD CLASS 14 0334 OVERLOAD CLASS 14 0334 OVERLOAD CLASS 14 0334 CONCRODE LOCK CODE SERVICE LEVEL. 16 3 DIGITS	10 DIGIT 2 DIGITT 2 DIGITT 2 DIGITT 2 DIGITT 3 DIGITT 3 DIGITT 3 DIGITT 3 DIGITT		are for software vers	The following steps a	nand in conjunc-	de Tone On. Use this comm	S
4.5 degree increments. Compensation added to inherent phase shift in transactiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1 21.5 = 59	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1.2.5 = 5	that some entries contain more dig- nt can be displayed by the phone. In that some entries contain more dig- nn can be displayed by the phone. In the programming Data for AMPS 8 OPTION 9 JDIGITS 10 SURARY 11 SIDIARY 11 SIDIARY 11 SIDIARY 12 JDIGITS 13 JDIGITS 14 JDIGITS 15 JDIGITS 16 JDIGITS 17 JDIGITS 18 JDIGITS 19 JDIGITS 10 JDIGITS 11 JDIGITS 11 JDIGITS 12 JDIGITS 13 JDIGITS 14 JDIGITS 15 JDIGITS 16 JDIGITS 17 JDIGITS 18 JDIGITS 18 JDIGITS 19 JDIGITS 10 JDIGITS 10 JDIGITS 11 JDIGITS 11 JDIGITS 12 JDIGITS 13 JDIGITS 14 JDIGITS 15 JDIGITS 16 JDIGITS 17 JDIGITS 18 JDIGITS 19 JDIGITS 10 JDIGITS 10 JDIGITS 10 JDIGITS 11 JDIGITS 11 JDIGITS 12 JDIGITS 13 JDIGITS 14 JDIGITS 15 JDIGITS 16 JDIGITS 17 JDIGITS 18 JDIGITS 18 JDIGITS 19 JDIGITS 10 JDIGIT	2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 3 DIGITS 3 DIGITS		ting:	Test Mode Programm	plications only.)	ough 15 are for DTMF app	₽
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mot enter any values except hose shown below. 1 12.5 = 59	4.5 degree increments. Compensation added to inherent phase shift in transcriver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Ener 55th o access programing mode achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Ener 55th o access programing mode achieve a total of 0 degrees phase shift. Do not enter any values except those shown (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key advances to the next step. (Note that test mode programming at any time. In the step advances to the next step. (Note that test mode programming at any time. In the step advances to the next step. (Note that test mode programming at any time. In the step advances to the next step. (Note that test mode programming at any time. In the step advances to the next step. (Note that test mode programming at any time. In the step advances to the next step. (Note that test mode programming at any time. In this step advances to the next step. (Note that test mode programming at any time. In this step advances to the next step. (Note that some entries contain more digitally as the programming at any time. In this step advances to the field step. (Note that test mode programming at any time. In this step advances to the fiel	that some entries contain more dig- na can be displayed by the phone. In see only the last part of the data can n. 5 2 DIGITS Programming Data for AMPS 6 2 DIGITS Programming Data for AMPS 6 2 DIGITS Programming Data for AMPS 6 2 DIGITS Programming Data for AMPS 7 6 DIGITS Programming Data for AMPS 8 3 DIGITS PROGRAMMING 8 3 DIGITS PROGRAMMING BINARY SEE NOTE I BELOW BINARY OVERLOAS 11 8 DIGIT TEL#3 BINARY ARRA. SEE NOTE 2 0333 OR 0334 OVERLOAD CLASS 13 0333 OVERLOAD CLASS 14 0334 OVERLOAD CLASS 14 0334 SECURITY CODE 8 15 3 DIGITS SECURITY CODE 15 3 DIGITS	10 DIGIT 2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS 6 DIGITS				ables, settings 8	ivers and Micro TAC port	ce
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1	4.5 degree increments. Compensation added to inherent phase shift in transceriver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1 0=0 121.5=59 243.0=86 1240 1250 1250 1250 1250 1250 1250 1250 125	that some entries contain more dig. that some entries contain more dig. as only the last part of the data can se only the last part of the last	10 DIGIT 2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS			Programming).	n TDMA trans-	ormal setting is 2 to 4. (O	ž
4.5 degree increments. Compensation added phone: to inherent phase shift. to inherent phase shift. Do more enter any values except those shown below. 121.5 = 59 125.0 = 60 121.5 = 59 130.5 = 61 140.0 = 40 130.5 = 61 150.0 = 44 150.0 =	4.5 degree increments. Compensation added to inherent phase shift in transactiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown 0 = 0	more dig: 4 2 DIGITS perbone: In pe data can 5 2 DIGITS for AMPS 6 2 DIGITS 7 6 DIGITS 8 3 DIGITS 8 3 DIGITS 9 3 DIGITS 10 8 DIGIT 10 10 10 10 10 10 10 10 10 10 10 10 10 1	10 DIGIT 2 DIGITS 2 DIGITS 2 DIGITS 2 DIGITS					X=15 Highest Volume	×
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shown below. 121.5 = 99 121.5 = 59 125.5 = 61 125.5 =	the following procedure to program the phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mot enter any values except those shown below: 1. Enter 55t to access programing mode. Do mot enter any values except those shown below: 1. Enter 55t to access programing mode. 2. The *key advances to the next step. (Note that test mode programing does not have step numbers. Each time you press the *key the phone will display the next data entry). 1. The CLR key will rever the display to the feet data can be previously stored data. 1. The feet about year data entry. 2. The *key aborts programing at any time. 1. The feet aborts programing at any time. 2. The *key aborts programing at any time. 3. The CLR key will rever the display to the previously stored data. 4. The feet aborts programing at any time. 3. The CLR key will rever the display to the previously stored data. 4. The feet aborts programing at any time. 4. The feet aborts programing at any time. 5. To complete programing you must seroll through all entries until a 'appears in the display. 4. The feet aborts programing at any time. 5. To complete programing you must seroll through all entries until a 'appears in the display. 4. The feet aborts programing at any time. 6. Note that test metrics contain more digitation through all entries until a 'appears in the display. 4. See 117. 182.0 = 44. 283.5 = 119 4. See 118. 186.5 = 45. 283.5 = 120 4. See 21. 180.0 = 64. 292.5 = 121 4. See 21. 180.0 = 64. 292.5 = 121 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 64. 292.5 = 123 4. See 22. 180.0 = 104 4. See 22. 180.0 =	more dig: 4 2 DIGITS phone. In the data can 5 2 DIGITS for AMPS 6 2 DIGITS 7 6 DIGITS 7 6 DIGITS 8 3 DIGITS 9 3 DIGITS 10 8 DIGITS 10 8 DIGIT 11 8 DIGIT 12 10 10 10 10 10 10 10 10 10 10 10 10 10	10 DIGIT 2 DIGITS 2 DIGITS				, _v	X= 0 Lowest Volume	×
## A5 degree increments. Compensation added phone: A5 degree increments below: A5 degree increments below: A5 degree sphase shift.	the following procedure to program the phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The *key advances to the next step. (Note that test mode programming does not have step need to since the phone will display the part of the data can be displayed by the phone in this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed by the phone. In this case only the last part of the data can be displayed	Imore dig: 1	10 DIGIT 2 DIGITS 2 DIGITS		on, when equipped				an
## A 5 degree increments. Compensation added phone: A 5 degree increments. Compensation added phone: Compensation added	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Emer 55# to access programing mode. 1. Do not enter any values except those shown below. 1. Emer 55# to access programing mode. 1. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key between the display to 13.5 = 3. 135.0 = 62. 256.5 = 113. 1. 12.5 = 5. 124.0 = 40. 265.5 = 113. 1. 12.5 = 5. 124.0 = 40. 265.5 = 113. 1. 12.5 = 5. 124.0 = 40. 265.5 = 115. 2.2.5 = 5. 124.0 = 40. 265.5 = 115. 2.2.5 = 5. 124.0 = 40. 265.5 = 115. 2.2.6 = 6. 125.5 = 43. 279.0 = 116. 3. 15.5 = 43. 279.0 = 118. 4.0 = 18. 166.5 = 43. 279.0 = 118. 4.0 = 18. 166.5 = 44. 283.5 = 119. 116. 116. 116. 116. 116. 116. 116.	more dig: p data can to diffs diffs to	10 DIGIT		in the series of			or IDMA Iranceivers and	Ŧ
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift. below. 121.5 = 59 130.5 = 61 135.0 = 62 247.5 = 87 135.0 = 64 225.5 = 13 135.0 = 62 225.5 = 144.0 = 40 225.5 = 5 144.0 = 40 242.5 = 17 240.0 = 18 240.5 = 18 250.0 = 18 25	the following procedure to program the phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mor enter any values except those shown below: 1. Enter 55# to access programing mode. Do mor enter any values except those shown below: 1. Enter 55# to access programing mode. 1. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry). 130.5 = 61	more dig: 4 2 DIGITS phone. In the data can 5 2 DIGITS for AMPS 6 2 DIGITS for AMPS 7 6 DIGITS 7 6 DIGITS 8 3 DIGITS 9 3 DIGITS 10 8 DIGITS INUNC. BINARY BELOW	10 DIGIT		500.0	236.3 =		Normal setting is 4.	Z
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 0 = 0	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you possess the * key advances to the next step. (Note that test mode programming does). 1. The * key advances to the next step. (Note that test mode programming does). 1. The * key advances to the next step. (Note that test mode programming does). 1. The * CLR key will revert the display to possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that test mode programming does). 1. The * CLR key will revert the display to possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that test mode programming does). 1. The * CLR key will revert the display to possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that test entry.) 2. The * CLR key will revert the display to possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that step numbers. Each time you possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that step numbers. Each time you possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that step numbers. Each time you possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that step numbers. Each time you possess the * key aborts programing at any time. 2. The * key advances to the next step. (Note that step numbers. Each time you possess the * key aborts programing at any time. 3. The * CLR key will revert the display. 3. The * CLR key will revert the display. 4. The * key advances to the next step. (Note that test entry.) 4. The * key advances the possess the * key aborts programing at a	more dig:	10 DIGIT			5/ 234.0 =	112.5	X= 7 Highest Volume	×
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 121.5 = 59	4.3 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55 to access programing mode. The key advances to the next step. The key	more dig: 4 2 DIGITS phone. In the data can 5 2 DIGITS for AMPS 6 2 DIGITS for AMPS 7 6 DIGITS 7 6 DIGITS 8 DIGITS 9 3 DIGITS 10 8 DIGITS 10 8 DIGIT 11 8 DIGIT 12 BINARY 11 8 DIGIT 13 BINARY 14 10 10 10 10 10 10 10 10 10 10 10 10 10	10 DIGIT			30 229.3 -	108.0		×
## A5 degree increments. Compensation added phone: A5 degree increments. Compensation added phone: The following procedure to program the phone shift in transceiver to achieve a total of 0 degrees phase shift.	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Deferming the key advances to the next step. (Note that test mode programming does not have step next data entry). 1. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you provide that set mode programming does not have step numbers. Each time you press the *key the bone will display the next data entry). 1. The £key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key the bone will display to press the *key the program in the display to press the *key the program ing does not have step numbers. Each time you press the *key advances to the next step. (Note that set mode programming does not have step numbers. Each time you press the *key the next data entry). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances to the next step. (Note that set methy). 1. The £key advances the	more dig: 4 2 DIGITS	10 DIGIT			55 225.0 =		or D.M. I./ Mini TAC Tranc	· 👾
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 12.5 = 59	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Emer 55# to access programing mode. 1. Do not enter any values except those shown below. 1. Emer 55# to access programing mode. 1. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you provide that the phone will display the next data entry.) 1. The CLR key will revert the display to the previously sorred data. 1. The * key abovers data entry.) 1. The CLR key will revert the display to the previously sorred data. 1. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 2. The * key abovers programing at any time. 3. The CLR key will revert the display to the programing at any time. 2. The * key abovers programing at any time. 3. The CLR key abovers programing at any time. 4. The * key abovers programing at any time. 5. The * key abovers programing at any time. 5. The * key abovers programing at any time. 6. The * key abovers programing at any time. 7. The * key abovers programing at any time. 8. The * key abovers programing at any time. 8. The * key abovers programing at any time. 8. The * key abovers programing at any time. 9. The * key abovers programing at any time. 9. The * key abovers programing at any time. 1. The * key abovers programing at any time. 1. The * key abovers programing at any time. 1. The * key abovers programing at any time. 1. The * key abovers programing at any time. 1. The * key abovers programing at any time. 1. The * key abovers programing at any time. 1. The * key abovers programing any time. 1. The * key abovers prog	more dig: 4 2 DIGITS phone: In pe data can 5 2 DIGITS for AMPS 6 2 DIGITS 7 6 DIGITS 7 6 DIGITS 8 3 DIGITS 8 3 DIGITS 9 3 DIGITS 10 8 DIGITS 10 BINARY				54 220.5 =	_	Normal setting is 4.	Z
## A5 degree increments. Compensation added phone: A5 degree increments. Compensation added phone: The following procedure to program the phone: The following procedure to program many mode. The following procedure to program many mode. The following procedure to program many mode. The following procedure to program many does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programming does not have step numbers. Each time you proced that test mode programmin	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mor enter any values except those shown below. 1. Enter 55# to access programing mode. The *key advances to the next step. Chock that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry.) 130.5 = 61	more dig:				- 0.017	9 4	X= / mute	: >
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 0 = 0	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display to 13.5 = 61	more dig. 4 2 DIGITS ephone. In ne data can 5 2 DIGITS for AMPS 6 2 DIGITS 7 6 DIGITS 8 3 DIGITS 9 3 DIGITS 10 8 DIGIT	BINARY	07		- 0 916	90.0		* ×
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown Not that test mode programming does not have step numbers. Each time you press the *key advances to the next step. Not that set mode programming does not have step numbers. Each time you press the *key the phone will display to the previously stored data. 13.5 = 3 13.5 = 63 26.5 = 113 13.5 = 3 13.5 = 63 20.0 = 116 13.5 = 41 270.0 = 116 13.5 = 42 274.5 = 117 13.5 = 43 279.0 = 118 33.5 = 15 33.5 = 15 33.5 = 15 45.0 = 18 166.5 = 45 288.0 = 120 45.0 = 18 166.5 = 45 288.0 = 120 45.0 = 18 166.5 = 47 29.7 = 17.5 = 47 29.7 =	4.3 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry.) 130.5 = 61	more dig: 4 2 DIGITS phone. In the data can 5 2 DIGITS for AMPS 6 2 DIGITS 7 6 DIGITS 8 3 DIGITS 9 3 DIGITS	8 DIGI1		220-		000		: >
## A5 degree increments. Compensation added phone: A5 degree increment phase shift in transceiver to achieve a total of 0 degrees phase shift.	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry). 13.5 = 3 13.5 = 6.1 22.2.0 = 112 22.2.0 = 112 3. The CLR key will revert the display to the previously stored data. 18.0 = 4 13.5 = 40 26.5 = 113 3.5 = 16.2 26.5 = 113 4.5 = 41 270.0 = 116 4.5 = 117 4.5 = 117 4.5 = 141 270.0 = 116 4.5 = 117 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 117 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 117 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 141 4.5 = 141 270.0 = 118 4.5 = 141 270.0 = 141 4.5 = 141 270.0 = 141 4.5 = 141 270.0 = 141 4.5 = 141 270.0 = 141 4.5 = 141 270.0 = 141 4.5 = 141 4.5 = 141 270.0 = 141 4.5 =	more dig:	00000		324.0	50	-	if F19C1ASenes Trance	170
4.5 degree increments. Compensation added phone: a chieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 121.5 = 59 243.0 = 86 125.0 = 10 247.5 = 87 9.0 = 2 136.5 = 61 222.0 = 112 135.5 = 3 135.0 = 62 240.0 = 10 225.5 = 144.0 = 40 225.5 = 144.0 = 40 225.5 = 144.0 = 40 225.5 = 144.0 = 40 225.5 = 145.0 = 16 227.9 = 18 36.0 = 16 157.5 = 43 279.0 = 118 45.0 = 18 165.0 = 44 283.5 = 19 45.0 = 18 45.0 = 18 165.0 = 44 283.5 = 19 45.0 = 18 45.0 = 18 166.0 = 44 283.5 = 19 158.0 = 24 292.5 = 21 58.5 = 21 180.0 = 64 301.5 = 125 63.0 = 22 180.0 = 66 301.5 = 126 20.0 = 126 20.0 = 126 20.0 = 124 20.0 = 18 40.0 = 10 175.5 = 47 270.0 = 128 40.0 = 16 175.5 = 47 270.0 = 128 175.5 = 47 270.0 = 128 175.5 = 47 270.0 = 128 175.5 = 47 270.0 = 128 175.5 = 47 270.0 = 128 175.5 = 47 270.0 = 128 175.5 = 47 270.0 = 124 270.0 = 124 270.0 = 18 40.0 = 16 40.0 = 17 40.0 =	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Emer 55# to access programing mode. 1. De not enter any values except those shown below. 1. Emer 55# to access programing mode. 1. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the post of the programing at any time. 1. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key between the display to press the * key will revert the display to the previously sourced data. 18.0 = 4.0 = 135.0 = 62. 256.5 = 113. The CLR key will revert the display to the previously sourced data. 18.0 = 4.0 = 139.5 = 63. 261.0 = 114. The * key aborts programing at any time. 17.0 = 6.0 = 144.0 = 265.5 = 115. The first through all enteries until a * appears in the display. 18.0 = 1.0	more dig:		04		50 49		Set KX Audio level to X.	8
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown Do not enter any values except those shown below. 12.5 = 59	4.3 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mot enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 1. The key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the next data entry). 130.5 = 61	r more dig: 4 2 DIGITS p hone. In be data can 5 2 DIGITS for AMPS 6 2 DIGITS 7 6 DIGITS				8 8		piay cumulanye can inin	. 5
4.5 degree increments. Compensation added phone: a chieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 0 = 0	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Emer \$5\$ to access programing mode. 1. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key all shipshy the phone will display the next data entry.) 9.0 = 2. 130.5 = 61. 252.0 + 112. 13.5 = 3. 135.0 = 62. 266.5 = 113. 18.0 = 4. 139.5 = 63. 261.0 = 114. 12.2.5 = 5. 144.0 = 40. 265.5 = 115. 13.1.5 = 7. 153.0 = 42. 274.5 = 117. 27.0 = 6. 144.5 = 44. 279.0 = 116. 31.5 = 7. 153.0 = 42. 274.5 = 117. 274.5 = 119. 274.5 =	more dig. 4 2 DIGITS phone. In be data can 5 2 DIGITS for AMPS 6 2 DIGITS						ow the tower without all Time	2 5
4.5 degree increments. Compensation added phone: achieve a total of 0 degrees phase shift. Do not enter any values except those shown Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the last part of the previously stored data. 13.5 = 3 13.5 = 6.3 26.10 = 113 13.5 = 3 13.5 = 6.3 26.10 = 114 22.5 = 5 14.4 0 = 40 26.5 = 115 13.5 = 7 15.3 0 = 42 274.5 = 117 22.5 = 5 14.4 0 = 40 26.5 = 118 33.5 = 7 15.5 = 43 279.0 = 118 34.5 = 17 15.2 = 44 274.5 = 117 44.5 = 18 16.5 = 45 28.0 = 20 45.0 = 18 16.5 = 45 28.0 = 20 15.5 = 47 297.0 = 123 15.6 = 65 36.0 = 124 15.6 = 65 36.0 = 124 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 124 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 125 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7 = 65 36.0 = 126 15.7	4.3 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 1. The *key advances to the next step. Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry. 13.5 = 3 135.0 = 6.0 247.5 = 87 next data entry. 13.5 = 3 135.0 = 6.2 226.5 = 11.2 next data entry. 13.5 = 3 135.0 = 6.2 26.5 = 11.3 next data entry. 13.5 = 3 135.0 = 6.2 26.5 = 11.3 next data entry. 13.5 = 3 135.0 = 6.2 26.5 = 11.3 next data entry. 13.5 = 3 135.0 = 4.2 27.5 = 11.5 next data entry. 27.0 = 6 144.0 = 40 26.5 = 11.5 next data entry. 13.5 = 7 13.3 0 = 42 27.4 5 = 11.7 next data entry. 36.0 = 16 157.5 = 43 27.9 0 = 11.6 next data entry. 45.0 = 18 166.5 = 45 288.0 = 120 next data entry. 45.0 = 18 166.5 = 45 288.0 = 120 next data entry. 45.0 = 18 166.5 = 45 282.5 = 121 next data entry. 45.0 = 171.0 = 46 292.5 = 121 next data entry. 5 171.0 = 64 301.5 = 123 next data entry. 5 171.0 = 65 306.0 = 124 next data entry. 6 171.0 = 64 301.5 = 123 next data entry. 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nmore dig: phone. In the data can 5 2 DIGITS for AMPS 6 2 DIGITS	MILES . 1000	25				on the tower without an ex	<u> </u>
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown Do not enter step. (Note that test mode programming does not lide and entry) PO = 243.0 = 18 PO = 119.5 = 64 251.5 = 113 Do not enter any values except those shown Do not enter say values except those shown Do not enter say values except those shown Do not enter say values except those shown Note that test mode programming does not lide that any except the display to the periodical programming and my time. Do not enter say values except those shown Do not enter say values except those shown Note that sense of the phone will display to the phone. In this show enters contain more dig. 11.5 = 1.5	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 121.5 = 59 243.0 = 86 125.0 = 60 247.5 = 87 136.0 = 61 226.5 = 113 135.0 = 62 226.5 = 113 135.0 = 62 226.5 = 113 135.0 = 40 225.5 = 114 225.5 = 5 144.0 = 40 225.5 = 117 235.0 = 61 235.0 = 42 235.5 = 117 236.0 = 144.0 = 40 225.5 = 117 236.0 = 144.0 = 40 225.5 = 117 236.0 = 16 237.5 = 41 237.0 = 6 237.5 = 41 237.0 = 12 237.0 = 1	ore dig- oone. In lata can 5 2 DIGITS AMPS 6 2 DIGITS	and NAM	24			_	eived was 179 and I was	3
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown Do not enter any values except those shown 121.5 = 59 9.0 = 0 121.5 = 59 123.5 = 61 125.5 = 61 125.5 = 61 125.5 = 63 126.0 = 113 18.0 = 44 127.0 = 164 127.5 = 87 128.0 = 40 129.5 = 61 127.5 = 61 127.5 = 43 127.5 = 44 40.5 = 17 127.5 = 47 127.0 = 128.0 = 120 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121 127.5 = 47 127.5 = 121	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display to next data entry. 3.5 = 3 135.0 = 61 22.0 = 112 13.5 = 63 261.0 = 114 22.5 = 5 144.0 = 40 265.5 = 115 23.5 = 5 144.0 = 40 265.5 = 115 23.0 = 6 148.5 = 41 270.0 = 118 36.0 = 16 157.5 = 43 274.5 = 117 36.0 = 16 157.5 = 43 279.0 = 118 40.5 = 17 162.0 = 44 283.5 = 19 40.5 = 19 171.0 = 46 282.5 = 21 15.4 0 = 20 175.5 = 47 297.0 = 122 15.5 = 47 297.0 = 122 15.5 = 47 297.0 = 122 15.5 = 47 297.0 = 122 15.5 = 47 297.0 = 122	at some entries contain more dig. can be displayed by the phone. In e only the last part of the data can 5 2 DIGITS	Test Moa	23		21	_	nber) The strongest sign:	
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 53# to access programing mode. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you provided that test mode programming and step not the phone will display to provide that early). 12.5 = 59 243.0 = 86 (Note that test mode programming does not have step numbers. Each time you provided that early). 12.5 = 6.1 22.0 = 112 (Sec.) = 112 (Sec.) = 112 (Sec.) = 112 (Sec.) = 113 (Sec.) = 6.1 (Sec.) = 114 (Sec.) = 115 (S	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you provide that test mode programming does not have step numbers. Each time you provide that test mode programming does not have step numbers. Each time you provide that test mode programming does not have step numbers. Each time you provide that the provide that the provide that the provide that the province of the provide that the province of the programming at any time. 1. 126.0 = 60	at some entries contain more dig. can be displayed by the phone. In conly the last part of the data can 5 2 DIGITS		22		20	_	icator (Displayed as a 3	bal
4.5 degree increments. Compensation added phone: a chieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. Do not enter any values except those shown contains a contain more dignerable. Do not enter any values except those shown contains a contain more dignerable. Do not enter any values except those shown contains a contain more dignerable. Do not enter any values except those shown contains mode. Do not enter any values except those shown contains mode. Do not enter any values except those shown contains more dignerable. Do not enter any values except those shown contains more dignerable access programing does not have seep numbers. Each time you press the * key advances to the next step. (Note that test mode programming does not have seep numbers. Each time you press the * key advances to the next step. (Note that data entry.) 115.6 = 40.240.245.5 = 113 115.6 = 41.0 = 40.265.5 = 115 115.6 = 41.0 = 40.265.5 = 115 115.7 = 43.279.0 = 116 115.7 = 43.279.0 = 118 40.5 = 18.1 = 166.5 = 44.2 = 283.5 = 120 115.6 = 44.2 = 283.5 = 120 115.6 = 44.2 = 283.5 = 120 115.6 = 45.2 = 288.0 = 120 115.6 = 45.2 = 288.0 = 120 115.7 = 45.2 = 288.0 = 120 115.8 = 41.0 = 40.2 = 45.2	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. The * key advances to the next step. Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display the phone will display the state of the previously stored data. 13.5 = 3 135.0 = 6.0 247.5 = 87 next data entry. 13.5 = 3 135.0 = 6.2 25.6 = 113 next data entry. 13.5 = 5 144.0 = 40 26.5 = 115 next data entry. 22.5 = 5 144.0 = 40 26.5 = 115 next data entry. 13.5 = 7 153.0 = 4.2 274.5 = 117 next data entry. 13.5 = 7 153.0 = 4.2 274.5 = 117 next data entry. 13.5 = 7 153.0 = 4.2 274.5 = 117 next data entry. 13.5 = 7 153.0 = 4.2 274.5 = 117 next data entry. 13.5 = 7 153.0 = 4.2 274.5 = 117 next data entry. 13.5 = 7 153.0 = 4.2 274.5 = 117 next data entry. 14.5 = 11 15.0 = 6.1 27.5 = 4.2 274.5 = 117 next data entry. 15.5 = 6 148.5 = 41 279.0 = 118 next data entry. 15.5 = 7 15.5 = 43 28.0 = 20 next data entry. 15.5 = 8 14.0 = 40 26.5 = 118 next data entry. 15.5 = 8 14.0 = 40 26.5 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry. 15.5 = 148.5 = 41 279.0 = 118 next data entry.	at some entries contain more dig- can be displayed by the phone. In e only the last part of the data can	be se	21				play Current Receive S	Dis
4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown Do not enter show a value and except those shown Do not enter show a value and except those shown Do not enter show a values and enters except the extent except those shown enters except those shown ente	4.3 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mot enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 2. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry.) 3. 126.0 = 60 247.5 = 87 per 120.0 = 162 per 120.5 per 120.	at some entries contain more dig- can be displayed by the phone. In	this	00				T/R antenna (on D.M.T./)	Use
4.5 degree increments. Compensation added phone: a chieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 0 = 0	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Do not enter any values except those shown below. 1. Enter 55# to access programing does not have step numbers. Each time you press the * key advances to the next step. 1. Complete phone will display the step numbers. Each time you press the * key the phone will display the step numbers. Each time you press the * key the phone will display to	at some entries contain more dig- 4 2 DIGITS	its th				_	R Antenna (on F19CTA	Use
the following procedure to program the achieve a cotal of 0 degrees phase shift in transceiver to achieve a cotal of 0 degrees phase shift. Do not enter any values except those shown Do not have step numbers. Each time you press the "key the phone will display the next data entry.) 9.0 = 2 130.5 = 61 252.0 = 112 9.0 = 2 130.5 = 61 252.0 = 112 13.5 = 3 135.0 = 6.2 256.5 = 113 18.0 = 4 139.5 = 63 261.0 = 114 27.0 = 6 148.5 = 41 270.0 = 116 27.0 = 6 148.5 = 41 270.0 = 116 27.0 = 7.0 = 117 270.0 = 116 27.0 = 7.0 = 117 270.0 = 116 31.5 = 7 13.0 = 42 270.0 = 116 31.5 = 7 13.0 = 42 270.0 = 116 31.5 = 7 13.0 = 42 270.0 = 116 31.5 = 7 13.0 = 42 270.0 = 116	4.3 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing mode. 2. The 'key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the next data entry.) 3. The CLR key will revert the display to 13.5 = 3 135.0 = 6.0 26.5 = 113 13.5 = 3 13.0 = 6.1 26.0 = 114 2.5 = 5 144.0 = 40 26.5 = 115 2.5 = 7 13.5 = 42 270.0 = 116 2.7 = 7 270.0 = 117 2.7 = 6 148.5 = 41 270.0 = 116 2.7 = 7 270.0 = 117 2.7 = 6 148.5 = 41 270.0 = 116 3.5 = 7 13.5 = 42 270.0 = 116 3.5 = 7 13.5 = 42 270.0 = 116 3.5 = 7 13.5 = 42 270.0 = 116 3.5 = 7 13.5 = 42 270.0 = 116							Disables Diversity.	Dis
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a toal of 0 degrees phase shift. Do not enter any values except those shown below. 121.5 = 59 126.0 = 60 127.5 = 87 9.0 = 2 135.5 = 3 135.0 = 62 225.6 = 113 180.0 = 4 135.5 = 3 135.0 = 62 225.5 = 144.0 = 40 225.5 = 144.0 = 40 225.5 = 143.0 = 40 225.5 = 144.0 = 40 225.5	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 0 = 0		_			`		K aliterilia (on D.M. 17 ili	1 0
the following procedure to program the achieve a cotal of degrees increments. Compensation added phone: to inherent phase shift in transceiver to achieve a cotal of degrees phase shift. Do not enter any values except those shown below. 1. Ener 55# to access programing mode. 1. Ener St to access programing mode. 2. The CLR key will revert the display to programing and the program to access program and the program to access program to acces	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. Now that test mode programming does not have step numbers. Each time you press the * key the phone will display the 4.5 = 1 126.0 = 60 247.5 = 87 next data entry. 9.0 = 2 130.5 = 61 282.0 = 112 next data entry. 1. Enter 55# to access programing mode. Now that test mode programming does not have step numbers. Each time you press the * key the phone will display the next data entry. 3. The CLR key will revert the display to the program of the proviously stored data. 1. The # key aborts programing at any time. 2. 130.5 = 61 134.0 = 40 265.5 = 115 2. 135.5 = 5 144.0 = 40 265.5 = 115 2. 136.5 = 61 144.0 = 40 265.5 = 115 3. The CLR key will revert the display to 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	arrefures until a appears in the 3 10 DIGITS	unou	7				D I MAN (SILL OF TAX AND	
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 53# to access programing mode. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key below. 121.5 = 59 243.0 = 86 possible 126.0 = 87 possible 126.0 = 80 possible 126.0 = 80 possible 126.0 = 80 possible 126.0 = 80 possible 126.0 = 10 possible 126.5 = 113 possibl	4.5 degree increments. Compensation added to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the step. 12.5 = 59 243.0 = 86 4.5 = 1 12.6 0 = 60 247.5 = 87 9.0 = 2 130.5 = 61 252.0 = 112 130.5 = 62 266.5 = 113 18.0 = 4 19.5 = 63 266.5 = 113 18.0 = 4 19.5 = 63 261.0 = 114 The # key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the next data entry.) 18.0 = 4 13.5 = 61 25.0 = 113 13.5 = 62 26.5 = 113 13.5 = 63 26.1 = 114 27.5 = 63 26.5 = 115 27.5 = 63 27.5 = 63 27.5 = 115 27.5 = 63 27			5		1485=		T/P entanno (en E19CTA	7 5
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown (Note that test mode programming does not have step numbers. Each time you press the *key the phone will display the short value of the previously stored data. 12.5 = 3 13.5 = 6.0 22.0 = 11.2 3 The CLR key will revert the display to 1 13.5 = 3 13.5 = 6.3 26.5 = 11.3 4 The previously stored data. 18.0 = 4 19.5 = 6.3 26.5 21.0 = 11.4 4 The previously stored data.	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. Enter 55# to access programing does not have step numbers. Each time you person the key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the 4.5 = 1 126.0 = 60 247.5 = 87 next data entry.) 9.0 = 2 130.5 = 61 252.0 = 112 next data entry.) 13.5 = 3 135.0 = 62 26.5 = 113 next data entry.) 13.6 = 63 26.1 0 = 114 The CLR key will revert the display to the previously stored data. 14.6 = 1.5	BINARY		US .		1440=	_	ables Diversity	2 5
the following procedure to program the achieve a cotal of 0 degrees phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown Do not enter any values except those shown below. 1. Enter 53# to access programing mode. 2. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you provide the step of the provider of	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do mot enter any values except those shown below. below. 1. Enter 55# to access programing mode. 2. The *key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the *key below will display the description of the step numbers. Each time you press the *key the phone will display the description of the step numbers. 1. 126.0 = 60 247.5 = 87 press the *key the phone will display to next data entry.) 3. 135.0 = 61 22.0.2 256.5 = 113 press the *key will revert the display to next data entry.) 4.5 = 1 136.5 = 62 22.0.2 256.5 = 13 press the *key will revert the display to next data entry.)	2000		4				shies Diversity (on F19CT	7
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the phone will display the phone will display the perior will green the display to 1 126.0 = 60 247.5 = 87 next data entry.) 9.0 = 2 130.5 = 61 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 150.5 = 10 252.0 = 112 3. The CLR key will recent the display to 1 252.0 = 112 3. The CLR key will recent the display to 1 252.0 = 112 3. The CLR key will recent the display to 1 252.0 = 112 3. The CLR key will recent the display to 1 252.0 = 112 3. The CLR key will recent the display to 1 252.0 = 112 3. The CLR key will recent the display to 1 252.0 = 112 3. The CLR key will recent the d	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the 4.5 = 1 12.6 = 60 247.5 = 87 enext data entry.) 1. The CLR key will rever the display to 1 130.5 = 61 22.0 = 112 3. The CLR key will rever the display to 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 8 DIGIT		3			_	bles Diversity, (on F19CT/	En .
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 1. The * key advances to the next step. 1. The * key advances to the next step. 1. The * key advances to the next step. 1. The * key advances to the next step. 1. The * key advances to the next step. 2. The * key advances to the next step. 2. The * key advances to the next step. 3. The * key advances to the next step. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 3. The * key advances to the next step. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 3. The * key advances to the next step. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry. 4.5 = 1 12.6 = 60 247.5 = 87 next data entry.	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. Nowe that test mode programming does not have step numbers. Each time you press the * key the phone will display the 4.5 = 1 126.0 = 60 247.5 = 87 next data entry.	vill revert the display to		2		130.5 =		is entered to abort the con	kev
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. 1. Enter 53# to access programing mode. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will disalby the step.)	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of degrees phase shift. Do not enter any values except those shown below. Deflow. 1. Enter 55# to access programing mode. 2. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you press the * key the phone will display the step.	0	next	7	247.5 =	126.0 =		e channel word is received	VOI.
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. The key advances to the next step. (Note that test mode programming does not have step numbers. Each time you	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. The * key advances to the next step. (Note that test mode programming does not have step numbers. Each time you not have step numbers. Each time you	Sten # # of digits/range	press		243.0 =	121.5 =	-	. This command will be co	hex
4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to achieve a total of degrees phase shift. Do not enter any values except those shown below. (Note that test mode programming does to the next step.)	4.5 degree increments Compensation added phone: to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. Do not enter any values except those shown below. Compensation added phone: 1. Enter 55# to access programing mode. 2. The *key advances to the next step. Choe that test mode reorgamming does to the next step.		nor t				is displayed in	en the word is received it	¥
wed in 4.5 degree increments. Compensation added phone: 5. The * key advances to the next step. 5. The * key advances to the next step. 6. The * key advances to the next step. 6. The * key advances to the next step. 7. The * key advances to the next step.	wed in 4.5 degree increments. Compensation added when a to inherent phase shift in transceiver to nen the achieve a total of 0 degrees phase shift. Do not enter any values except those shown 1. Enter \$5# to access programing mode. 2. The * key advances to the next step.		(Note			below.	channel word.	VVC. Receive one voice	RC
the following procedure to program the when a to inherent phase shift in transceiver to achieve a total of 0 degrees phase shift. 1. Enter 55# to access programing mode.	the following procedure to program the when a to inherent phase shift in transcriver to achieve a total of 0 degrees phase shift. the following procedure to program the phone: the following proper the phone: the following procedure to program the phone: th	ę, —			es except those snow	Do not enter any value	ommand.	y is entered to abort the co	# Ko
4.5 degree increments. Compensation added to inherent phase shift in transceiver to combenent phase shift in transceiver to be a compensation of the compensation of t	4.5 degree increments. Compensation added phone: to inherent phase shift in transceiver to	r 55# to access programing mode.			grees priase sillie.	acilieve a total of o deg	ed or when the	troi channel word is receiv	con
4.5 degree increments. Compensation added phone:	4.5 degree increments. Compensation added phone:			•	reac phace chiff	to inference phase si	ilipiete witeri a	This command will be co	nex
4.5 degree increments Commensation added	4.5 deorse increments. Commensation added hours.	NAM 2 if the second phone number bit	puone.	0	iff in transceiver	to inherent phase sh	is displayed in	This command will be so	1
	-	program the	nhone:	a.	Compensation adde	4.5 degree increments	ic displayed in	an the word is received it	5
		2	the follo						

Spring 1996	Timo	3600 Magazine		•	Page 46
Digit 4: Auto system busy redial, 0 to	D.	// outgoing calls	is possible. Restrict all outgoing calls	is po	
	į	memory storage	No keypad entries or memory storage	No k	
Digit 3: Call timer access, 0 to enable.	D.	01, 02 and 03.	in memory locations 01, 02 and 03.	ine	
Digit 2: Second prione number (not an phones). I to enable.	<u></u>	diel number	Service Level Codes:	3. Service	
	!				
gramming mode without hav-		9		032	
Digit 1. Handset programms. • • •	2	0.2.4	< -	832	
Uandrat programing 0	2.00	3.0 W	: ≺	832	
p 11 above, suggested entry is:	5. (step				
•		0.6 W	zz	832	
phone cannot be locked).		1.2 W	z	837	
the phone, if this is set to 1 the		3.0 W	z	833	
(allows user to lock/un-lock	5	0.0	=	000	
Digit 8: Lock function. 0 to enable	J	1.2 &	٠.	666	
dicting restrictions		3.0 W	: ≺	666	
to enable (allows user to set					
	Digit 7:	0.6 W	z	666	
ory location NN).		1.2 W	z	666	
dial the number stored in mem-		3.0 W	z	666	
	25			832 Ch.	
option).	Digit 6	Max Power	vox	666 or	
Set to "0" to allow user the					
determined by bit 2 of step 02.			Station Class Mark		2
(scan A or B system only,	Digit 5.		ABLE.		
	7	OT CHANGE-	Min mark, 1. NOT CHANGE-	Digit 8:	
than 32 paging channels. Not			used in TDMA)		
the telephone will scan more		ressed). (Not	MUTE key is pressed). (Not		
	Digit 4:	audio until the	hands free aud		
	Digit 3:	tes outgoing	to enable (mutes outgoing		
	Digit 2:) auto mute, 1	Hands free (VSP) auto mute, I	Digit 7:	
 Not used in USA, enter 0. 	Digit 1:		enable.		
00000100)		alert. 1 to	Auxiliary (horn) alert, 1 to	Digit 6	
10 ahove, suggested entry is:	4. (step) dialing, 1 to	Repertory (speed) dialing, 1 to enable (Not used in TDMA)	Digit 5:	
locations	-	ile.	used for test mobile.		
many as 50 programmable memory		0. Formerly	Not used enter 0. Formerly	Digit 4:	
The phone will dial only from as	7 1	and the second	to enable	Digit 5.	
not be changed.	= :	(E) dialing 1	0=system b.		
memory locations 1 through 10 can-		I=system A.	Preferred system, 1=system A.	Digit 2:	
Seven-digit dialing only		or I.	Local use mark, 0 or 1.		
ing. (DEFAULT)				"B" sys)	
Unlimited keypad and memory dial-	4 U	10101001 for	11101001 for "A" system, 10101001 for	11101001	:
allowed.		d entry is:	(step 02 above, suggested entry is:	(step 02	_
Keypad dial only; no memory recall	ω ⊼ ₹		select the following options:	ect the follow	sel
is disabled and super speed dialing is	: IS	elds used to	These are eight digit binary fields used to	ese are eigh	∄
from memory locations. The keypad	· #				
The telephone will dial only numbers	2 П			, abriene	
memory locations 01 - 10.	B 9	e, some use	Take care with Motoroia's use of or and it.	te care with I	S in
001. In some phones this applies to	2 1	"O" and "1"		:	3

Digit 6				Digit 5:		
Digit 6: IMTS/Cellular 1 to enable	2000 series mobiles).	units only, do not use with	enable (use with select VSP	Internal Speaker disable, 1 to	enable.	

after decoding

x=8 TDMA signalling with loopback
FACCH after decoding

Digit 7:

Digit 8:

(step 16 and 19 above, suggested entry is: 0011010 for portable and 0011011 for mobile units)

Digit 1: Enhanced Scan, when enabled, nels are scanned insted of two four strongest signalling chanl=enabled, 0-disabled.

Digit 2: Cellular Connection, used only

PHONES

Digit 3: later)

Digit 4:

Digit 5: er of the transportable; I routes it to the handset.

Digit 8: pletion of the call).

Portable scan, 0 for portable, 1 for mobile units.

before decoding x=7 TDMA signalling with loopback voice

59# Compander Off. (Audio compressor and x=9 TDMA forced synchronization 58# Compander On. (Audio compressor and

expander) (See 38#) expander) (See 39#)

no function.
ESN Transfer. (for Series I D.M.T./Mini TAC

Dual antenna (diversity), 1 to enable.

in series II phones if a series I cellular connection is used with a series II. 0=series II, I=series I, 0 for ALL TDMA

Display FLEX and Model Information.

Continuous DTMF, I to enable (software version 8735 and

Transportable Internal Ringer/ Speaker. When set to 0. audio is routed to the external speak-

8 hour time-out, 0 to enable (software version 8735 and

Digit 6: Digit 7: Not used, 0 only.
Failed page indicator, 0 to enable (phone beeps when an incoming call is detected but

signal conditions prevent com-

56# Illumination Diagnostic. Lights up all lights (except the green in use light) and displays all 8%. The phone is also muted until repowered.
57.# Call Processing Mode.
x=0 AMPS
x=1 NAMPS
x=1 NAMPS
x=2 RESERVED
x=3 RESERVED
x=4 RESERVED
x=5 TDMA signalling
x=6 TDMA signalling with loopback
before decoding

(rarely used). User selectable system regis-

only)

Turn On Ringer Audio Path

60# 61#

62# 63# 64# 65# Turn Off Ringer Audio Path.

Does something, doesn't display anything.

Does something, doesn't display anything.

Identity Transfer. (Series II Transceivers and

67# Displays two 3 digit numbers. If you keep entering this command repeatedly, the first number will constantly change, the second won't (as far as I have seen). some Current Shipping Portables)

71# 68# 69# 70# Abbreviated field power adjustment com-mand, for transceivers with FCC ID command, for transceivers with FCC ID ABZ89FT5668. Abbreviated field transmitter audio deviation Used with Identity Transfer.

72# Field audio phasing commands. The left side of the display should read "00" followed by a two digit number. The "00" incloates the first programming step. If you press the *, the 00 changes to 01 and so on until 08. The "06" and "0/4" are used to change the audio level (to change: press the volume up or down keys). Other registers... don't know. 73# Field power adjustment command. 74-99# no function. ABZ89FT5668.

some phones. If you find a command that does something, please inform me as well as the software version Commands 74#, 75#, 76#, 77#, 78#, 80#, and 99# actually have unknown functions. As new phones come out, more commands are added/deleted as needed. The majority of these commands were figured using very number of the phone it was discovered on. old software versions. Some commands won't work on



2600 Magazine

Market placell

sides of the computer world to get together, discuss major tissues, learn new tricks, educate others, and meet "The Enemy". For further information, contact computer security professionals, cyberpunks, law enforcement officials, net surfers, programmers, and the computer underground, it will be a chance for all ACCESS ALL AREAS II. Computer Security & Hacking Conference July 6th and 7th, 1996. London, UK. Aimed at computer hackers, phone phreaks, one of the following - web: http://www.access.org.uk, email: aaa-info@access.org.uk, fax: +44 (0) 1428 727 100, phone: +44 (0) 973 500 202.

planned: Hacker Jeopardy, Capture The Flag hacking contest. Email: dtangent@defcon.org, website: Hotel http://www.defcon.org, phone: 206-626-2526, write: 2709 E. Madison, Seattle, WA 98112. \$30 in DEF CON IV. July 26-28, 1996 at the Monte Carlo advance, \$40 at the door. in Las Vegas. Among the fun activities 206-626-2526

For Sale

www.2600.com) or finger waiter@2600 web site (www.2600.com) or finger waiter@2600.com for the latest update (If you already contributed and you want a HOPE shirt, inst content in the con cash or make checks payable to cash. 2600 Walter Fund, PO Box 848, Middle Island, NY 11953. Check Walter's progress on the 2600 web site. 10,000 visits to his web page, and, most importantly, has gotten back onto his feet. You can help lessen the weight of his medical bills by getting an official Walter t-shirt for \$20. We'll even throw in a free HOPE shirt from the 1994 hacker conference! Send being hit by a car in October, the 2600 mascot has been featured on the Winter cover, has had over CONTRIBUTE TO THE WALTER FUND! Since

on CD-Rom. Oregon \$219, Texas \$495, Florida DMV 96! Department of Motor Vehicles databases \$495. 503-325-0861. Bootleg Software, 392 Alameda, Astoria, OR 97103.

each). Crystals are POSTPAID. All orders from outside U.S. add \$12 per order in U.S. funds. For other 6.5536 MHZ CRYSTALS available in these quantities ONLY: 5 for \$20, 10 for only \$35, 25 for \$75. quantities, include phone number and needs. E. Newman, 6040 Blvd. East, Suite 19N, West New 50 for \$125, 100 for \$220, 200 for only \$400 (\$2 York, NJ 07093

FREE MONEY! Yes, this method works! You can money changing machines

2600 Magazine

we send out work. AND, you can actually change your fingerprints. This method has helped others make their "move" on society. You can too. Send SASE and \$10 to cover expenses. Refunded on any order. Write to Alan, PO. Box 800066, Houston, TX How to Beat the Bill Collectors! All of the methods 77280-0066.

SIONAL for \$175 brand new. Microsoft Windows 95 training videos all levels starting from \$39.95 and up. Call InterSoft Development Group, Inc. at SELLING MICROSOFT OFFICE 95 PROFES-(847) 679-7252

collector's item but a VERY USEFUL device to carry at all times. Cash or money order only. Mail to: WHISTILE, PO, BOX 11562-5T, CIt, Missouri 63105. 6.55 MHZ CRYSTALS FOR SALE CHEAP. meetings, etc. as a 2600 member by dangling your keychain and saying nothing. Cover one hole and get root@kaht.ponyx.com for info or send orders to B. Buckman, PO Box 225, Middleboro, MA 02346. er frequency. Use both holes to call your dog or dolsure! Once they are gone, that is it - there are no more! Keychain hole for keyring. Identify yourself at tion, never used. Join the elite few who own this treafew left. THE ORIGINAL WHISTLE in mint condi-CAP'N CRUNCH WHISTLES. Brand new, only a devices. Price includes mailing. \$99.95. Not only a phin. Also, ideal for telephone remote control exactly 2600 hz, cover the other hole and get anothfor \$1.50, 10+ \$1.25 each, 100+ \$1 each. Contact

Test your knowledge of the covert sciences. Entertaining and VERY educational. Includes selected shareware catalog and restricted book catalog. Send S1 (S1.50 for 3.5) and 2 stamps to. Mentor Publications. Box 1549 Y. Asbury Park, NI 07712.

TAP BACK ISSUES, complete set Vol. 1-91 of ics and indexes. \$100 postpaid. Via UPS or first class mail. Copy of 1971 Esquire article. "The Secrets of the Little Blue Box" \$5. & large \$ASE w/52 cents of stamps. Pete G., PO Box 463. Mt. disk Interactive Q&A on bugging, wiretapping, locks, alarms, weapons, and other wonderful stuff. Test your knowledge of the covert sciences. QUALITY copies from originals. Includes schemat-THE BLACK BAG TRIVIA QUIZ: On MS-DOS Laurel, NJ 08054. We are the original!

HACK THE PLANET. A new and exciting board game in which 2-4 players race to complete a hacking mission. Please send \$3.00 check or money order payable to CASH. Also available is an MCI-style black hat with white lettering that says PHONE.

without actually breaking into them. Other products such as HOW TO GET FREE ELECTRICITY and

thousands of dollars very year. Best investment you'll ever make! Only \$29 US and \$5 for shipping & handling We sell 6.50 MHz crystals too! CABLE TV BOXES: Enables you to receive "every pay long of the paying outrageous fees for pay chamels. You must call or e-mail us first and tell us the "brand" and "model number" of the cable box you have. Only morey back guarantee! Send check or money order to. East America Send check or money order to. to: East America Company, Suite 300H, 156 Sherwood Place, Englewood, NJ 07631-3611. Tel: (201) 343-7017. E-mail: 76501.3071@com-

21,000 files about hacking, phreaking, amarchy, occult, drugs, conspiracy, UFOs, programming in all languages, HP48, security, hardware, weapons, science, survival, cellular hacking, cyberspace.... The price is \$29.95+ shipping. Write to X-Philes, Tranbaersvaegen 25:14, 37238 Ronneby, Sweden. Email dt93tn@pt.hk-r.se, http://www.algonet.se/ puserve.com. Free technical support!

X-PHILES HPA CD-ROM. The most complete HPA CD-Rom available today, containing over 76501.3071@com-

com/~spacerog/index.html. To order your own Limited Edition copy of the Whacked Mac Archives, please send name, address, postal code, and country to: The Whacked Mac Archives, c/o Everything you need to get your Mac completely Whacked. This collection will be especially useful to all Macintosh users, network administrators, dollars for each CD ordered. We will ship anywhere \$4.50 for shipping and handling in United States L0phT Heavy Industries, P.O. Box 990857, Boston, MA USA 02199-0857. Please include \$19.95 plus ity or program you can probably find it on the Whacked Mac Archives. To learn more about the CD and who we are check out http://www.l0pht. If you have been searching for that hard-to-find utildeals with Macintosh systems on a day to day basis. computer teachers, crackers, lab monitors, virus hackers, computer security professionals, phreakers, including war dialers, virri, phreaking utilities, text files, cracking utilities, and much much more. CD includes almost 200 different files and utilities writers, communication specialists, and anyone who ~synchron for more information.

THE WHACKED MAC ARCHIVES CD. This

devices discussed as well: Hallmark cards, digital Shack tone dialer (model 43-146) into a red box to obtain FREE calls from payphones. This video makes it easy. Magnification of circuit board gives a PATROL, only \$18. 2447 Fifth Avenue, East Meadow, NY 11554-3226. recording watch, and more! This video will save you step by step instruction on how to convert a Radio "How To Build a Red Box". VHS 60 min. Complete FREE PHONE CALLS FOR LIFE! New video 573, Long Beach, MS 39560, USA. Over 3,000 catalogs distributed. higher plane of consciousness. Coming soon: Hack videos. For a full catalog send \$1 to: SotMESC, Box mation sources and resources will elevate you to a and memberships from our elite organization. Legit and recognized world-wide. Our QUALITY inforviruses, anarchy techniques, and the internet here. We can supply you with files, programs, manuals, tion on hacking, phreaking, cracking, electronics information for the Information Age. Get informa-LUTELY!! or money orders accepted, sorry no credit card orders. Please make checks payable to LOphT Heavy in the world via First Class U.S. Mail. Cash, checks ABSOLUTE POWER CORRUPTS ABSO. sales tax. Please allow four to six weeks for delivery Industries. Massachusetts residents please add Arm yourself with knowledge and

great detailed view of process. Other red

Help Wanted was the second

Central, Phoenix, AZ 85012. NEED HELP to clear my credit reports. Please respond to M.D. Hall, P.O. Box 162, 5025 N. PLEASE HELP CLEAN MY CREDIT REPORT Reward. G. Pierre, 33 S. Broadway #312, Yonkers,

showing up on my caller display. I need either infor-mation or a gadget to trace the phone caller or to reveal or unblock their number. I will pay for any equipment, gadgets, and postage in U.S. funds Please help. Send to: Lee J. Round, 25 Plawsworth device. They type in 141 to block their number from calls. I use the British version of caller identification HELP WANTED. I live in England, our telephone system is British Telecom. I keep receiving malicious NY 10701

Bulletin Boards and the same an

Road, Sacriston, Co. Durham, DH7 6PD, England

exchange for H/P/V/C subjects. Willing to exchange info with anyone. Need info on CID, ANI, and other resource for anarchists, survivalists, adventurers, investigators, researchers, computer hackers, and phone phreaks. Scheduled hacker chat meetings. Encrypted e-mail/file exchange. WWW:http://anar-ACCESS DENIED BBS (613) 226 5386, Info modem: (214) 289-8328. chy-online.com -ANARCHY ONLINE. A computer bulletin board telnet: anarchy-online.com

photocopy. Ads may be edited or not printed at our discretion. Deadline for Summer issue: 5/31/96. Marketplace ads are free to subscribers! Send your ad to: 2600 Marketplace, PO Box 99, Middle Island, NY 11953. Include your address label or

"phreaking" utils. Send email to visible.daemon@

2600 Magazine

(continued from page 37)

Crippled 911

the 52nd precinct told us that the precinct has a highly Coalition meeting in the Bronx recently. The captain of new Caller ID. Now they have to send a car to respond number but the phone subscriber's name, address, and call. Their caller ID identifies not only the caller phone increased workload over the last month because they got was at a Mosholu Woodlawn South Community comes in, even every hang up

it or not, it's supposed to save time. lem but, rather, the new Enhanced 911 system. Believe It's actually not Caller ID that's causing this prob-Ben Stock

Disney Critique

Dear 2600:

you that the majority of "facts" listed in the article were gross errors. You really should check your articles before they are printed. Not doing so hurts the reputathis article. As a former cast member at WDW I can tell I can't believe how many inaccuracies there were in

It sure would be helpful if you shared with us some Michele Warner

of the inaccuracies. Fortunately, someone else did.

Dear 2600:

quality information and articles... until I read your Winter 95-96 issue. Don't get me wrong, It was all great, except for one article, "Infiltrating Disney" by Dr. Delam. I would urge the good doctor to quit taking the In addition, the tunnels are not underground, they are actually at ground level. WDW is built above ground level, and it does not go to each land... only four out of second main point I would like to correct is about sneaking down into the "tunnels" (the correct name is not even remotely resemble any standard shape. The security cars, and cameras, but also the so-called moat there are not only the most guard stations, patrolling for a small area. The stupidest place to try and sneak in guarded by a moat. The Magic Kingdom is on one side, just a few minor corrections. WDW in general is not of the article... and begin checking his facts. Here are ones with the most traffic. It would be a lot smarter that Dr. Delam mentioned because this is one of the utilidoors). It would be very stupid to go into the doors the seven, and I would hardly call it a ring at all. It does would be by Space Mountain because that is where 'Lysergic Acid Diethylamide" as he mentions at the end usually find that your mag has well researched,

view. These do not take place in any of the parks. These take place in the casting center, a rather large building by Pleasure Island. The only time you would get taken ous times by castmembers. The computer control room is nowhere near where Dr. Delam said it was and there is nowhere near where bit. Delam said it was not too its nowhere near where Dr. Delam said it was not too its nowhere near where Dr. Delam said it now here to have been said in the said it now the smith's shop in the Pocahontas Cove area. Very little traffic back there. Even if you did get down without down in the doors by Liberty Square behind the silver into the park would be after you are hired and that would be for training. Finally, there are a lot less surtake this from someone who was escorted down numergo more than 50 feet without being apprehended. anyone asking you questions, you very likely would not place at their resort. Anyone interested: real "hacking Disney" article, I was considering writing one detailing the workings of their huge VMB system in No!!! Another fact that he got wrong was the job internametags, and you would be questioned very quickly. castmembers (not actors as the author said) do wear veillance cameras than people think and a lot more undercover security people. If anyone is interested in a . ⊒

such enpassioned and emotional responses. We never cease to be amazed by the power of Disney. No article that we have ever printed has resulted in The Imagineer

An Edward A. Smith Theory

Dear 2600:

esting to see what could be done by dialing numbers in the Edward A. Smith's exchange. 500 area code. I'd like to speculate about the purpose of In the Autumn 1995 issue letters column, pbixby writes of the AT&T cable ship "Edward A. Smith", with ready-made test circuit. If this is true, it would be interrouted through the cable being laid, thus providing a operating, there would be a phone number that could be this purpose. No matter where in the world the ship was reserved exchange would be extremely convenient for cable the ship lays need to be tested? If so, having a the ship no matter where it goes. After all, won't the have a permanently assigned exchange that will follow an editorial comment about its reserved exchange in the assigning the exchange to the ship. It seems logical to

Cincinnati Bell Nightmare

ly you could have no more than two lines per house. So Recently I had two new phone lines added to my house, bringing me up to a total of four. But the phone company (Cincinnati Bell) had a few surprises for me the new phone lines, they would have to come out and Dear 2600: upgrade the wiring on my private lane because current when they added them. They told me that in order to add

(although quite stupid to try and sneak down at all) to go

2600 Magazine

Spring 1996

to our good friends at the phone company many rains and several feet of snow we have had, thanks to my complaints (nor those of the several neighbors what the other guy was there for and they gave me the basic equivalent of "Duh, I dunno" and wouldn't listen finished up and got the lines installed. But I asked him days later Cincinnati Bell shows up to begin "work" in their marked vans. Four of them. They worked for a few phone company and that he was just doing what they told him to do. I noticed that his van was not a telco 3 or 4 cans of spray paint) and asked him what the hell he thought he was doing. He said that he was from the or a yellow arrow or something, but this was crazy. And not just on the street, I mean on everybody's lawns and painted multi-colored, which hasn't faded at all in the weeks (once about every two or three days) and finally own van, no problem, so I didn't bother to ask. So a few that since it was the weekend he just drove over in his truck, but rather an unmarked Chevrolet van. I figured So I walk up to the guy doing this (who was armed with porches too. No lawn on the street was left untouched. things all the time on sidewalks, like maybe one "T-T" Different multi-colored symbols and arrows every-where, orange, yellow and green. Sure, you see these I agreed and all. I was coming home one day, and I found that my street looked like a level on Pac-Man. had their houses vandalized). So now my street is

this one. Sounds like your local TV news might have fun with Mr iNSaNiTY

Understanding the Hacker

a copy of 2600 at a store (Volume 12, number 4, Winter 95-96) and had to buy it. As I was reading it I came across the article "Understanding the Hacker" by Bootleg. I would like to say that I totally agree with more wars with guns, but with knowledge that hackers crave for and can't get enough of. Thank you Bootleg. everything it said. The greatest part was the idea of no I'm a new reader to this cool magazine. I picked up

Sevangles (Seven Angles)

56K ISDN Link

Dear 2600:

In your last issue (and on your web page) I was reading about the ordeal with PSinet. Well, I'm glad you got your money back and such, but I have a question did you ever find a 56k data-over-voice ISDN provider?

I have been desperately seeking one myself (I live in

ecuting him for possession of the Anarchist Cookbook? that is actually happening. The things going on are so ludicrous the story just feels fictitious. They were prosnorthern NJ). Please let me know if you found any. more I read about it, the more and more I can't believe I also just read more about Bernie S... the more and

> Christ, you can go buy that at Walden Books or B. Dalton! How can the not-so-Secret wanna-be-Service get away with such a horrid event?

surcharge. Good luck. We had no problem finding another provider who helped us with 56k connectivity. Not all NYNEX lines 64K and not have to pay their ridiculous per-minute they know exactly what you're talking about. And keep if they support 56K ISDN data over voice and make project. We suggest you ask local providers in your area can handle this but we knew that when we started the pushing for a flat rate ISDN service so we can just use

Netware Nonsense

Dear 2600

have found in 2600. I always wait impatiently for the I have for the most part been very impressed with the level of technical knowledge and creativity that I

"Hacking Netware" from the Winter 95-96 issue. next issue to arrive at my local Borders Book Store was reading was gibberish. I refer to the article titled Today is the first time I can honestly say that what

Netware 3.11 is horribly outdated.) appear that Trap has done little else than that with regard to Netware. (We will not bother with the fact that With all due respect to Trap, I would agree with his opening line "Reading through the book..." It would

The first half of the article is purely speculative
"What if I could dial im..." and "if I can get access to the
backup account by going to work after hours." "types
of fantasy. There are two Netware backup solutions that need to login, and that login account does not need any require you to login to a workstation. Only when you desire to modify or add additional sessions is there a exceptional privileges to execute the management softconsole which means that day to day operations do not are the most prevalent Both are based on the server

on the part of Trap. There is no knowledge or experience showing here ware

recorded in the Bindery..." is just simply wrong. Login/out info is recorded in a file called NET\$ACCT.DAT, and only if the accounting feature is Bindery files. enabled on the server. Do not mistake all NET\$ files as where and when a specific login ID has logged in is Further statements such as "All information about

BINDERY not BINDARIES. Also make note that the correct spelling is

the supervisor password at the console, or in the worst case by power cycling the server. (Not the preferred a "back door" password. Anyone even remotely familian licensee. The wrong part is that they would ever give out The second half of the article is partially right... the correct part is that Novell will ask for the name of the with Netware should know that you can always re-enable

2600 Magazine

Spring 1996

the System Console (by default) with the Network ID (wire number) and ethernet card address. So be prepared to spoof IPX packets with Packet Signatures Netware report failed login attempts to a file, but also to admit to having a back door into every Netware server.)
Another important thing to note is that not only will nethod but Novell would rather have you do this than

does his research! Hack II comes out, that Trap gets some experience and how to break into Netware systems, however misin-formed they may be. I would hope that before Novell Novell CNA/CNE types though... people do think about Trap's article does make one point very clear to

(something I would personally like to see).

azine

Words of Praise

I just bought my first copy of your mag. Www. Nice to know there are people out there who are actively defending the liberty that this country was founded upon - liberty that has since become corrupted by Dear 2600: power-hungry feds.

tion that isn't totally controlled by industry and political computer selections. It's nice to finally have a publicamag among the hundreds of glossy "commercialized" Of course that's not the real reason I picked out your

munication and liberty that there must be a group of people who are forced to break laws and be a secretive "controversial" issues such as phreaking and other so-called illegal activities. These laws against us "crimitry giants' profit margins - it is a travesty of free comnals" are nothing but the feds' way of protecting indusinformation. I also appreciate your boldness concerning society all in the pursuit of knowledge. 'paper" white pages filled with nothing but clear-cut What a thrill it was to open it up and find actual

The Cyber Hitchhiker

Words of Shame

We recently received this letter from a justifiably

to "Dr. No" on the Verifone credit card authorization machine. (Volume 12. Number 4. Winter 1985-96, pps 22:24) Except for the first and last paragraph, this article is a verbatim duplication of an article I wrote and published, including ASCII diagrams, under my wan name to alt hackers in 1992 entitled "Credit Card Authorization Machines". My article was later published in Issue 03 of the e-zine Informatik (available at

The most recent Issue of 2600 contains an article entitled "Understanding Verifone Machines" attributed

http://www.eff.org/pub/Publications/E-journals/CuD_and_hacker_zines/Inform/inform-3.gz and at other archives.)

with anyone calling themselves "Dr. No". I intend to go by the pseudonym "Dr. No". Furthermore to the best of my knowledge. I have never conversed I do not now go by, nor have I ever gone by, nor do My permission was neither sought nor obtained for

the publication of this article in 2600. rections from those parties who perpetrated this fraud. I I hereby demand public apologies/retractions/cor-

Emery W. Lapinski (ewl@panix.com)

also request that these apologies appear as prominently as the plagiarized article in the next issue of 2600 mag-

the following response: We contacted the "author" of this article and got

Emery W. Lapinski. 2600 Magizine, and the entire hacker/information seeker community for this fraudulent act, all i can say is that it was nieve and disrespectful... and i have no excuse. That is that research on this topic. I regret what I have done... I was not trying to take anything away from Emery W. an easy thing can be done. I guess i wished i were in the nyself and the magazine 2600 with this plagirized article. Why you might ask? hmm, that is tough. Who emmanuel and the entire staff of 2600: spotlight... knows what goes on in a young persons head when such interesting way). So, i must apologize, officially to Lapinski, but just try to spread knowledge (in a quite i must admit that i, Dr. No, pitifully embarrassed Although i did plagirize, i also did do

Regretfully Dr. No

us to know if an article has been lifted from somebody or someplace outside of the backer world, we rely on the It's hard for us to imagine how someone could send in an article written by another person and claim it as theirs. With tens of thousands of readers around the world, the odds of getting away with it are pretty slim. that has come to our attention. Since it's not possible for We're sorry this had to happen and we will do every-thing in our power to keep this kind of thing out of our In our 12 years of publishing, this is the first case of this honesty of our writers and the vigilance of our readers.

Immortalize Yourself

Send your letters to:

2600 Editorial Dept. P.O. Box 99 Middle Island, NY 11953-0099

combols on

Die the automatic vol-ra equipment

Page 53

e, or at

afte, http://www.rockpi html • Custom Video P Drive • Middletown, NJ • U.S. • Pal/Secam S10 • ence of the duced video depicting rea on-E and R.F. Burn conventions to a rarities that debut at hacker hackers, but at may be one the first independently Typically hacker videos are of peers, following is the videos promptly select audicessible. HAGKERS 95 suppose on who you know and how much time you spend on IRC's #back. Hackers, "as a impression that there are inside stories going on to which you may or may not be privy, depending I uject matter may c 0 " feel to it, and ommercial care. only be of to one of the dangers ing Hackers '95, one gets the Cybersnare." of this sounds alarmed. Watch-If some or all ť

Fortunately, Hackers

thing they may be guilty of. Thus, one is not like-by to find a video of backers performing their craft of limitations to absolve everyone i art one depicts offer their video direct to you—for a price. at the local video store. But Phon-E & R.F. Burns Hackers '95 is divi ual interviews (actually, into roughly six parts involved of anyof Hackers '95 falls where between your

ics that

kers '95

The production



III in Las Vegas. Part three co esting highlights from SummerCon95 Emmanuel Golds Part four purs us in the

it, only with endearing qualities. I don't to be mean, it's just that the production can be frustrating at times, as when Chris word I can think of to describe it is ama s repeatedly knoe ope; it's not bad; it's just not good tie-clip microshow d. The

will take some of their loot during his spieds. It is my ind invest it into, say, a real lucers of this \$35 video sincere hope that the profade out for critical seconds matic sound levels to

Spring 1996

2600 Magazine

2600 MEETINGS

Salleria on South University.

618, 9722, 9733, 9735. Baltimore Inner Harbor, Harborgkas Food Cout. Second Floor, arross on the Newscenter. Psychone. (410) 547-2351.

Batton Rouge, LA

The LSU Union Building, between the Tigor Pause and Swetten's to beam, next to the payphones. Psychone numbers: (504) 387-8520, 8538.

rudential Center Plaza, Terrace Food Court. Payphones: (617) 236-6582, 5583, 6584, 6585, try to bypass the carrier.

enwood Town Center, food court.

Covenity Arabica, Ceveland Heights, back room smoking section.

Robinator Fashion Mail. 2nd level, food court, by the payphones in the

City Center, lower level near the payphones.

Dallas Mama's Pizza, northeast comer of Campbell Rd. and Preston Rd. in North Dallas, first floor of the two story strip section. 7 pm. Payphone: (214) 931-osco

Food court under the statis in Galleria 2, next to McDonalds.

lown City, IA

Fourth floor of Pappajoth Business Administration Building by the payphones near the Eleanor Birch conference room.

Los Angeles
Union Station, comer of Macy & Ademeda. Inside main entrance by bank of
phones. Payphones: (213) 972-9519, 9520; 625-9523, 9524.
Louisville, KY Kansas City
Food court at the Oak Park Mall in Overland Park, Kansas.

Madison, Wi
Linion South (227 S. Randali St.) on the main level by the payphones
Payphone numbers (608) 251-9746, 9914, 9916, 9923.

Meriden, CT The Mall, St. Matthew's food o

blocks west of Vanderbilt campus. lean Central Cafe, intersection of West End Ave. and 29th Ave. S. three feriden Square Mall, Food Court.

Food Court of Lakeside Shopping Center by Cate du Monde. Payphoness. (504) 835-8789, 8778, and 8833 - good luck getting around the carrier.

New York City Citicorp Center, in the lobby, near the payphones, 153 E 53rd St., between Lexington & 3rd.

1

Diamond Center Food Court, smoking section, near payphones.

Ann Arbor, MI

ennox Food Court near the payp ones by Cinnabon.

Bioomington, MN
Mail of America, north side food court, across from Burger King and the bank of payphones that don't take incoming calls. Student Union building at Boise State University near payphones ayphone numbers: (208) 342-9432, 9559, 9700, 9798.

Eastern Hills Mall (Clarence) by lockers near food court.

Charlotte, NC

South Park Mall in the food court near the payphones.

3rd Coast Cafe, 1260 North Dearborn.

moking section, 6 pm.

In the bar at San Jose 05. Bristol, England

pm to apm.

Munich, Germany
Hauptbahnhof (Central Station), first floor, by Burger King and the payphones. (One stop on the S-Bahn from Hackerbruecke - Hackerbridge) Stimplace of Hacker-Pschorn bear. Payphones: +49-89-591-835, 449-89-559-511-825, 449-89-500-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800-511-825, 449-800

Melbourne Central Shopping Centre at the Swanston Street entrance near

Halmstad, Sweden
At the end of the town square (Stora Torget), to the right of the bakery (Tre

Fashion Square Mail in the food out between Hovan Gournet & Panda Express. Payphones: (407) 895-5238, 7373, 4648; 896-9708; 895-6044, 8055.

Cafe Wim on Sussex, a block of Ottawa, ONT (Canada) Rideau Street. 7 pm.

Philadelphia
30th Street Amtrak Station at 30th & Market, under the "Statiwell 7" sign.
Payphones: (215) 222-9880, 9881, 9779, 9799, 9832; 387-9751. Parkway Center Mall, south of downtown, on Route 279. In the food court. Payphones: (412) 928-9926, 9927, 9934.

Lloyd Center Mall, second level at the food court.
Raleigh, NC Crabtree Valley Mall, food court.

Marketplace Mall food court. Rochester, NY St. Louis

Secremento

Downtown Plaza food court, updates by the theatre, Payphones: (916)
442-9543, 9544 - Dypass the carrier. alleria, Highway 40 and Brentwood, lower level, food court area, by the

Embarcadero Plaza (inside). Payphones: (415) 398-9803, 9804, 9805.

Washington State Convention Center, first floor,
Tomino, ONT (Canada)
Shappad Cantle, Food Court area (sound Second Cup.); 7 pm.
Vancouver, BC (Canada)
Pacific Center Food Fair, one level down from street level by payphones. 4 Washington DC Pentagon City Mall in the food court.

Outside Marks & Spencers, next to the Grampian Transport liosk.

Belo Hortzonte, Brazil

Pelego's Bar at Assuleng, near the payphone, 6 pm.

Buenos Aires, Argentina AUSTRALIA, EUROPE, SOUTH AMERICA Aberdeen, Scotland

By the phones outside the Almshouss/Galleries, Merchant Street, Broadmead, Payshones: +44-177-9299011, 9294437. 6:45 pm. London, England Trocadero Shopping Center (near Péadilly Circus) next to VR machines 7 The Flea and Firkin, Oxford Manchester, England

Granede, Spain

At Pilar Del Toro Pub in Plaza Nueva near the Darro Bridget (Puente del

Hjartan). At the payphones.

All meetings take place on the first Friday of the month from approximately 5 pm to 8 pm local time unless other envise noted. To start a meeting in your city, leave a message and phone number at (516) 751-2800 or send email to meetings @2600.com.

WD GIVE

OK. ENOUGH. WE'VE BROUGHT BACK THE BLUE BOX SHIRTS SO YOU CAN STOP COMPLAINING AND BITCHING. SO NOW THERE ARE TWO VERSIONS OF 2600 SHIRTS: THE BLUE BOX SCHEMATIC SHIRTS AND THE MICHELANGELO VIRUS SHIRTS. SAME OLD PRICE. \$15 EACH, 2 FOR \$26, AVAILABLE IN LARGE AND XTRA-LARGE. WHITE LETTERING ON BLACK BACKGROUND.

I'M A TRADITIONALIST. SEND ME AN OLD-FASHIONED BLUE

I WANT TO TRY SOMETHING NEW. SEND ME AN ELITE MICHELANGELO VIRUS SHIRT. MY SIZE IS: ____

1 shirt/\$15
2 shirts/\$26

☐ 1 year/\$21 ☐ 2 years/\$38 ☐ 3 years/\$54 INDIVIDUAL SUBSCRIPTION

1 1 year/\$50 2 years/\$90 3 years/\$125

OVERSEAS SUBSCRIPTION

☐ 1 year, individual/\$30 ☐ 1 year, corporate/\$65

\$260 (you will get 2600 for as long as you can stand it) (also includes back issues from 1984, 1985, and 1986)

000 1984/\$25 1988/\$25 BACK ISSUES (invaluable reference material) 1991/\$25 987/\$25

1992/\$25 (individual back issues for 1988 to present are \$6.25 each, \$7.50 overseas) (OVERSEAS: ADD \$5 PER YEAR OF BACK ISSUES) 1995/\$25

Send orders to: 2600, PO Box 752, Middle Island, NY 11953

TOTAL AMOUNT ENCLOSED: (Make sure you enclose your address!

AND WHILE I HAVE YOUR ATTENTION, SEND ME ☐ 1985/\$25 ☐ 1989/\$25 ☐ 1993/\$25 CORPORATE SUBSCRIPTION BOX SHIRT. MY SIZE IS: LIFETIME SUBSCRIPTION □ 1986/\$25 □ 1990/\$25 □ 1994/\$25 1986/\$25 1990/\$25

28