



WIKIPEDIA  
The Free Encyclopedia

WIKIPEDIA

# Cobalt-60

**Cobalt-60** (<sup>60</sup>Co) is a synthetic radioactive isotope of cobalt with a half-life of 5.2714 years.<sup>[3][4]:39</sup> It is produced artificially in nuclear reactors. Deliberate industrial production depends on neutron activation of bulk samples of the monoisotopic and mononuclidic cobalt isotope <sup>59</sup>Co.<sup>[5]</sup> Measurable quantities are also produced as a by-product of typical nuclear power plant operation and may be detected externally when leaks occur. In the latter case (in the absence of added cobalt) the incidentally produced <sup>60</sup>Co is largely the result of multiple stages of neutron activation of iron isotopes in the reactor's steel structures<sup>[6]</sup> via the creation of its <sup>59</sup>Co precursor. The simplest case of the latter would result from the activation of <sup>58</sup>Fe. <sup>60</sup>Co undergoes beta decay to the stable isotope nickel-60 (<sup>60</sup>Ni). The activated cobalt nucleus emits two gamma rays with energies of 1.17 and 1.33 MeV, hence the overall equation of the nuclear reaction (activation and decay) is: <sup>59</sup>Co + n → <sup>60</sup>Co → <sup>60</sup>Ni + e<sup>−</sup> + 2 γ


## Activity

Given its half-life, the radioactive activity of a gram of <sup>60</sup>Co is close to 42 TBq (1,100 Ci). The *absorbed dose constant* is related to the decay energy and time. For <sup>60</sup>Co it is equal to 0.35 mSv/(GBq h) at one meter from the source. This allows calculation of the equivalent dose, which depends on distance and activity.

For example, 2.8 GBq or 60 μg of <sup>60</sup>Co, generates a dose of 1 mSv at 1 meter away, within an hour. The swallowing of <sup>60</sup>Co reduces the distance to a few millimeters, and the same dose is achieved within seconds.

Test sources, such as those used for school experiments,

Cobalt-60, <sup>60</sup>Co



### General

<b>Symbol</b>	<sup>60</sup> Co
<b>Names</b>	cobalt-60, 60Co, Co-60
<b>Protons</b> ( <i>Z</i> )	27
<b>Neutrons</b> ( <i>N</i> )	33

### Nuclide data

<b>Natural abundance</b>	trace
<b>Half-life</b> ( <i>t</i> <sub>1/2</sub> )	5.27 years <sup>[1]</sup>
<b>Isotope mass</b>	59.9338222 Da
<b>Spin</b>	5+

### Decay modes


<b>Decay mode</b>	<b>Decay energy (MeV)</b>
β (beta decay)	0.317 <sup>[2]</sup>
γ (gamma-rays)	1.1732,1.3325

Isotopes of cobalt

Complete table of nuclides

have an activity of <100 kBq. Devices for nondestructive material testing use sources with activities of 1 TBq and more.


The high  $\gamma$ -energies correspond to a significant mass difference between  $^{60}\text{Ni}$  and  $^{60}\text{Co}$ : 0.003 u. This amounts to nearly 20 watts per gram, nearly 30 times larger than that of  $^{238}\text{Pu}$ .



$\gamma$ -ray spectrum of cobalt-60

## Decay

The diagram shows a simplified decay scheme of  $^{60}\text{Co}$  and  $^{60\text{m}}\text{Co}$ . The main  $\beta$ -decay transitions are shown. The probability for population of the middle energy level of 2.1 MeV by  $\beta$ -decay is 0.0022%, with a maximum energy of 665.26 keV. Energy transfers between the three levels generate six different gamma-ray frequencies.<sup>[7]</sup> In the diagram the two important ones are marked. Internal conversion energies are well below the main energy levels.



The decay scheme of  $^{60}\text{Co}$  and  $^{60\text{m}}\text{Co}$ .

$^{60\text{m}}\text{Co}$  is a nuclear isomer of  $^{60}\text{Co}$  with a half-life of 10.467 minutes.<sup>[4]</sup> It decays by internal transition to  $^{60}\text{Co}$ , emitting 58.6 keV gamma rays, or with a low probability (0.22%) by  $\beta$ -decay into  $^{60}\text{Ni}$ .<sup>[7]</sup>

## Applications

The main advantage of  $^{60}\text{Co}$  is that it is a high-intensity gamma-ray emitter with a relatively long half-life, 5.27 years, compared to other gamma ray sources of similar intensity. The  $\beta$ -decay energy is low and easily shielded; however, the gamma-ray emission lines have energies around 1.3 MeV, and are highly penetrating. The physical properties of cobalt such as resistance to bulk oxidation and low solubility in water give some advantages in safety in the case of a containment breach over some other gamma sources such as caesium-137. The main uses for  $^{60}\text{Co}$  are:

- As a tracer for cobalt in chemical reactions
- Sterilization of medical equipment.<sup>[8]</sup>




Security screening of cars at Super Bowl XLI using  $^{60}\text{Co}$  gamma-ray scanner (2007)

- Radiation source for medical radiotherapy.<sup>[9]</sup> Cobalt therapy, using beams of gamma rays from <sup>60</sup>Co teletherapy machines to treat cancer.
- Radiation source for industrial radiography.<sup>[9]</sup>
- Radiation source for leveling devices and thickness gauges.<sup>[9]</sup>
- Radiation source for pest insect sterilization.<sup>[10]</sup>
- As a radiation source for food irradiation and blood irradiation.<sup>[8]</sup>

Cobalt has been discussed as a "salting" element to add to nuclear weapons, to produce a cobalt bomb, an extremely "dirty" weapon which would contaminate large areas with <sup>60</sup>Co nuclear fallout, rendering them uninhabitable. In one design, the tamper of the weapon would be made of <sup>59</sup>Co. When the bomb explodes, neutrons from the nuclear fission would irradiate the cobalt and transmute it to <sup>60</sup>Co. No country is known to have done any serious development of this type of weapon.



<sup>60</sup>Co needle implanted in tumors for radiotherapy, around 1955.



<sup>60</sup>Co teletherapy machine for cancer radiotherapy, early 1950s.



Brookhaven plant mutation experiment using <sup>60</sup>Co source in the pipe, center.




<sup>60</sup>Co source for sterilizing screwflies in the 1959 Screwworm Eradication Program.

## Production

<sup>60</sup>Co does not occur naturally on Earth in significant amounts, so <sup>60</sup>Co is synthesized by bombarding a <sup>59</sup>Co target with a slow neutron source. Californium-252, moderated through water, can be used for this purpose, as can the neutron flux in a nuclear reactor. The CANDU reactors can be used to activate <sup>59</sup>Co, by substituting the control rods with cobalt rods.<sup>[11]</sup> In the United States, as of 2010, it is being produced in a

boiling water reactor at Hope Creek Nuclear Generating Station. The cobalt targets are substituted here for a small number of fuel assemblies.<sup>[12]</sup> Still, over 40% of all single-use medical devices are sterilized using <sup>60</sup>Co from Bruce nuclear generating station.<sup>[13]</sup>



## Safety

---

Exposure to <sup>60</sup>Co is lethal for humans, and can cause death (potentially in less than an hour from acute exposure).<sup>[14]</sup>

After entering a living mammal (such as a human), assuming that the subject does not die shortly after exposure (as may happen in acute exposure incidents), some of the <sup>60</sup>Co is excreted in feces. The rest is taken up by tissues, mainly the liver, kidneys, and bones, where the prolonged exposure to gamma radiation can cause cancer. Over time, the absorbed cobalt is eliminated in urine.<sup>[9]</sup>

## Steel contamination

Cobalt is found in steel. Uncontrolled disposal of <sup>60</sup>Co in scrap metal is responsible for the radioactivity in some iron products.<sup>[15][16]</sup>

Circa 1983, construction was finished of 1700 apartments in Taiwan which were built with steel contaminated with cobalt-60. About 10,000 people occupied these buildings during a 9–20 year period. On average, these people unknowingly received a radiation dose of 0.4 Sv. Some studies have found that this large group did not suffer a higher incidence of cancer mortality, as the linear no-threshold model would predict, but suffered a lower cancer mortality than the general Taiwan public. These observations support the radiation hormesis model,<sup>[17]</sup> however other studies have found health impacts that confound the results.

In August 2012, Petco recalled several models of steel pet food bowls after US Customs and Border Protection determined that they were emitting low levels of radiation, which was determined to be from <sup>60</sup>Co that had contaminated the steel.<sup>[18]</sup>

In May 2013, a batch of metal-studded belts sold by online retailer ASOS were confiscated and held in a US radioactive storage facility after testing positive for <sup>60</sup>Co.<sup>[19]</sup>

## Incidents involving medical radiation sources

A radioactive contamination incident occurred in 1984 in Ciudad Juárez, Chihuahua, Mexico, originating from a radiation therapy unit illegally purchased by a private medical company and subsequently dismantled for lack of personnel to operate it. The radioactive material, <sup>60</sup>Co, ended up in a junkyard, where it was sold to foundries that inadvertently smelted it with other metals and produced about 6,000 tons of contaminated rebar.<sup>[20]</sup> These were distributed in 17 Mexican states and several cities in the United States. It is estimated that 4,000 people were exposed to radiation as a result of this incident.<sup>[20]</sup>

In the Samut Prakan radiation accident in 2000, a disused radiotherapy head containing a <sup>60</sup>Co source was

stored at an unsecured location in Bangkok, Thailand and then accidentally sold to scrap collectors. Unaware of the danger, a junkyard employee dismantled the head and extracted the source, which remained unprotected for a period of days at the junkyard. Ten people, including the scrap collectors and workers at the junkyard, were exposed to high levels of radiation and became ill. Three junkyard workers later died of their exposure, which was estimated to be over 6 Gy. Afterward, the source was safely recovered by Thai authorities.<sup>[21]</sup>

In December 2013, a truck carrying a disused 111 TBq <sup>60</sup>Co teletherapy source from a hospital in Tijuana to a radioactive waste storage center was hijacked at a gas station near Mexico City.<sup>[22][23]</sup> The truck was soon recovered, but the thieves had removed the source from its shielding. It was found intact in a nearby field.<sup>[23]</sup><sup>[24]</sup> Despite early reports with lurid headlines asserting that the thieves were "likely doomed",<sup>[25]</sup> the radiation sickness was mild enough that the suspects were quickly released to police custody,<sup>[26]</sup> and no one is known to have died from the incident.<sup>[27]</sup>

## Other incidents

On 13 September 1999, six people tried to steal <sup>60</sup>Co rods from a chemical plant in the city of Grozny, Chechen Republic.<sup>[28]</sup> During the theft, the suspects opened the radioactive material container and handled it, resulting in the deaths of three of the suspects and injury of the remaining three. The suspect who held the material directly in his hands died of radiation exposure 30 minutes later. This incident is described as an attempted theft, but some of the rods are reportedly still missing.<sup>[29]</sup>

## Parity

---

In 1957, Chien-Shiung Wu et al. discovered that  $\beta$ -decay violated parity, implying nature has a handedness.<sup>[30]</sup> In the Wu experiment, researchers aligned <sup>60</sup>Co nuclei by cooling the source to low temperatures in a magnetic field. Wu's observation was that more  $\beta$ -rays were emitted in the opposite direction to the nuclear spin. This asymmetry violates parity conservation.

## Suppliers

---

Argentina, Canada, India and Russia are the largest suppliers of <sup>60</sup>Co in the world.<sup>[31]</sup> Both Argentina and Canada have (as of 2022) an all-heavy-water reactor fleet for power generation. Canada has CANDU in numerous locations throughout Ontario as well as Point Lepreau Nuclear Generating Station in New Brunswick, while Argentina has two German-supplied heavy water reactors at Atucha nuclear power plant and a Canadian-built CANDU at Embalse Nuclear Power Station. India has a number of CANDU reactors at the Rajasthan Atomic Power Station used for producing <sup>60</sup>Co.<sup>[32]</sup> India had a capacity of more than 6 MCi of <sup>60</sup>Co production in 2021; this capacity is slated to increase with more CANDU reactors being commissioned at the Rajasthan Atomic Power Station.<sup>[33]</sup> Heavy-water reactors are particularly well suited for production of <sup>60</sup>Co because of their excellent neutron economy and because their capacity for online refueling allows targets to be inserted into the reactor core and removed after a predetermined time without the need for cold shutdown. Also, the heavy water used as a moderator is commonly held at lower temperatures than is the coolant in light water reactors, allowing for a lower speed of neutrons, which increases the neutron cross

section and decreases the rate of unwanted (n,2n) "knockout" reactions.

## In popular culture

<sup>60</sup>Co is the material encasing a missile nuclear warhead in the 1970 film *Beneath the Planet of the Apes*.

In an episode of *9-1-1 (TV series)*, a truck illegally transporting <sup>60</sup>Co causes a hazardous emergency for a team of firefighters.<sup>[34]</sup>

## See also

- Cobalt bomb
- Harold E. Johns

## References

- "Radionuclide Half-Life Measurements" (<https://web.archive.org/web/20160812133216/http://nist.gov/pml/data/half-life.html.cfm>). *National Institute of Standards and Technology*. Archived from the original (<https://www.nist.gov/pml/data/half-life.html.cfm>) on 12 August 2016. Retrieved 7 November 2011.
- "Chart of Nuclides" (<https://web.archive.org/web/20080522125027/http://www.nndc.bnl.gov/chart/>). *National Nuclear Data Center*. Brookhaven National Laboratory. Archived from the original (<https://www.nndc.bnl.gov/chart/>) on 22 May 2008. Retrieved 25 October 2018.
- Kondev, F. G.; Wang, M.; Huang, W. J.; Naimi, S.; Audi, G. (2021). "The NUBASE2020 evaluation of nuclear properties" (<https://www-nds.iaea.org/amdc/ame2020/NUBASE2020.pdf>) (PDF). *Chinese Physics C*. **45** (3): 030001. doi:10.1088/1674-1137/abddae (<https://doi.org/10.1088%2F1674-1137%2Fabddae>).
- Eckerman, K.; Endo, A. (2008). *Annex A. Radionuclides of the ICRP-07 collection*. ICRP Publication 107. Vol. 38. International Commission on Radiological Protection. pp. 35–96. doi:10.1016/j.icrp.2008.10.002 (<https://doi.org/10.1016%2Fj.icrp.2008.10.002>). ISBN 978-0-7020-3475-6. ISSN 0146-6453 (<https://search.worldcat.org/issn/0146-6453>). LCCN 78647961 (<https://lccn.loc.gov/78647961>). PMID 19285593 (<https://pubmed.ncbi.nlm.nih.gov/19285593>).  **{{cite book}}:** |journal= ignored (help)
- Malkoske, G. R.; Slack, J.; Norton, J. L. (2–5 June 2002). *Cobalt-60 production in CANDU power reactors* (<https://inis.iaea.org/search/searchsinglerecord.aspx?recordsFor=SingleRecord&RN=34076301>). 40 years of nuclear energy in Canada = 40 années d'énergie nucléaire au Canada (<https://inis.iaea.org/search/searchsinglerecord.aspx?recordsFor=SingleRecord&RN=34076273>) (Conference). Vol. 34. Canadian Nuclear Society. pp. 96Megabytes. ISBN 978-0919784697. OCLC 59260021 (<https://search.worldcat.org/oclc/59260021>) – via International Atomic Energy Agency. (PDF also located at [Canadian Nuclear FAQ](https://www.nuclearfaq.ca/malkoskie_cobalt_paper.pdf) ([https://www.nuclearfaq.ca/malkoskie\\_cobalt\\_paper.pdf](https://www.nuclearfaq.ca/malkoskie_cobalt_paper.pdf)))
- US EPA Radiation Protection: Cobalt (<http://www.epa.gov/radiation/radionuclides/cobalt.html#wheredoes>)
- "Table of Isotopes decay data" (<http://nucleardata.nuclear.lu.se/toi/nuclide.asp?iZA=270060>). Retrieved April 16, 2012.

8. *Gamma Irradiators For Radiation Processing* (<https://web.archive.org/web/20180827150851/http://www-naweb.iaea.org/napc/iachem/Brochgammairradd.pdf>) (PDF). IAEA. 2005. Archived from the original (<http://www-naweb.iaea.org/napc/iachem/Brochgammairradd.pdf>) (PDF) on 2018-08-27. Retrieved 2012-04-16.
9. "Cobalt | Radiation Protection | US EPA" (<https://web.archive.org/web/20150413155209/https://www.epa.gov/rpdweb00/radionuclides/cobalt.html>). EPA. Archived from the original (<http://www.epa.gov/rpdweb00/radionuclides/cobalt.html>) on April 13, 2015. Retrieved April 16, 2012.
10. "Nuclear "birth control" helps Croatia fruit farmers fight flies" (<https://www.reuters.com/article/us-croatia-farming-nuclear-idUSBRE8910M020121002>). *Reuters*. October 2, 2012 – via [www.reuters.com](http://www.reuters.com).
11. "Isotope Production: Dual Use Power Plants - Atomic Insights" (<https://atomicinsights.com/isotope-production-dual-use-power-plants/>). *atomicinsights.com*. June 1, 1996.
12. NJ.com, Bill Gallo Jr | For (November 12, 2010). "PSEG Nuclear's Hope Creek reactor back on line, begins production of Cobalt-60" ([https://www.nj.com/salem/2010/11/pseg\\_nuclears\\_hope\\_creek\\_react\\_1.html](https://www.nj.com/salem/2010/11/pseg_nuclears_hope_creek_react_1.html)). *nj*.
13. "A Nuclear Power Side Venture: Medical Isotope Production" (<https://www.powermag.com/a-nuclear-power-side-venture-medical-isotope-production/>). May 2020.
14. "Grozny orphaned source, 1999" (<https://www.johnstonsarchive.net/nuclear/radevents/1999RUS1.html>). *www.johnstonsarchive.net*. Retrieved 2024-05-27.
15. "Information Notice No. 83-16: Contamination of the Auburn Steel Company Property with Cobalt-60" (<https://www.nrc.gov/reading-rm/doc-collections/gen-comm/info-notices/1983/in83016.html>). *NRC Web*.
16. "Lessons Learned The Hard Way" ([https://web.archive.org/web/20100718065554/http://www.iaea.org/Publications/Magazines/Bulletin/Bull472/htmls/lessons\\_learned.html](https://web.archive.org/web/20100718065554/http://www.iaea.org/Publications/Magazines/Bulletin/Bull472/htmls/lessons_learned.html)). *IAEA Bulletin 47-2*. International Atomic Energy Agency. Archived from the original ([http://www.iaea.org/Publications/Magazines/Bulletin/Bull472/htmls/lessons\\_learned.html](http://www.iaea.org/Publications/Magazines/Bulletin/Bull472/htmls/lessons_learned.html)) on 18 July 2010. Retrieved 16 April 2010.
17. Chen, W.L.; Luan, Y.C.; Shieh, M.C.; Chen, S.T.; Kung, H.T.; Soong, K.L.; Yeh, Y.C.; Chou, T.S.; Mong, S.H.; Wu, J.T.; Sun, C.P.; Deng, W.P.; Wu, M.F.; Shen, M.L. (25 August 2006). "Effects of Cobalt-60 Exposure on Health of Taiwan Residents Suggest New Approach Needed in Radiation Protection" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2477708>). *Dose-Response*. **5** (1): 63–75. doi:10.2203/dose-response.06-105.Chen (<https://doi.org/10.2203%2Fdose-response.06-105.Chen>). PMC 2477708 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2477708>). PMID 18648557 (<https://pubmed.ncbi.nlm.nih.gov/18648557>).
18. "Petco Recalls Some Stainless Steel Pet Bowls Due to Cobalt-60 Contamination" (<https://petpit.chusa.wordpress.com/2012/08/10/petco-recalls-some-stainless-steel-pet-bowls-due-to-cobalt-60-contamination/>). 10 August 2012. Retrieved 21 August 2012.
19. "Asos Belts Seized Over Radioactive Studs" (<http://web.archive.org/web/20130607163555/http://news.sky.com/story/1096486/asos-belts-seized-over-radioactive-studs>). Sky News. 28 May 2013. Archived from the original (<http://news.sky.com/story/1096486/asos-belts-seized-over-radioactive-studs>) on 7 June 2013. Retrieved 5 December 2013.
20. Blakeslee, Sandra (1984-05-01). "Nuclear Spill At Juarez Looms As One Of Worst" (<https://www.nytimes.com/1984/05/01/science/nuclear-spill-at-juarez-looms-as-one-of-worst.html>). *The New York Times*. ISSN 0362-4331 (<https://search.worldcat.org/issn/0362-4331>). Archived (<https://web.archive.org/web/20150208041927/http://www.nytimes.com/1984/05/01/science/nuclear-spill-at-juarez-looms-as-one-of-worst.html>) from the original on February 8, 2015. Retrieved 2022-02-10.

21. *The Radiological Accident in Samut Prakarn* ([http://www-pub.iaea.org/MTCD/publications/PDF/Pub1124\\_scr.pdf](http://www-pub.iaea.org/MTCD/publications/PDF/Pub1124_scr.pdf)) (PDF). IAEA. 2002. Retrieved 2012-04-14.
22. "Mexico Informs IAEA of Theft of Dangerous Radioactive Source" (<http://iaea.org/newscenter/news/2013/mexicoradsources.html>). IAEA. 4 December 2013. Retrieved 2013-12-05.
23. "Mexico Says Stolen Radioactive Source Found in Field" (<http://iaea.org/newscenter/news/2013/mexicoradsources2.html>). IAEA. 2013-12-05. Retrieved 2013-12-05.
24. Will Grant (2013-12-05). "BBC News - Mexico radioactive material found, thieves' lives 'in danger' " (<https://www.bbc.co.uk/news/world-latin-america-25224304>). BBC. Retrieved 2013-12-05.
25. Gabriela Martinez, and Joshua Partlow (6 December 2013). "Thieves who stole lethal radioactive cobalt-60 in Mexico likely doomed" (<http://www.dailynews.com/general-news/20131206/thieves-who-stole-lethal-radioactive-cobalt-60-in-mexico-likely-doomed>). *Los Angeles Daily News*. Retrieved 12 March 2015.
26. M. Alex Johnson (6 December 2013). "Six released from Mexican hospital but detained in theft of cobalt-60" (<https://www.nbcnews.com/news/other/six-released-mexican-hospital-detained-theft-cobalt-60-f2D11707085>). *NBC News*. Retrieved 12 March 2015.
27. Mary Cuddehe (13 November 2014). "What Happens When A Truck Carrying Radioactive Material Gets Robbed In Mexico" (<https://www.buzzfeed.com/marycuddehe/what-happens-when-a-truck-carrying-radioactive-material-gets>). *BuzzFeed*. Retrieved 12 March 2015.
28. Wm. Robert Johnston (8 April 2005). "Gronzy orphaned source, 1999" (<http://www.johnstonsarchive.net/nuclear/radevents/1999RUS1.html>). Retrieved 16 March 2024.
29. "Criminal Dies Stealing Radioactive Material" (<https://web.archive.org/web/20211006132919/https://www.nti.org/analysis/articles/criminal-dies-stealing-radioactive-material/>). James Martin Center for Nonproliferation Studies at the Monterey Institute of International Studies. 14 September 1999. Archived from the original on 6 October 2021. Retrieved 6 October 2021.
30. Wu, C. S.; Ambler, E.; Hayward, R. W.; Hoppes, D. D.; Hudson, R. P. (15 February 1957). "Experimental Test of Parity Conservation in Beta Decay" (<https://doi.org/10.1103%2FPhysRev.105.1413>). *Physical Review*. **105** (4): 1413–1415. Bibcode:1957PhRv..105.1413W (<https://ui.adsabs.harvard.edu/abs/1957PhRv..105.1413W>). doi:10.1103/PhysRev.105.1413 (<https://doi.org/10.1103%2FPhysRev.105.1413>).
31. "The Canadian Ghost Town That Tesla Is Bringing Back to Life" (<https://www.bloomberg.com/news/features/2017-10-31/the-canadian-ghost-town-that-tesla-is-bringing-back-to-life>). *Bloomberg.com*. 2017-10-31. Retrieved 2018-05-22.
32. "Nuclear Power in India | Indian Nuclear Energy - World Nuclear Association" (<https://world-nuclear.org/information-library/country-profiles/countries-g-n/india.aspx>). *world-nuclear.org*.
33. "Bulletin 2022" ([https://www.britatom.gov.in/uploads/brit\\_bulletin\\_2022.pdf](https://www.britatom.gov.in/uploads/brit_bulletin_2022.pdf)) (PDF). *britatom.gov.in*. Retrieved 12 May 2023.
34. Preston, Tori. '9-1-1' This Week: Meteorites, Radioactive Sludge, And Some Speedy Resolutions. [https://www.pajiba.com/tv\\_reviews/on-911-bobby-might-be-dying-and-the-true-story-of-the-woman-struck-by-the-meteorite.php](https://www.pajiba.com/tv_reviews/on-911-bobby-might-be-dying-and-the-true-story-of-the-woman-struck-by-the-meteorite.php)

## External links

---

- Cobalt-60 (<https://web.archive.org/web/20051130105318/http://www.bt.cdc.gov/radiation/isotopes/cobalt.asp>), Centers for Disease Control and Prevention.
- NLM Hazardous Substances Databank – Cobalt, Radioactive (<http://toxnet.nlm.nih.gov/cgi-bin/>

[sis/search/r?dbs+hsdb:@term+@na+@rel+cobalt,+radioactive\)](#)

- [Beta decay of Cobalt-60 \(http://hyperphysics.phy-astr.gsu.edu/hbase/nuclear/betaex.html\)](http://hyperphysics.phy-astr.gsu.edu/hbase/nuclear/betaex.html), HyperPhysics, Georgia State University.
- [Dr. Henry Kelly \(March 6, 2002\). "Cobalt-60 as a Dirty Bomb" \(http://www.fas.org/ssp/docs/030602-kellytestimony.htm\)](http://www.fas.org/ssp/docs/030602-kellytestimony.htm). Federation of American Scientists. [Archived \(https://web.archive.org/web/20020405141039/http://www.fas.org/ssp/docs/030602-kellytestimony.htm\)](https://web.archive.org/web/20020405141039/http://www.fas.org/ssp/docs/030602-kellytestimony.htm) from the original on April 5, 2002. Retrieved November 26, 2005.

---

Retrieved from "<https://en.wikipedia.org/w/index.php?title=Cobalt-60&oldid=1262519485>"